PB81-196644

Historical Visibility Over the Eastern U.S. Daily Extinction Coefficient Contour Maps 1948-1952. Appendix A

Washington Univ.
St. Louis, MO

Prepared for

Environmental Sciences Research Lab.
Research Triangle Park, NC

May 80

U.S. Department of Commerce
National Technical Information Service
NTIS

PB81-196644

EPA-600/3-80-043b
May 1980

HISTORICAL VISIBILITY OVER THE EASTERN U.S.
Appendix A
Daily Extinction Coefficient Contour Maps
1948-1952

by

David E. Patterson, Janet M. Holloway and Rudolf B. Husar
Center for Air Pollution Impact and Trend Analysis (CAPITA)
Washington University
St. Louis, MO 63130

Grant No. R803896

Project Officer

William E. Wilson, Jr.
Atmospheric Chemistry and Physics Division
Environmental Sciences Research Laboratory
Research Triangle Park, NC 27711

PRODUCT OF
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

ENVIRONMENTAL SCIENCES RESEARCH LABORATORY
OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY
RESEARCH TRIANGLE PARK, NC 27711

TECHNICAL REPORT DATA
(Please read Instructions on the reverse before completing)

1. REPORT NO.	2.	3. RECIPIENT'S ACCESSION NO.
EPA-600/3-80-043b		PB81 196564

4. TITLE AND SUBTITLE	5. REPORT DATE
HISTORICAL VISIBILITY OVER THE EASTERN U.S. Appendix A. Daily Extinction Coefficient Contour Maps 1948-1952	May 1980
	6. PERFORMING ORGANIZATION CODE
7. AUTHOR(S)	8. PERFORMING ORGANIZATION REPORT NO.
David E. Patterson, Janet M. Holloway and Rudolf Husar	
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT NO.
Washington University CAPITA, Box 1185 Lindell and Skinker Blvds. St. Louis, Missouri 63130	1AA603A AA-149 (FY-79)
	11. CONTRACT/GRANT NO.
	Grant No. R803896
12. SPONSORING AGENCY NAME AND ADDRESS	13. TYPE OF REPORT AND PERIOD COVERED
Environmental Sciences Research Laboratory--RTP,NC Office of Research and Development U.S. Environmental Protection Agency Research Triangle Park, NC 27711	Final 1/78 - 1/79
	14. SPONSORING AGENCY CODE
	EPA/600/09

15. SUPPLEMENTARY NOTES

Reference: EPA-600/3-80-043a

16. ABSTRACT

The changes and causes of reduced visibility in the Eastern U.S. during the past three decades were examined. Contour maps of local midday extinction coefficients (inversely related to visibility) are presented for the years 1948-1952. Daily mean extinction coefficient maps illustrate the formation and movement of air masses with reduced visibility; they are supplemented by tables and stripcharts of regional meteorological parameters.

17. KEY WORDS AND DOCUMENT ANALYSIS

a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
Air pollution *Visibility *Haze *Absorptivity *Trends *Nomographs *Meteorological data *Seasonal variations *Air masses	Regional haziness Long range transport Eastern U.S.	13B 04B 12A

18. DISTRIBUTION STATEMENT	19. SECURITY CLASS (This Report)	21. NO. OF PAGES
RELEASE TO PUBLIC	UNCLASSIFIED	321
	20. SECURITY CLASS (This page)	22. PRICE
	UNCLASSIFIED	

EPA Form 2220-1 (9-73)

DISCLAIMER

This report has been reviewed by the Environmental Sciences Research Laboratory, U.S. Environmental Protection Agency, and approved for publication. Approval does not signify that the contents necessarily reflect the views and policies of the U.S. Environmental Protection Agency, nor does mention of trade names or commercial products constitute endorsement of recommendation for use.

ABSTRACT

The changes and causes of reduced visibility in the Eastern U.S. during the past three decades were examined. Contour maps of local midday extinction coefficients (inversely related to visibility) are presented for the years 1948-1952. Daily mean extinction coefficient maps illustrate the formation and movement of air masses with reduced visibility; they are supplemented by tables and stripcharts of regional meteorological parameters.

This report was submitted in partial fulfillment of EPA Grant No. R803896 by the Center for Air Pollution Impact and Trend Analysis (CAPITA) under the sponsorship of the U.S. Environmental Protection Agency. This report covers a period from January 1, 1978 to June 30, 1979, and work was completed as of July 31, 1979.

Appendix A.
Daily and Quarterly Extinction Coefficient Contour Maps
1948-1952

NOTE:

Appendices A-F are continuations of a published report entitled HISTORICAL VISIBILITY OVER THE EASTERN U.S. Daily and Quarterly Extinction Coefficient Contour Maps, EPA-600/3-80-043a. This report contains background information and documentation of the data volume for the study and presents daily contour maps of light extinction coefficients for the Eastern U.S. in 1978; these are supplemented by tables and stripcharts of regional meteorological parameters. Plots of quarterly average extinction coefficients from 1948-1978 are also included.

This report is available from the

National Technical Information Service
U.S. Department of Commerce
5285 Port Royal Road
Springfield, VA 22161



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.00	81	20.24	17.01
2	8	2.48	81	26.56	16.62
3	18	1.88	48	21.78	10.05
4	13	1.87	68	27.88	16.82
5	23	1.68	68	28.62	20.42
6	10	1.86	45	28.36	15.10
7	15	1.68	81	28.29	17.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.12	58	26.10	9.00
2	8	1.61	61	24.80	10.67
3	18	2.01	58	26.44	15.11
4	13	1.84	48	28.86	17.64
5	23	1.74	61	28.17	17.08
6	10	1.82	48	30.94	15.82
7	15	1.68	58	28.26	18.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.12	88	27.07	12.21
2	8	2.00	48	26.97	14.60
3	18	1.98	48	30.18	18.08
4	13	2.04	52	28.71	17.66
5	23	1.82	47	31.15	18.42
6	10	1.88	38	35.18	17.21
7	15	1.79	61	29.09	20.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	48	20.60	12.07
2	8	2.31	47	29.90	15.30
3	18	2.25	53	25.94	18.42
4	13	1.78	57	28.75	19.18
5	23	2.16	52	31.23	19.75
6	10	2.07	38	34.35	18.32
7	15	1.72	59	28.58	20.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.90	88	20.00	17.00
2	8	3.58	81	21.72	20.42
3	18	1.38	68	28.29	19.53
4	13	2.10	62	32.69	21.23
5	23	2.91	85	31.62	20.06
6	10	2.04	48	34.94	19.21
7	15	2.04	58	29.48	20.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.00	84	23.80	19.39
2	8	2.85	61	27.04	18.57
3	18	2.45	58	28.29	18.39
4	13	1.70	43	33.03	19.84
5	23	1.88	61	32.19	20.58
6	10	1.87	48	32.83	18.55
7	15	1.78	61	29.29	20.77

CAPITA

REGION	# STNS	HEAT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.87	68	21.84	8.71
2	8	1.98	58	23.59	10.87
3	17	2.06	54	24.35	14.98
4	14	1.78	67	21.89	14.87
5	23	1.76	69	20.26	13.91
6	10	1.87	63	21.77	13.92
7	15	1.90	82	21.21	20.18



REGION	# STNS	HEAT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.10	51	27.21	8.80
2	8	1.62	36	27.58	10.86
3	18	1.85	43	28.97	15.23
4	13	1.78	48	31.11	18.04
5	22	2.20	57	27.88	18.40
6	10	2.02	46	31.80	18.43
7	15	1.74	58	32.18	20.39



REGION	# STNS	HEAT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.20	36	28.88	11.04
2	8	2.16	34	28.56	12.27
3	18	2.08	42	29.90	15.58
4	13	1.87	46	28.71	18.06
5	22	2.20	56	27.88	17.68
6	10	2.61	54	28.88	19.68
7	15	1.71	48	32.65	20.68



REGION	# STNS	HEAT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.80	42	30.41	10.10
2	8	2.20	48	28.62	15.62
3	18	2.56	48	31.10	18.65
4	14	2.71	56	28.62	19.29
5	23	2.27	62	27.86	19.53
6	10	2.49	63	22.55	19.27
7	15	1.76	87	30.70	25.75

REGION	# STNS	HEAT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.16	43	32.88	18.32
2	8	2.58	48	30.55	18.45
3	18	2.39	51	30.30	18.98
4	13	2.37	58	29.05	18.67
5	23	2.17	66	28.99	20.06
6	10	2.01	70	27.32	21.10
7	15	1.78	99	29.79	29.29



REGION	# STNS	HEAT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.43	41	33.03	17.91
2	8	3.46	48	31.97	18.88
3	18	4.29	64	28.52	20.61
4	13	2.41	64	25.71	18.79
5	23	2.37	65	28.88	21.41
6	10	1.97	88	28.93	21.83
7	15	1.88	87	30.77	28.43

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.24	77	29.13	20.84
2	8	5.70	77	26.80	21.72
3	10	5.61	69	26.89	20.52
4	13	2.43	62	27.04	18.01
5	23	2.04	62	26.80	21.93
6	10	2.05	72	28.05	22.38
7	15	1.70	56	31.61	20.94



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.78	62	22.77	16.88
2	8	1.63	62	26.10	15.40
3	10	3.66	67	24.85	17.24
4	13	2.52	63	24.78	17.04
5	23	2.67	68	26.16	22.66
6	10	2.48	70	28.60	22.55
7	15	1.66	48	32.68	20.82



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.04	48	29.27	19.82
2	8	1.70	48	28.16	19.88
3	10	3.25	57	28.44	18.75
4	13	2.38	61	24.44	18.92
5	23	3.16	68	28.62	22.12
6	10	3.00	63	30.10	21.98
7	15	1.82	51	31.62	20.03

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.17	45	28.32	14.88
2	8	2.70	48	27.71	14.87
3	10	4.03	62	28.14	20.02
4	13	1.70	48	28.82	15.42
5	23	1.02	62	30.82	21.61
6	10	2.17	63	30.88	22.08
7	15	1.73	53	31.55	20.40



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.18	53	28.52	16.82
2	8	2.09	66	25.55	18.45
3	10	2.01	54	28.73	17.32
4	13	1.04	54	25.60	18.50
5	23	2.54	61	31.23	22.65
6	10	2.08	60	30.68	21.88
7	15	1.88	52	32.20	20.89

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.97	55	30.19	19.89
2	8	5.98	58	29.25	20.36
3	10	1.68	48	28.01	15.38
4	13	1.88	60	24.09	18.61
5	23	1.86	54	32.53	21.90
6	10	1.80	58	31.10	21.32
7	15	1.87	52	32.22	20.55

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.29	80	26.52	18.41
2	8	2.60	68	26.28	17.46
3	18	2.26	61	27.76	18.35
4	19	1.76	67	26.76	17.06
5	23	1.68	61	30.62	22.28
6	10	1.93	60	30.48	21.68
7	15	1.83	62	32.27	21.06

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.41	62	28.38	16.30
2	8	2.37	67	28.33	15.66
3	18	2.45	58	28.54	19.22
4	15	1.78	62	27.06	18.01
5	23	2.68	61	31.01	22.48
6	10	2.27	61	31.22	22.54
7	15	1.80	59	32.78	20.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	8.07	69	29.38	20.13
2	8	6.27	55	28.67	16.08
3	18	5.15	74	27.08	21.78
4	19	2.80	64	26.52	18.15
5	23	2.74	58	32.65	22.58
6	10	1.87	58	32.33	23.10
7	15	1.86	62	32.74	21.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.04	41	24.57	10.96
2	8	2.33	56	26.80	17.15
3	18	3.81	78	25.76	20.52
4	19	1.06	69	21.91	14.05
5	23	1.99	58	32.27	22.78
6	10	1.83	55	32.38	21.95
7	15	1.70	53	31.69	21.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	9.02	74	20.27	19.27
2	8	7.56	81	25.95	21.41
3	18	2.15	67	21.32	16.98
4	19	1.61	48	23.71	11.38
5	23	2.32	61	31.20	22.60
6	10	2.08	60	30.85	21.93
7	15	1.69	58	29.69	20.69



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.99	54	24.69	15.33
2	8	1.04	62	24.19	13.63
3	18	1.61	48	24.10	11.75
4	19	1.67	51	27.38	16.10
5	23	2.06	62	29.32	20.78
6	10	2.05	57	29.10	17.27
7	15	1.69	54	31.81	21.25

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	47	29.27	19.10
2	8	1.43	42	26.10	12.34
3	10	2.07	55	25.79	15.79
4	13	2.62	62	26.01	18.37
5	23	2.05	57	30.68	19.00
6	10	2.09	46	29.80	18.80
7	15	1.82	60	32.56	21.48



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.38	87	24.99	19.58
2	8	3.20	63	26.40	17.58
3	10	2.11	60	25.95	18.75
4	12	1.81	46	27.68	14.38
5	23	2.11	58	31.92	21.38
6	10	2.10	55	30.77	20.33
7	16	1.70	58	31.51	21.58

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.18	64	27.01	20.27
2	8	3.00	56	29.62	18.31
3	10	2.05	54	28.20	17.92
4	13	1.61	48	27.04	14.19
5	23	2.06	62	32.83	21.37
6	10	2.09	67	29.18	22.21
7	14	1.86	53	32.50	21.42



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.22	68	28.10	19.44
2	8	2.10	66	28.26	18.33
3	10	2.00	47	27.77	15.18
4	13	1.73	49	30.29	18.50
5	23	3.12	64	29.70	21.67
6	10	1.83	71	27.38	21.60
7	15	1.88	51	32.68	20.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.19	88	28.01	19.18
2	8	1.03	43	29.31	15.48
3	10	2.21	51	29.62	18.29
4	13	2.12	62	28.19	18.38
5	23	3.36	70	28.08	21.62
6	10	1.81	53	30.33	21.44
7	15	1.70	47	32.40	18.77



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.27	89	30.09	19.13
2	8	3.32	67	30.00	21.16
3	10	1.90	52	27.99	17.09
4	13	1.64	49	23.08	12.84
5	22	2.58	64	29.87	22.14
6	10	2.13	55	32.00	21.77
7	15	1.74	57	30.68	20.88

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.07	60	28.18	16.16
2	9	1.08	65	28.82	18.42
3	18	1.58	42	25.78	11.88
4	18	1.81	46	26.46	14.82
5	23	1.86	63	29.87	21.87
6	10	2.15	58	28.60	19.49
7	16	1.87	49	31.86	19.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.18	57	28.83	17.00
2	9	4.55	60	25.66	18.10
3	18	1.57	41	25.76	11.41
4	19	1.61	42	29.06	10.16
5	23	3.12	70	27.77	21.07
6	10	2.25	56	28.68	17.71
7	16	1.86	62	30.61	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.08	60	27.08	15.84
2	9	2.78	63	26.47	16.06
3	18	1.76	48	25.46	10.73
4	19	2.16	67	28.58	19.48
5	23	2.68	76	27.68	22.40
6	10	1.88	64	27.56	18.71
7	16	1.71	47	31.09	18.29

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.90	48	28.88	13.80
2	9	4.48	62	26.50	16.48
3	18	1.58	48	25.11	13.17
4	19	2.03	67	28.48	19.10
5	23	2.95	72	28.48	22.72
6	10	2.88	70	27.68	21.05
7	16	1.68	48	31.91	17.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.78	63	28.87	19.99
2	9	2.51	66	26.97	16.87
3	18	5.09	72	19.90	14.28
4	19	1.67	52	31.91	11.48
5	23	3.78	75	27.59	22.50
6	10	2.88	68	28.71	19.77
7	16	1.99	53	29.96	17.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.62	50	29.88	19.74
2	9	6.08	65	17.83	15.36
3	18	1.68	52	23.19	10.78
4	19	1.72	45	29.24	9.78
5	23	2.61	65	27.66	20.26
6	10	1.81	58	29.96	18.71
7	16	1.68	48	28.98	17.38

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.69	76	20.65	16.03
2	8	1.71	60	20.62	12.83
3	18	1.69	41	23.23	9.50
4	19	0.14	66	20.60	12.00
5	23	1.79	51	26.05	15.03
6	10	1.73	44	25.52	12.21
7	15	1.66	51	28.44	17.06



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.19	42	21.79	9.82
2	8	1.56	43	22.77	9.56
3	18	2.08	48	24.00	11.56
4	19	2.64	60	21.60	16.60
5	23	2.12	64	27.41	17.08
6	10	2.29	47	28.60	14.18
7	15	2.28	61	31.37	18.47

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	38	24.57	8.10
2	8	1.87	46	24.07	11.47
3	18	2.51	58	24.58	13.20
4	19	2.84	68	23.76	17.88
5	23	2.86	62	28.33	17.31
6	10	2.07	51	27.27	18.10
7	15	2.02	50	30.08	20.26

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	40	24.44	9.71
2	8	1.80	42	24.67	11.10
3	18	2.31	47	25.98	13.91
4	19	3.36	68	24.60	18.24
5	23	2.08	51	29.89	18.25
6	10	2.80	54	27.99	17.32
7	15	1.89	57	30.88	20.58



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	38	25.69	10.27
2	8	1.66	37	25.79	9.86
3	18	3.07	47	28.54	18.29
4	19	1.79	60	26.49	17.04
5	23	2.41	59	26.81	18.75
6	10	2.33	62	28.54	20.38
7	15	1.89	49	33.58	21.03



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.98	41	26.52	12.07
2	8	3.35	56	25.40	15.98
3	18	3.86	71	25.02	19.22
4	19	1.87	67	26.91	17.55
5	23	2.46	62	28.88	20.74
6	10	2.35	69	27.40	21.05
7	15	1.66	50	33.11	20.80

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.47	84	21.30	18.00
2	8	3.38	76	24.87	18.82
3	18	2.23	56	26.87	17.48
4	13	1.67	67	28.87	17.88
5	23	2.28	66	29.24	21.63
6	10	2.22	57	30.43	20.08
7	15	1.61	60	32.88	20.40

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.13	72	23.75	18.48
2	8	2.87	61	25.26	17.08
3	18	2.14	57	24.83	15.70
4	13	1.76	58	26.18	17.13
5	23	1.88	58	31.88	18.82
6	10	1.98	52	31.96	20.98
7	15	1.83	48	33.08	20.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	66	22.61	15.82
2	8	1.88	63	25.17	16.88
3	18	1.85	52	24.87	15.47
4	13	1.81	54	27.21	17.54
5	23	2.33	58	30.65	21.58
6	10	3.50	83	28.86	20.88
7	15	1.61	58	31.66	20.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.12	84	27.63	12.36
2	8	1.68	41	27.77	13.38
3	18	1.84	42	25.82	11.87
4	13	1.88	38	27.84	17.84
5	23	2.88	57	29.10	18.53
6	10	2.71	61	27.93	18.68
7	15	1.84	56	31.40	20.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.25	38	27.85	11.68
2	8	1.85	40	28.02	13.01
3	18	2.48	44	26.81	13.57
4	13	1.81	60	29.31	17.85
5	23	2.88	58	28.88	18.17
6	10	2.75	59	27.85	17.60
7	15	1.87	58	30.38	20.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	48	28.88	16.72
2	8	2.67	48	26.78	14.58
3	18	2.58	58	28.78	17.08
4	13	1.67	54	28.31	19.05
5	23	2.86	68	26.68	20.18
6	9	2.58	58	28.45	18.86
7	15	1.88	48	33.91	17.62

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.16	82	25.76	18.19
2	9	2.02	64	29.59	18.85
3	18	2.42	55	29.85	17.15
4	19	1.64	46	28.87	15.88
5	23	2.37	60	28.62	18.60
6	10	2.52	56	28.10	18.32
7	15	1.76	58	32.85	18.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	69	22.77	15.55
2	9	9.21	68	24.62	18.20
3	18	1.53	56	25.39	16.85
4	19	1.04	47	30.78	16.07
5	23	2.43	68	29.68	20.81
6	10	1.07	42	30.32	16.05
7	15	1.76	36	39.00	18.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.58	60	25.95	17.38
2	9	5.73	76	23.00	18.76
3	18	2.25	51	28.58	15.73
4	19	1.68	48	29.87	17.47
5	23	2.32	60	28.62	19.02
6	10	1.93	41	30.46	15.96
7	15	1.73	56	34.68	18.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.07	58	27.81	17.22
2	9	3.40	59	28.35	17.95
3	18	2.57	48	28.97	16.84
4	19	1.87	43	28.05	18.26
5	23	2.78	62	28.66	20.56
6	10	2.35	41	31.33	16.71
7	15	1.89	38	34.28	18.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.08	50	28.32	17.08
2	9	4.52	60	27.40	18.68
3	18	4.15	47	30.39	17.08
4	19	1.87	48	32.28	18.84
5	23	2.18	63	29.68	20.86
6	10	2.01	41	31.88	16.88
7	15	1.98	36	34.07	18.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.97	54	27.49	17.03
2	9	4.38	58	28.57	17.95
3	18	3.13	46	32.00	18.55
4	19	2.01	40	35.02	18.57
5	23	2.26	58	30.11	21.03
6	10	2.44	46	32.35	18.99
7	15	1.76	39	32.81	18.62

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.00	57	20.60	18.10
2	9	5.37	53	20.81	18.94
3	17	2.83	43	35.40	19.01
4	19	1.70	38	35.70	17.21
5	23	2.23	64	30.43	20.67
6	10	2.31	44	32.94	18.89
7	15	1.83	48	31.20	17.44

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.24	48	33.81	21.80
2	9	4.80	50	33.70	21.87
3	18	2.72	42	35.38	18.76
4	19	1.76	41	31.02	18.32
5	23	2.66	54	31.30	20.81
6	10	2.19	46	35.22	18.93
7	15	1.90	56	29.61	18.03



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.78	48	34.72	21.80
2	9	3.63	48	36.17	20.24
3	18	3.38	42	35.63	19.03
4	19	1.78	61	30.28	18.92
5	23	3.26	56	30.86	20.72
6	10	2.14	44	35.22	18.04
7	15	1.82	60	29.18	20.03

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.59	41	35.87	20.55
2	9	2.98	37	35.80	19.06
3	18	3.55	48	35.33	19.65
4	19	2.51	60	28.10	19.96
5	23	2.52	63	32.94	21.30
6	10	2.11	44	35.10	19.38
7	15	1.74	58	29.88	20.44

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.04	49	34.50	21.10
2	9	4.69	45	35.55	21.78
3	18	2.40	47	32.77	19.78
4	19	1.70	54	30.60	20.08
5	23	2.44	61	33.30	21.63
6	10	2.00	45	33.94	19.71
7	15	1.94	55	30.68	20.29



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.49	44	31.52	17.77
2	9	1.81	48	31.79	18.31
3	18	1.83	47	32.00	18.25
4	19	1.79	61	29.16	17.90
5	23	2.27	47	33.81	20.62
6	10	2.23	46	33.11	19.68
7	15	2.45	58	29.62	20.07

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	50	25.40	14.10
2	9	1.71	52	26.01	15.06
3	18	1.86	50	25.15	15.10
4	19	1.70	48	28.31	17.94
5	23	2.02	48	33.21	20.00
6	10	2.01	51	30.49	19.05
7	15	1.86	52	30.02	19.66

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.29	63	20.27	12.63
2	9	1.42	48	23.32	11.72
3	18	1.66	43	24.98	11.50
4	19	1.70	48	28.02	16.19
5	23	1.88	55	28.00	18.46
6	10	1.91	48	29.68	17.32
7	15	1.84	47	32.11	18.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.12	38	21.88	7.35
2	9	1.38	38	22.21	7.27
3	18	2.20	47	22.88	10.36
4	19	1.78	44	30.00	18.16
5	23	2.43	58	26.38	17.31
6	10	2.15	47	28.94	16.52
7	15	1.71	44	31.88	17.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.22	42	22.03	8.88
2	9	2.75	38	24.26	9.50
3	18	3.04	48	27.21	14.03
4	19	1.70	50	28.24	18.23
5	23	1.97	51	27.82	16.44
6	10	2.15	48	30.05	18.80
7	15	1.78	44	31.48	18.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.75	48	24.09	12.48
2	9	2.01	43	26.07	13.14
3	17	3.88	49	27.51	15.41
4	19	1.84	47	29.95	18.74
5	23	2.24	57	28.13	18.48
6	10	2.59	51	28.77	18.99
7	15	2.13	45	31.10	17.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.85	61	24.10	18.24
2	9	2.54	52	26.72	16.23
3	18	2.74	42	29.15	14.88
4	19	2.01	43	29.82	15.72
5	23	2.84	67	26.58	18.68
6	10	2.92	68	25.21	18.43
7	15	1.90	44	31.00	18.29

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.57	48	28.48	15.00
2	9	3.65	53	28.76	18.14
3	18	2.98	50	28.11	18.55
4	19	2.18	60	28.07	18.92
5	23	1.98	66	28.30	20.06
6	10	1.80	64	28.50	18.93
7	15	1.78	58	32.48	15.43



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.04	51	28.02	17.01
2	9	2.58	51	28.14	18.00
3	17	2.72	70	24.04	19.47
4	18	2.97	68	24.31	18.28
5	23	2.68	68	27.82	20.04
6	10	1.65	64	27.10	19.68
7	15	1.75	43	33.60	17.04



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.23	38	29.88	14.02
2	9	2.46	57	26.78	17.46
3	18	2.85	68	25.78	18.80
4	19	2.12	61	19.44	10.86
5	23	2.18	66	27.00	21.03
6	10	2.27	62	28.52	20.05
7	15	1.71	47	31.69	18.78



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.15	48	28.82	14.30
2	9	5.47	66	26.10	19.19
3	18	4.74	73	22.74	17.27
4	19	1.67	47	20.38	8.62
5	23	2.14	60	29.97	21.13
6	10	2.18	55	30.18	20.10
7	15	1.88	62	27.55	19.44



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.72	48	27.39	15.27
2	9	5.13	64	26.84	19.31
3	18	1.73	58	20.98	11.53
4	19	1.61	45	20.63	8.20
5	23	2.22	55	31.49	21.22
6	10	2.42	61	26.77	18.27
7	15	2.47	67	23.51	18.51



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	48	23.47	11.80
2	9	4.87	70	19.81	13.82
3	18	1.75	44	21.81	9.08
4	19	1.61	45	22.61	9.02
5	23	3.40	71	27.24	21.10
6	10	2.60	65	22.66	15.10
7	15	2.76	61	23.88	14.77

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	38	23.48	9.14
2	9	2.38	48	22.52	10.78
3	18	1.72	44	25.89	12.94
4	13	1.66	38	28.22	13.71
5	23	2.10	60	26.83	17.26
6	10	1.78	48	25.71	13.60
7	16	2.04	60	26.10	16.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.00	38	28.08	12.36
2	9	2.71	61	27.77	16.72
3	18	1.85	45	29.18	15.38
4	13	1.70	38	28.18	13.38
5	23	1.60	46	28.87	16.42
6	10	2.01	47	27.82	15.38
7	16	1.88	61	27.38	16.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.52	48	31.80	18.24
2	9	3.26	68	30.30	17.65
3	18	1.95	47	27.84	15.24
4	13	1.84	40	25.48	11.02
5	23	1.87	48	29.63	17.43
6	10	2.09	58	26.77	16.82
7	16	2.86	66	27.82	16.99

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	38	23.04	7.88
2	9	1.51	26	23.51	7.28
3	18	1.81	40	25.80	9.09
4	13	1.78	47	28.32	13.41
5	28	2.42	57	28.08	18.69
6	10	2.52	53	26.77	15.71
7	15	2.88	58	26.92	18.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	35	18.33	2.77
2	9	1.48	38	21.22	5.42
3	18	2.26	45	24.95	10.95
4	13	1.78	38	28.22	13.20
5	23	2.37	58	28.56	17.36
6	10	2.30	46	29.52	15.43
7	15	1.77	48	28.08	16.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	35	17.21	1.80
2	9	1.48	38	20.30	4.00
3	17	2.82	38	28.10	12.28
4	13	1.78	35	30.18	12.98
5	23	2.77	52	27.21	18.17
6	10	2.09	42	30.38	15.71
7	15	1.85	40	29.21	18.92

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.46	40	18.18	4.46
2	9	2.57	46	23.96	11.47
3	17	2.76	41	28.69	15.12
4	19	2.01	40	28.89	16.40
5	23	1.82	50	27.16	15.86
6	10	1.86	46	29.49	16.16
7	15	1.98	57	28.66	18.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.43	98	20.06	19.52
2	9	9.52	93	27.85	17.40
3	18	2.52	58	27.95	18.57
4	19	1.87	46	28.75	15.08
5	23	1.87	52	28.23	17.48
6	10	1.88	48	28.86	16.10
7	15	2.06	61	28.51	19.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.27	56	21.66	11.80
2	9	9.43	62	25.78	17.83
3	18	2.72	55	30.18	19.98
4	19	2.12	60	28.78	18.81
5	23	1.81	47	29.81	17.04
6	10	1.92	47	30.10	17.38
7	15	1.86	54	28.68	18.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.59	99	19.58	17.91
2	9	5.10	70	24.37	18.75
3	18	4.15	75	24.89	19.07
4	19	2.11	87	22.85	19.02
5	23	2.01	52	29.80	18.81
6	10	2.07	44	31.10	17.55
7	15	1.62	52	29.98	18.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	43	18.68	4.02
2	9	1.38	43	18.32	5.48
3	18	4.45	78	17.80	13.73
4	19	1.88	87	20.28	18.67
5	23	3.45	57	28.98	18.71
6	10	1.55	43	30.83	16.77
7	15	1.84	48	30.70	19.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.22	47	18.38	4.88
2	9	1.56	46	17.09	4.56
3	18	1.98	55	17.55	8.20
4	13	2.20	65	18.58	11.38
5	23	4.13	67	25.21	18.01
6	10	2.29	53	28.66	17.60
7	15	1.65	45	31.09	17.32

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.28	94	18.10	8.80
2	8	1.47	66	17.68	6.87
3	18	1.61	55	17.71	7.56
4	15	2.06	58	17.81	8.18
5	23	2.15	66	26.11	15.64
6	10	2.17	46	24.55	12.05
7	15	1.71	48	30.10	17.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.18	58	14.44	6.78
2	8	1.43	51	14.81	6.62
3	18	1.66	55	17.12	7.77
4	15	1.93	55	18.76	9.35
5	23	1.82	48	24.19	12.70
6	10	1.97	42	22.48	8.21
7	15	1.66	48	28.07	17.06

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	42	19.29	5.99
2	8	1.58	43	19.68	6.41
3	18	1.86	48	18.75	6.81
4	15	1.73	48	20.48	8.68
5	23	2.06	58	29.66	12.41
6	10	1.88	44	21.71	8.94
7	15	1.84	46	28.08	18.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.20	58	21.30	8.10
2	8	1.68	38	22.62	7.46
3	18	1.82	43	20.70	7.67
4	15	1.79	42	21.27	7.88
5	23	2.68	63	21.46	13.56
6	10	1.85	41	21.44	7.82
7	15	1.79	40	29.81	9.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.38	35	23.48	7.21
2	8	2.48	35	24.68	8.08
3	18	1.83	38	22.95	7.05
4	15	1.73	40	21.68	7.43
5	23	2.06	71	22.14	16.03
6	10	2.10	52	21.10	9.49
7	15	1.76	57	22.79	7.38

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.94	38	24.49	8.98
2	8	1.68	36	26.88	9.21
3	18	2.56	38	22.71	7.65
4	15	1.79	55	22.65	8.53
5	23	5.36	70	22.85	16.28
6	10	2.22	67	20.32	15.08
7	15	1.68	38	22.88	7.98

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	48	24.68	12.81
2	8	2.58	63	25.62	12.58
3	18	3.88	76	18.72	15.31
4	19	2.13	94	22.68	8.70
5	23	3.58	78	26.23	18.68
6	10	1.92	62	22.65	14.55
7	16	1.84	96	24.60	7.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.72	48	24.58	12.81
2	8	6.48	80	20.05	18.28
3	18	5.58	72	19.13	14.08
4	19	1.73	48	22.98	7.88
5	23	2.37	72	26.36	20.81
6	10	1.93	55	25.88	15.77
7	15	2.04	84	28.77	8.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.22	81	23.88	19.88
2	8	6.48	63	23.28	15.08
3	18	2.88	81	21.41	19.28
4	19	1.82	48	17.58	8.60
5	23	2.68	64	26.20	18.48
6	10	2.12	48	24.88	13.10
7	16	1.77	88	27.77	8.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.28	97	21.52	20.07
2	8	2.88	80	21.16	17.58
3	18	2.48	81	15.85	8.05
4	19	1.68	62	17.17	4.18
5	23	3.33	68	26.50	18.18
6	10	2.81	45	25.48	12.77
7	16	1.98	83	27.88	8.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	48	15.60	1.52
2	8	1.38	45	14.80	2.98
3	18	1.68	48	15.65	5.78
4	19	1.67	38	18.11	8.88
5	23	2.88	63	26.87	17.38
6	10	2.78	56	22.38	12.71
7	16	1.81	87	28.84	10.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	56	19.48	-1.25
2	8	1.51	28	15.11	-2.68
3	18	1.98	44	15.79	3.51
4	19	1.67	40	17.68	3.62
5	23	4.43	80	17.72	14.05
6	10	3.91	69	18.88	12.93
7	16	1.88	95	20.10	9.47

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	42	14.71	2.04
2	8	2.12	50	18.26	3.02
3	18	3.62	60	15.30	7.03
4	19	1.70	42	18.76	6.58
5	23	4.61	60	17.40	13.01
6	10	2.56	67	18.54	12.21
7	15	2.14	36	20.77	8.06



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	44	18.40	8.86
2	8	2.20	44	18.01	5.55
3	18	2.47	58	16.20	8.05
4	19	4.15	77	12.88	8.87
5	23	1.88	60	21.36	13.13
6	10	1.72	51	21.77	11.18
7	15	2.08	48	26.40	15.28



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.42	52	19.02	8.40
2	8	2.46	41	21.35	7.08
3	18	3.43	67	15.54	7.31
4	19	2.80	74	8.86	4.86
5	22	2.33	63	22.88	16.37
6	10	2.88	60	19.94	11.43
7	15	1.88	36	21.08	8.28



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.04	81	15.83	12.40
2	8	10.74	83	15.11	14.06
3	18	2.33	71	11.38	6.23
4	19	1.70	63	17.00	8.78
5	23	2.23	57	23.80	13.93
6	10	1.67	40	19.55	5.18
7	15	1.84	31	24.40	5.82



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.15	48	18.09	8.38
2	8	1.84	51	15.73	5.67
3	18	2.04	43	15.89	3.30
4	19	1.84	34	12.84	-2.28
5	23	1.68	43	22.77	9.46
6	10	1.87	42	22.60	8.21
7	15	2.40	41	25.60	8.95

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.42	34	18.32	2.98
2	8	1.82	45	16.20	4.25
3	18	1.98	44	12.80	0.58
4	19	1.87	58	10.09	0.64
5	23	1.76	43	25.38	12.12
6	10	1.95	47	22.98	10.93
7	15	2.90	64	23.61	18.10

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.67	72	18.80	13.52
2	8	3.78	76	17.15	12.77
3	18	2.88	73	10.92	6.10
4	19	1.98	58	12.77	5.48
5	23	2.76	78	22.98	17.77
6	10	1.85	56	20.27	11.21
7	15	1.81	55	21.69	11.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.21	67	19.18	13.05
2	8	2.37	68	16.78	9.73
3	18	2.05	58	14.00	5.58
4	19	1.88	60	16.18	9.12
5	23	1.86	55	24.10	16.36
6	10	1.67	48	18.89	8.55
7	15	1.95	47	24.47	11.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	48	18.24	6.88
2	8	2.00	60	15.84	8.88
3	18	2.58	55	15.38	8.15
4	19	2.13	47	18.87	5.88
5	23	1.95	48	29.30	10.95
6	10	1.78	55	22.71	8.27
7	15	1.73	48	27.56	15.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.22	84	15.80	8.80
2	8	1.98	67	13.20	6.78
3	18	2.25	59	15.10	6.01
4	19	2.07	48	16.78	5.25
5	23	1.68	41	23.16	8.71
6	10	1.97	38	23.66	8.32
7	15	1.85	47	26.96	14.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	48	18.41	2.77
2	8	1.44	48	15.67	2.16
3	18	2.43	46	17.88	5.30
4	19	2.08	41	19.98	8.19
5	23	1.81	46	22.28	9.22
6	10	1.83	35	24.88	8.10
7	15	1.80	47	28.28	15.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.20	48	17.07	4.85
2	8	2.48	48	10.86	6.52
3	18	3.56	65	18.35	9.34
4	19	1.78	55	5.48	-2.38
5	23	1.95	48	23.47	11.98
6	10	1.91	47	25.98	15.02
7	15	2.80	52	23.42	14.48

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.07	81	10.80	10.27
2	8	4.38	76	15.90	10.26
3	18	2.50	66	5.08	-2.48
4	15	1.61	41	9.07	-0.15
5	23	2.22	67	24.07	15.46
6	10	3.38	74	16.38	11.05
7	16	2.88	84	10.90	9.28



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.77	81	5.27	2.22
2	8	1.58	82	7.65	-1.72
3	18	1.80	41	0.80	-5.78
4	15	1.04	28	15.18	-8.45
5	23	1.64	60	15.69	5.50
6	10	1.55	58	9.71	-3.86
7	16	1.86	86	14.10	-1.86



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.15	41	7.68	-4.98
2	8	2.60	41	0.88	-2.77
3	18	2.12	48	11.52	0.57
4	15	1.78	38	14.14	-1.02
5	23	2.01	48	17.28	4.83
6	10	1.81	50	10.82	-0.94
7	16	1.64	36	10.98	0.08



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.08	82	8.05	0.07
2	8	3.68	66	8.61	2.16
3	18	1.83	45	10.67	-0.95
4	15	1.87	34	17.21	0.72
5	23	1.73	40	19.17	4.65
6	10	1.58	52	17.38	0.55
7	15	1.63	44	21.26	8.06

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.95	50	7.69	-2.95
2	8	1.70	42	8.81	-2.26
3	18	2.38	56	10.81	2.15
4	15	1.95	45	15.62	1.62
5	23	1.78	43	18.67	6.67
6	10	2.01	57	18.27	9.27
7	15	2.17	58	20.67	11.92

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.15	59	8.65	-3.52
2	8	3.26	46	12.77	0.02
3	18	4.04	58	15.91	5.70
4	15	2.27	46	14.89	2.09
5	23	2.68	56	17.69	8.26
6	10	2.70	68	15.62	9.10
7	15	1.87	51	22.10	11.21

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.90	58	11.52	3.60
2	0	2.05	65	13.60	7.15
3	18	5.52	71	11.23	5.35
4	13	1.86	97	12.84	-1.67
5	23	2.53	58	20.16	11.63
6	10	3.25	51	18.80	8.21
7	15	1.83	44	21.69	8.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.52	78	10.27	6.86
2	0	2.87	67	11.80	5.42
3	18	4.08	69	12.45	6.51
4	13	1.62	53	10.08	-0.25
5	23	1.84	51	19.39	8.05
6	10	5.08	51	17.49	6.08
7	15	1.78	41	20.07	6.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.29	86	8.88	6.82
2	0	2.66	67	11.20	5.16
3	18	7.23	68	12.12	6.38
4	13	2.41	36	19.05	9.62
5	23	2.02	45	20.06	7.65
6	10	4.50	52	15.99	6.43
7	15	2.22	41	20.61	7.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.82	74	12.22	7.35
2	0	3.01	48	16.90	4.98
3	18	5.78	53	13.63	6.90
4	13	2.82	40	17.77	4.18
5	23	1.93	34	22.31	5.28
6	10	3.08	48	19.80	5.27
7	15	2.19	41	21.79	7.79



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.39	90	14.16	2.09
2	0	6.20	53	16.22	6.16
3	18	4.97	44	18.63	8.16
4	13	2.77	41	18.87	5.21
5	23	2.34	38	22.67	7.43
6	10	3.13	54	21.10	4.71
7	15	2.31	42	22.99	9.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.49	58	15.96	1.11
2	0	6.93	56	15.19	6.06
3	18	7.09	41	19.37	5.78
4	13	9.61	43	19.15	5.20
5	23	3.83	46	23.30	10.50
6	10	3.08	58	23.38	4.86
7	15	2.99	58	22.82	13.21

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.07	60	19.10	4.00
2	8	7.67	61	15.60	7.21
3	18	8.14	55	20.67	4.04
4	19	6.06	60	18.30	8.20
5	23	9.10	46	24.26	11.50
6	10	2.84	55	24.21	7.21
7	16	1.87	67	24.14	14.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.47	43	18.11	8.19
2	8	6.12	60	15.42	6.76
3	18	8.55	42	20.52	6.41
4	19	8.20	71	15.50	10.16
5	23	3.31	48	28.71	11.08
6	10	2.70	45	25.00	10.82
7	16	2.27	66	28.00	10.60

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	50	10.44	8.52
2	8	6.46	46	17.71	6.11
3	18	6.54	67	15.00	12.00
4	19	1.70	54	18.11	8.20
5	23	9.10	60	22.40	12.16
6	10	4.33	60	20.30	13.21
7	16	2.08	62	24.18	10.47



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.31	55	11.52	2.63
2	8	8.58	66	15.82	9.43
3	18	8.41	77	16.13	12.09
4	19	3.80	69	14.35	8.32
5	23	2.20	58	23.80	14.92
6	10	3.03	71	21.18	15.68
7	14	2.30	62	21.82	12.87



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	48	11.60	1.11
2	8	3.34	66	12.64	6.16
3	18	9.50	81	14.31	11.07
4	19	3.62	68	14.81	8.37
5	23	3.26	66	21.34	14.48
6	10	3.08	60	19.32	15.60
7	15	1.60	40	21.40	10.14



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.17	60	12.40	4.71
2	8	2.91	67	13.20	7.03
3	18	9.63	83	12.68	11.63
4	19	8.74	79	12.55	8.75
5	23	4.20	74	21.83	16.56
6	10	2.35	71	19.60	14.05
7	15	1.73	42	24.14	8.64

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.08	84	24.67	18.76
2	8	3.71	81	17.83	14.48
3	18	3.68	75	17.58	12.76
4	18	8.80	84	12.80	8.80
5	28	2.03	66	24.65	17.79
6	10	1.83	58	29.55	16.21
7	16	2.08	80	28.16	12.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.96	74	18.84	14.71
2	8	5.17	71	18.76	14.13
3	18	3.81	78	17.18	13.01
4	18	8.23	87	8.78	6.66
5	29	3.18	68	25.78	18.22
6	10	2.88	71	23.88	17.88
7	16	2.77	68	18.68	2.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.79	72	22.81	17.89
2	8	2.06	71	20.62	16.00
3	18	1.68	72	11.81	8.07
4	18	1.81	82	8.16	-0.58
5	29	1.82	66	25.81	18.08
6	10	1.81	82	15.52	7.55
7	16	1.90	81	17.88	-0.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.85	81	15.88	8.68
2	8	1.56	48	18.76	3.32
3	18	1.58	41	11.46	-1.32
4	18	1.82	58	7.47	-2.38
5	23	1.58	46	20.88	8.66
6	10	1.45	37	16.68	2.18
7	16	1.98	38	18.88	0.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.37	88	14.58	0.41
2	8	3.33	48	14.88	0.82
3	18	2.91	43	13.82	1.29
4	18	2.43	58	8.72	-2.88
5	28	1.88	58	20.72	9.63
6	10	1.88	41	19.38	8.05
7	16	1.98	52	17.88	7.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.54	84	14.57	7.91
2	9	2.56	63	16.97	8.98
3	18	4.77	73	11.35	8.19
4	17	2.67	80	9.87	-3.58
5	23	4.58	68	21.98	15.16
6	10	3.08	68	13.15	13.05
7	15	2.01	52	10.78	0.00

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.47	88	20.27	17.77
2	9	8.62	93	14.07	19.02
3	18	2.88	68	5.21	-0.08
4	19	9.01	60	9.60	-9.97
5	23	2.50	64	22.77	16.06
6	10	2.01	47	11.18	-0.27
7	15	1.98	26	14.77	-4.08



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	88	11.52	-2.88
2	9	1.93	46	10.67	-0.40
3	18	1.85	53	8.97	-0.24
4	19	9.28	64	9.11	-9.15
5	23	1.66	46	17.33	5.43
6	10	1.40	35	14.44	-0.80
7	15	1.85	50	16.21	0.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.70	48	11.38	0.83
2	9	6.08	67	10.98	2.71
3	18	4.23	72	8.79	3.91
4	19	1.80	67	4.81	-1.02
5	23	2.66	57	18.80	9.97
6	10	2.18	64	13.21	8.10
7	15	3.10	68	16.10	8.14

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.77	79	10.89	7.21
2	9	3.18	73	10.30	5.61
3	18	2.28	70	4.74	-0.24
4	19	1.87	58	3.20	-4.52
5	23	2.10	62	21.46	13.01
6	10	1.54	51	14.77	4.68
7	15	3.55	65	16.49	8.05

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	43	7.77	-3.74
2	9	1.77	46	8.38	-2.64
3	18	2.08	60	8.78	1.47
4	19	1.78	60	8.07	0.38
5	23	1.92	53	18.16	8.30
6	10	1.93	40	15.82	2.11
7	15	9.11	64	17.21	8.25

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.77	69	7.91	1.24
2	9	3.23	58	10.11	2.15
3	18	2.09	51	10.42	0.48
4	19	1.84	50	13.24	3.09
5	23	1.79	42	21.20	7.24
6	10	1.88	38	16.94	4.21
7	15	4.16	77	17.82	12.92

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.84	47	8.67	-0.87
2	9	2.48	48	11.53	0.88
3	18	5.25	73	18.85	7.85
4	19	1.88	67	8.34	2.19
5	23	2.08	67	21.20	9.20
6	10	2.88	71	15.66	5.77
7	16	2.81	61	21.88	8.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.82	84	10.88	8.84
2	9	0.86	67	12.27	8.06
3	18	1.76	58	10.14	0.12
4	19	1.68	68	0.68	-1.25
5	23	2.06	68	21.80	19.30
6	10	2.46	56	18.56	7.71
7	16	1.68	68	80.66	8.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	98	10.80	-0.27
2	9	2.02	87	16.26	8.36
3	18	3.08	52	15.68	3.62
4	19	0.81	78	4.88	1.48
5	23	1.98	87	82.12	12.88
6	10	2.27	84	20.55	15.27
7	16	2.17	88	18.86	7.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.41	54	12.21	2.91
2	9	8.23	85	10.48	8.16
3	18	5.42	82	12.81	9.43
4	19	0.09	62	0.72	-2.17
5	23	3.78	82	28.06	19.73
6	10	2.57	81	16.77	13.43
7	15	2.67	40	10.51	-3.33



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.77	88	9.89	7.91
2	9	2.70	67	15.36	9.08
3	18	3.11	75	4.28	0.50
4	19	1.76	80	-0.85	-3.97
5	23	1.59	46	21.05	8.40
6	10	1.82	42	12.93	0.22
7	15	1.58	34	15.84	-0.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.79	58	9.85	0.97
2	9	3.30	62	9.37	2.03
3	18	2.84	87	7.89	1.13
4	19	4.98	80	-1.38	-4.48
5	23	1.86	58	20.89	9.63
6	10	2.88	41	18.05	2.18
7	15	2.41	58	12.03	3.63

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.12	74	7.77	8.40
2	9	7.47	80	8.61	5.24
3	18	4.29	78	4.13	0.30
4	19	3.08	78	-3.80	-8.70
5	23	5.23	86	10.84	15.04
6	10	8.17	81	11.80	10.80
7	15	1.82	68	0.82	-0.90

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.20	80	8.04	5.41
2	9	2.20	82	8.46	1.66
3	18	3.21	68	1.84	-3.11
4	19	3.13	77	1.32	-2.90
5	23	4.56	77	10.78	14.40
6	10	4.24	77	8.55	4.88
7	15	1.81	48	12.14	0.86

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.07	80	8.80	8.90
2	9	3.44	61	8.61	1.20
3	18	4.19	63	3.91	-2.31
4	19	2.60	77	2.84	-1.08
5	23	4.74	78	16.27	12.24
6	10	3.56	54	10.80	1.83
7	15	1.77	41	14.60	1.44

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.82	84	7.08	4.60
2	9	2.35	51	9.07	-0.61
3	18	3.54	68	9.80	1.51
4	19	4.18	80	4.50	1.18
5	23	2.18	47	17.12	5.64
6	10	2.20	42	15.60	3.21
7	15	1.05	48	18.18	7.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.10	57	9.72	1.52
2	9	3.45	48	12.15	1.47
3	18	4.97	61	8.36	5.18
4	19	1.80	73	2.30	-2.08
5	23	3.32	61	19.36	11.32
6	10	8.40	50	11.82	10.21
7	15	1.88	52	10.00	8.14

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.93	74	11.83	7.40
2	9	1.[illegible]	62	11.87	2.20
3	18	2.51	53	6.38	-0.08
4	19	3.70	74	1.00	-2.00
5	23	2.02	60	21.26	15.11
6	10	3.14	75	13.44	8.77
7	15	5.26	77	14.00	10.40

CAPITA

REGION	# STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.00	48	7.69	-3.74
2	9	2.90	61	8.10	-0.67
3	18	4.20	71	2.90	-1.09
4	19	2.62	71	-1.00	-6.76
5	23	6.13	65	16.73	13.00
6	10	6.77	53	11.44	10.30
7	15	2.04	58	8.62	0.82

REGION	# STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.80	92	1.24	-1.82
2	9	2.94	80	9.09	0.00
3	18	2.37	68	3.62	-1.97
4	19	1.87	58	4.22	-8.82
5	23	3.84	75	12.00	8.52
6	10	2.44	74	6.85	1.71
7	15	1.60	80	10.80	-0.60

REGION	# STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.00	60	8.00	-3.48
2	9	4.42	66	6.36	-0.43
3	18	2.70	62	5.38	-1.20
4	19	1.87	60	-0.80	-7.78
5	23	3.84	61	19.76	6.42
6	10	2.53	55	10.44	1.94
7	15	1.70	48	11.81	-1.04



REGION	# STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.99	57	8.60	-1.38
2	9	4.43	58	7.34	-0.37
3	18	2.60	55	3.23	-4.87
4	19	2.10	57	9.24	-4.52
5	24	2.42	57	16.00	7.45
6	10	2.50	50	12.38	2.49
7	15	1.78	45	14.99	2.50



REGION	# STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.17	44	8.24	-4.99
2	9	3.07	48	6.66	-3.02
3	18	5.41	59	7.84	0.24
4	19	1.98	58	8.19	-1.49
5	24	3.56	65	16.80	10.25
6	10	4.01	68	12.89	5.99
7	15	2.07	53	14.14	9.60



REGION	# STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.04	62	7.49	0.98
2	9	8.87	67	8.76	2.77
3	18	5.94	62	10.67	3.88
4	19	1.78	54	8.97	0.04
5	24	5.94	81	16.98	13.37
6	10	5.91	77	13.27	9.10
7	15	1.60	35	17.44	1.38

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	7.84	81	0.10	1.84
2	8	6.81	68	13.86	8.22
3	18	3.58	76	10.45	5.48
4	18	8.13	81	0.48	0.89
5	26	1.86	88	10.18	10.06
6	10	6.48	78	15.88	8.21
7	18	1.82	88	10.88	8.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	8.88	84	11.64	8.08
2	8	8.72	82	11.67	1.78
3	18	5.52	73	10.70	5.81
4	18	8.42	82	-1.88	-5.88
5	26	2.84	88	10.61	10.08
6	10	6.81	73	15.52	10.55
7	18	4.24	84	15.81	-1.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	10.13	87	0.88	0.87
2	8	8.78	77	6.68	6.81
3	18	1.84	98	4.62	-5.27
4	18	2.88	81	-2.75	-8.88
5	26	1.78	91	20.18	8.48
6	10	1.35	98	12.27	-1.88
7	18	0.88	28	18.68	-8.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.85	31	11.62	-5.41
2	8	2.18	38	10.73	-2.71
3	18	2.29	51	4.59	-4.53
4	18	2.81	62	-3.84	-8.88
5	26	3.56	84	18.85	10.06
6	10	3.48	53	15.94	5.88
7	18	2.84	48	13.81	2.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.37	48	8.89	-2.49
2	8	4.82	51	6.78	-2.85
3	18	5.81	59	-0.38	-7.88
4	18	2.63	72	-4.75	-8.81
5	26	3.33	68	18.19	11.88
6	10	2.32	54	9.71	0.88
7	18	2.28	38	14.84	-8.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.48	48	3.76	-8.18
2	8	2.49	45	3.32	-7.88
3	18	3.88	55	-8.87	-8.55
4	13	2.58	78	-7.57	-11.81
5	26	4.57	75	13.21	8.56
6	10	5.28	58	3.38	-8.83
7	15	1.98	48	11.87	2.38

CAPITA







REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.50	87	0.89	-4.18
2	8	2.62	52	10.42	0.43
3	18	9.68	84	3.05	0.35
4	13	2.17	86	0.89	-4.82
5	26	2.54	65	22.35	15.29
6	10	4.68	86	18.32	15.93
7	15	2.11	58	22.84	12.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.35	48	3.33	-7.21
2	8	1.48	43	5.67	-5.02
3	18	7.55	73	4.05	1.52
4	13	10.31	86	-1.08	-3.71
5	26	2.68	84	21.98	16.78
6	10	5.31	88	19.08	17.32
7	15	3.27	82	21.29	18.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.40	46	-0.41	-9.85
2	8	8.90	69	-1.84	4.37
3	18	10.10	95	7.49	6.81
4	13	7.89	88	-0.55	-2.43
5	26	6.81	77	19.20	14.83
6	10	2.82	81	20.77	17.33
7	15	2.85	73	22.25	17.10

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.84	72	1.30	-2.01
2	9	8.08	84	2.05	2.08
3	18	2.95	70	4.13	-0.71
4	19	2.74	61	-4.40	-8.13
5	24	4.02	76	20.24	15.36
6	10	4.83	87	15.48	13.21
7	15	3.12	66	18.04	7.86

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.61	60	4.71	-0.04
2	9	2.71	61	2.83	-0.08
3	18	2.08	62	-1.07	-7.34
4	19	2.70	62	-5.81	-10.06
5	24	2.76	63	10.62	10.52
6	10	2.60	58	11.06	3.22
7	15	2.66	72	10.77	7.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.86	66	-0.41	-0.00
2	9	1.80	66	0.05	-7.21
3	18	4.00	66	-0.00	-3.30
4	19	6.01	66	-0.04	-8.41
5	24	3.30	66	12.77	6.90
6	10	5.39	70	8.04	5.33
7	15	3.57	77	15.69	10.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	12.29	82	-4.44	-6.03
2	9	15.40	80	-3.76	-5.11
3	18	5.86	62	-0.48	-2.90
4	19	3.05	69	-2.69	-7.77
5	24	4.77	81	12.65	9.27
6	10	3.59	77	8.82	3.05
7	14	1.94	58	10.05	2.33



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.04	61	-1.00	-6.10
2	9	2.89	68	-1.10	-5.92
3	18	5.89	79	0.40	-2.86
4	19	3.55	64	9.41	-3.15
5	24	2.54	50	11.26	3.42
6	10	2.09	48	8.77	-1.68
7	15	2.02	45	14.60	2.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.82	63	-0.97	-6.80
2	9	9.30	64	0.82	-1.41
3	18	2.00	65	5.33	-0.73
4	19	1.84	61	-0.64	-7.81
5	24	2.20	50	17.21	6.52
6	10	2.82	58	15.38	7.10
7	15	2.87	47	17.82	5.70

CAPITA

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.00	66	3.00	-2.21
2	9	2.62	66	4.12	-1.28
3	10	2.24	66	-0.70	-8.19
4	13	3.00	66	-6.67	-7.40
5	24	3.13	64	10.11	11.61
6	10	3.24	70	11.71	8.46
7	15	2.86	67	16.10	8.61

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.00	60	2.96	-6.00
2	9	3.26	62	0.98	-5.00
3	10	2.29	61	-2.00	-8.19
4	13	7.24	61	-6.00	-7.11
5	24	2.96	62	16.61	4.72
6	10	2.18	46	9.98	-1.27
7	15	4.24	70	14.00	8.70



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.26	47	-0.00	-10.96
2	9	2.40	54	-3.00	-11.06
3	10	3.22	62	-3.42	-8.56
4	13	3.06	61	-0.15	-8.06
5	24	4.12	67	11.60	5.92
6	10	8.18	85	8.85	3.81
7	15	9.06	76	16.80	11.60

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.45	43	-7.63	-16.30
2	9	8.56	68	-7.15	-11.84
3	10	2.42	55	-8.88	-13.45
4	13	3.06	88	-11.49	-13.51
5	24	5.94	70	10.00	6.30
6	10	2.57	67	1.77	-3.49
7	15	2.01	65	4.81	-1.33



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	48	-10.41	-100.00
2	9	1.73	46	-8.26	-15.65
3	10	2.10	54	-5.79	-13.32
4	13	2.65	74	-8.45	-12.21
5	24	1.74	47	4.53	-5.33
6	10	1.69	50	-0.81	-9.49
7	15	2.36	67	2.85	-2.51



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.98	48	-4.99	-14.02
2	9	4.31	53	-3.51	-11.72
3	10	3.58	65	-0.70	-8.32
4	13	2.26	71	-2.80	-7.24
5	24	2.14	48	8.70	-2.19
6	10	2.17	50	4.77	-4.02
7	15	2.17	63	9.69	2.92

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.88	88	2.91	-0.10
2	8	5.80	81	3.71	-1.06
3	18	8.65	79	2.05	-2.52
4	13	11.30	81	-1.79	-5.03
5	24	2.46	58	14.07	4.30
6	10	3.20	85	8.49	2.58
7	15	9.53	87	10.10	8.29



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.53	90	3.75	2.96
2	8	9.34	88	6.22	5.18
3	18	7.24	91	5.85	2.55
4	13	1.82	67	-6.18	-11.10
5	24	3.85	71	18.81	12.81
6	10	2.58	81	10.80	7.48
7	15	2.17	46	7.82	-3.77



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.06	93	8.06	7.08
2	8	10.33	94	5.86	4.25
3	18	5.52	78	-5.14	-8.73
4	13	2.06	82	-8.08	-11.10
5	24	9.72	76	9.44	5.08
6	10	2.95	78	1.48	-2.21
7	15	1.62	41	0.79	-5.44



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.48	88	7.81	5.96
2	8	7.08	85	-2.28	-4.31
3	18	2.13	59	-0.70	-7.65
4	13	2.03	71	-4.69	-9.18
5	24	1.06	46	7.56	-3.40
6	10	2.08	43	3.49	-7.82
7	15	1.62	48	0.25	-6.64

CAPITA


REGION 1, QTR 3 1948
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 1, QTR 4 1948
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 2, QTR 3 1948
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 2, QTR 4 1948
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 3, QTR 3 1948
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 3, QTR 4 1948
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


EUS MEAN, QTR 3 1948
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


EUS MEAN, QTR 4 1948
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 4, QTR 3 1948
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 4, QTR 4 1948
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 5, QTR 3 1948
100 15
50
AH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 5, QTR 4 1948
100 15
30
AH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 6, QTR 3 1948
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 6, QTR 4 1948
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 7, QTR 3 1948
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 7, QTR 4 1948
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.00	00	0.82	-1.00
2	10	5.00	71	-3.00	-8.16
3	17	2.50	71	-1.10	-5.71
4	18	0.00	77	-4.50	-7.00
5	25	1.72	82	0.40	-6.00
6	10	3.30	00	0.00	-6.16
7	15	2.01	48	12.07	-0.22



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.70	70	0.90	-4.44
2	10	4.20	72	0.10	-9.04
3	18	5.05	00	1.25	-4.25
4	18	4.50	70	-0.40	-6.40
5	25	2.05	40	11.01	-2.10
6	10	5.01	05	7.77	0.00
7	15	1.00	00	10.05	7.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.50	02	1.00	-4.00
2	10	2.33	50	1.55	-5.16
3	18	7.10	70	2.00	-0.50
4	18	10.10	00	-0.00	-0.01
5	25	2.00	01	14.67	4.51
6	10	5.57	02	10.00	0.43
7	15	2.37	07	14.00	0.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.42	84	2.44	-3.92
2	10	3.16	66	1.66	-3.60
3	18	13.97	95	5.18	4.22
4	19	7.23	70	-4.00	-7.90
5	25	3.03	72	14.80	9.84
6	10	8.27	92	13.10	11.94
7	15	2.19	48	4.88	-5.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.29	03	2.99	2.10
2	10	8.43	93	5.03	5.05
3	18	2.02	67	3.08	-2.25
4	13	5.45	68	-7.47	-12.34
5	25	7.63	84	17.50	14.55
6	10	5.28	84	10.82	7.99
7	15	1.95	39	8.44	-7.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.52	63	7.99	1.39
2	10	2.55	49	4.71	-4.82
3	18	3.16	65	0.49	-5.27
4	13	1.61	61	2.17	-4.31
5	25	1.81	49	15.12	4.17
6	10	1.40	48	7.80	-3.16
7	15	1.71	31	10.29	-0.14

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.15	66	9.10	-1.00
2	10	2.20	60	7.16	-0.44
3	18	2.10	56	7.85	0.56
4	13	1.71	63	8.58	-0.65
5	25	1.71	66	15.44	0.86
6	10	1.56	57	13.35	-0.81
7	15	1.66	60	13.66	-1.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.38	61	8.10	1.22
2	10	3.60	60	8.60	1.55
3	18	3.36	62	9.74	0.52
4	13	4.11	66	1.66	-4.00
5	25	2.80	62	17.48	6.17
6	10	2.15	65	14.52	1.89
7	15	2.83	65	17.66	7.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.82	70	6.77	2.21
2	10	4.76	69	8.62	2.66
3	18	3.82	69	9.14	2.71
4	13	3.09	67	-12.58	-12.66
5	25	3.44	68	20.30	9.66
6	10	2.55	60	18.45	11.36
7	15	3.56	75	18.22	10.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.03	80	5.21	2.10
2	10	10.46	83	5.71	3.10
3	18	8.31	87	1.44	-0.40
4	13	7.48	72	-10.33	-12.21
5	25	3.85	54	21.35	11.33
6	10	5.13	62	20.55	12.38
7	15	8.34	82	7.00	3.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.94	48	-2.11	-11.10
2	10	2.43	57	-0.49	-7.83
3	18	5.21	79	-1.07	-4.10
4	13	4.25	77	-8.88	-10.26
5	25	3.41	56	20.17	10.72
6	10	8.47	71	16.77	10.88
7	15	7.07	88	5.82	3.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.08	62	-4.55	-12.21
2	10	4.50	61	-0.16	-6.49
3	18	3.94	78	-0.58	-4.34
4	13	2.01	68	-8.15	-11.02
5	25	3.40	62	16.86	9.17
6	10	3.12	75	9.93	5.60
7	15	3.08	88	5.07	2.05

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	95	-2.66	-12.21
2	10	2.76	69	9.39	-5.27
3	18	5.33	71	1.01	-5.78
4	13	1.88	87	0.81	-4.99
5	25	2.46	61	15.12	4.05
6	10	5.06	72	8.88	3.99
7	15	5.10	88	7.79	5.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	88	-1.39	-8.77
2	10	2.17	68	1.61	-6.21
3	18	5.38	79	1.73	-1.75
4	13	4.71	78	-0.49	-5.89
5	25	1.88	53	17.05	7.77
6	10	4.80	75	15.80	8.10
7	15	8.58	86	14.21	11.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	48	-6.88	-16.88
2	10	8.26	47	0.88	-9.06
3	18	9.48	70	9.13	7.39
4	13	7.32	87	2.06	0.98
5	25	2.25	55	15.06	8.55
6	10	2.38	70	16.98	11.05
7	15	1.80	66	18.20	11.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	88	8.10	-0.22
2	10	3.65	70	8.82	3.60
3	18	2.97	79	5.58	2.25
4	13	5.53	87	-10.40	-13.81
5	25	3.05	63	18.50	12.12
6	10	5.77	88	18.39	12.49
7	15	2.81	78	8.03	3.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.51	78	6.22	2.21
2	10	7.02	78	7.21	3.05
3	18	3.91	80	-3.20	-8.07
4	13	1.78	81	-11.08	-15.07
5	25	2.52	63	21.70	14.21
6	10	6.15	86	9.27	6.94
7	15	5.59	77	-0.38	-4.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.62	75	0.10	-3.77
2	10	4.03	68	4.88	-0.18
3	18	12.91	93	0.73	-0.15
4	13	8.42	78	-7.30	-9.81
5	25	4.04	65	18.81	11.37
6	10	2.13	67	21.21	14.55
7	15	3.19	74	4.46	0.34

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.00	87	0.00	0.00
2	10	2.84	79	9.56	4.00
3	18	2.84	88	-5.70	-7.95
4	13	2.10	80	-12.87	-14.48
5	25	2.42	67	20.32	13.50
6	10	1.93	60	6.30	1.00
7	15	1.62	65	1.00	-3.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	48	0.11	-11.44
2	10	1.84	46	0.30	-10.10
3	18	5.13	65	-5.10	-9.54
4	13	9.11	71	-11.10	-11.47
5	25	1.87	48	13.84	2.82
6	10	1.98	57	7.10	-0.72
7	15	2.82	77	9.00	-0.22



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.70	58	-6.00	-8.00
2	10	3.87	63	0.00	-6.10
3	18	6.74	77	1.44	-2.00
4	13	2.40	68	-12.30	-11.10
5	25	7.23	82	11.30	8.10
6	10	8.45	94	9.00	8.77
7	15	9.75	82	8.20	8.10

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.21	87	3.00	-1.00
2	10	2.96	60	4.66	-2.44
3	18	4.84	65	-2.49	-7.28
4	13	6.81	72	-11.81	-11.42
5	25	4.07	76	16.21	11.79
6	10	5.67	86	12.49	10.27
7	15	10.30	90	10.81	9.14



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	59	-0.89	-7.77
2	10	3.20	59	2.55	-4.44
3	18	12.45	89	1.54	0.09
4	13	12.72	88	-4.44	-4.10
5	24	6.24	76	15.01	10.41
6	10	5.97	85	16.32	13.82
7	15	4.71	87	17.25	15.07



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	13.30	92	0.00	-0.11
2	10	11.28	92	5.05	3.82
3	18	7.83	69	5.05	3.80
4	13	4.31	72	-12.15	-5.83
5	25	3.99	71	19.93	14.03
6	10	2.17	74	20.18	15.27
7	15	7.54	64	9.55	8.77

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.00	71	-4.82	-8.06
2	10	3.18	71	-0.39	-4.71
3	18	9.00	88	-0.81	-2.56
4	19	9.06	74	-18.98	-19.90
5	25	2.47	63	21.39	19.00
6	10	5.00	83	15.55	12.77
7	15	10.29	87	2.81	0.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.62	78	-0.10	-10.77
2	10	12.06	90	-2.88	-9.00
3	18	8.07	88	-0.15	-1.51
4	19	2.20	88	-10.80	-19.10
5	25	5.51	88	18.90	12.67
6	10	8.33	86	14.38	11.00
7	15	8.29	90	5.18	1.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.31	70	-4.88	-8.88
2	10	4.05	75	-0.94	-4.60
3	18	12.17	92	0.15	-0.88
4	19	8.27	81	-8.82	-8.95
5	25	3.42	65	19.88	12.68
6	10	5.86	88	17.80	15.08
7	15	9.57	79	8.77	8.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	13.38	84	2.10	1.44
2	10	8.48	88	6.16	4.48
3	18	8.97	78	-2.12	-5.27
4	19	3.58	65	-14.84	-19.92
5	25	2.06	62	19.59	11.37
6	10	1.85	58	10.32	1.48
7	15	2.90	87	9.29	-2.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.26	55	-0.10	-8.32
2	10	3.13	57	-0.94	-7.88
3	18	4.11	62	-11.03	-19.55
4	19	1.81	60	-15.13	-18.66
5	25	2.21	57	12.01	3.77
6	10	2.68	58	-1.22	-7.34
7	15	2.18	58	-5.14	-12.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.05	48	-4.77	-14.88
2	10	3.07	46	-4.38	-14.27
3	18	2.87	53	-10.84	-15.30
4	13	3.12	66	-13.87	-13.51
5	25	3.78	65	7.02	0.68
6	10	4.82	68	-2.54	-8.10
7	15	8.05	74	-8.88	-10.56

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	13.88	80	-4.33	-5.92
2	10	14.17	81	-2.66	-3.60
3	18	4.18	69	-8.44	-11.28
4	13	2.84	71	-8.70	-11.02
5	26	5.38	84	10.68	7.64
6	10	4.03	81	-0.44	-3.44
7	15	1.89	80	-1.99	-7.08



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	52	-0.11	-8.88
2	10	5.41	58	-1.27	-8.16
3	18	2.19	58	-5.91	-10.58
4	13	1.84	62	-11.15	-14.28
5	26	2.44	66	9.86	1.77
6	10	3.05	82	2.88	-3.82
7	15	3.74	75	1.25	-2.82



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	-3.21	-13.94
2	10	1.72	47	-3.18	-12.68
3	18	2.70	54	-8.78	-12.41
4	13	8.10	60	-11.84	-11.44
5	26	2.74	62	10.81	1.06
6	10	2.50	48	7.18	-3.44
7	15	4.21	74	4.25	-8.20



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	48	-4.55	-13.55
2	10	4.20	46	-1.88	-11.66
3	18	9.88	74	0.71	-3.57
4	13	5.57	70	-7.87	-10.60
5	26	2.53	55	12.09	3.07
6	10	3.19	81	8.18	0.72
7	15	4.54	80	8.95	5.38



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	14.50	80	-3.55	-5.21
2	10	15.39	94	1.38	0.40
3	18	6.10	79	-2.00	-4.37
4	13	4.59	69	-11.41	-13.58
5	26	3.84	70	15.72	11.96
6	10	3.94	83	10.27	7.60
7	15	4.41	73	8.88	9.92



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.54	68	-4.55	-10.10
2	10	2.43	56	0.16	-7.77
3	18	5.72	68	-2.59	-8.11
4	13	5.60	70	-5.84	-8.85
5	26	2.74	64	14.71	7.78
6	10	3.49	67	7.83	1.88
7	15	4.02	72	9.55	3.98

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.57	94	-2.21	-10.32
2	10	3.06	58	-0.66	-8.21
3	18	3.06	75	1.81	-2.12
4	19	3.10	69	-4.70	-12.77
5	26	3.02	63	14.87	7.66
6	10	3.06	59	19.96	5.49
7	15	4.06	62	10.79	5.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.42	95	1.55	0.06
2	10	2.87	63	0.55	-2.00
3	18	1.99	80	-1.78	-8.42
4	19	2.23	81	-3.11	-8.79
5	26	2.67	68	16.61	9.63
6	10	2.05	48	5.77	-0.39
7	15	1.83	82	10.84	1.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.21	89	2.55	-5.98
2	10	2.71	48	8.32	-6.10
3	18	2.42	58	7.51	-0.38
4	19	1.87	65	-5.80	-11.53
5	26	2.48	57	18.82	9.09
6	10	2.56	80	15.62	7.77
7	15	3.03	69	14.88	8.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.39	54	10.54	0.88
2	10	2.08	51	8.38	-0.08
3	18	2.32	57	-0.38	-7.77
4	19	1.95	81	-6.25	-7.71
5	26	2.38	63	23.51	13.88
6	10	2.85	68	14.27	8.33
7	15	1.99	58	19.21	6.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.11	48	1.55	-8.10
2	10	3.33	55	0.99	-6.99
3	18	4.08	84	-2.12	-7.85
4	19	2.17	61	-10.13	-11.47
5	26	4.63	73	14.67	9.24
6	10	1.85	48	10.10	-2.88
7	14	1.08	39	12.08	-1.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.99	48	-5.10	-19.92
2	10	1.78	50	-3.60	-12.33
3	18	2.24	54	-0.09	-8.23
4	19	3.09	65	1.40	-4.81
5	26	1.82	37	11.06	-3.03
6	10	1.86	32	9.38	-9.38
7	15	1.58	48	10.18	2.08

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.14	46	-4.77	-16.66
2	10	2.36	51	2.83	-8.09
3	18	2.52	62	8.51	2.00
4	13	5.17	71	-7.00	-10.21
5	26	1.04	45	16.99	4.03
6	10	1.67	47	10.80	5.05
7	15	2.87	77	17.66	13.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.81	81	8.21	0.00
2	10	6.58	73	8.39	3.71
3	18	5.21	88	4.28	2.59
4	13	5.65	88	-12.72	-15.66
5	26	1.96	48	22.17	10.81
6	10	2.98	68	20.27	15.77
7	15	4.67	76	15.66	10.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.70	69	5.10	-1.77
2	10	10.20	81	8.80	5.56
3	18	9.11	85	-0.49	-1.79
4	13	8.88	71	-10.97	-12.03
5	26	2.35	56	29.35	19.62
6	10	5.28	68	20.71	16.49
7	15	5.70	80	12.18	8.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.84	86	4.89	2.99
2	10	4.27	74	14.80	10.21
3	18	2.90	81	-0.30	-3.14
4	13	1.05	81	-5.15	-8.78
5	26	1.02	55	23.78	14.07
6	10	4.31	69	15.44	12.48
7	15	2.18	61	11.52	3.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	59	4.44	-5.10
2	10	2.40	38	7.27	-6.10
3	18	4.01	64	2.71	-3.65
4	13	1.67	81	-7.58	-10.67
5	26	4.36	77	18.35	13.62
6	10	2.94	74	14.16	9.38
7	14	1.72	50	15.69	2.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	0.77	-8.77
2	10	3.30	47	-0.38	-10.82
3	18	2.45	52	1.41	-7.24
4	13	1.88	66	2.58	-5.58
5	26	1.66	37	14.76	-0.34
6	10	1.58	35	11.05	-5.66
7	14	1.73	49	13.77	2.02

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	44	2.32	-0.55
2	10	2.47	40	0.05	-4.00
3	18	1.91	47	11.19	-0.12
4	19	2.97	60	-0.67	-4.04
5	26	2.46	40	16.44	5.40
6	10	3.24	51	15.21	2.71
7	15	3.40	67	14.49	7.50



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.45	53	10.10	0.00
2	10	4.06	61	11.82	1.00
3	18	4.00	74	7.15	2.00
4	19	5.20	76	-0.20	-0.99
5	26	5.54	83	17.64	14.41
6	10	6.19	90	14.27	12.00
7	15	2.60	72	16.96	10.04



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.02	76	-0.11	-3.00
2	10	3.60	75	0.71	4.44
3	18	4.97	81	0.89	-1.97
4	19	2.07	70	-6.22	-12.26
5	26	1.05	62	20.81	10.22
6	10	3.40	68	15.32	9.30
7	15	5.62	81	15.14	11.96



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.05	52	-1.77	-10.39
2	10	1.62	48	3.89	-6.05
3	18	9.45	87	1.69	-0.27
4	19	4.87	82	-2.68	-5.20
5	26	2.52	56	18.73	9.78
6	10	2.68	60	17.18	9.16
7	15	4.57	77	15.10	10.51



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.42	75	1.00	-2.80
2	10	5.06	87	4.55	2.49
3	18	10.25	92	3.17	2.12
4	19	2.82	75	-0.56	-4.40
5	26	4.10	69	18.45	12.30
6	10	3.18	69	17.71	11.72
7	14	2.60	68	17.18	11.14



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.78	70	5.44	0.10
2	10	2.01	60	5.21	-1.72
3	18	5.95	63	2.49	-0.15
4	19	5.51	78	3.41	-0.17
5	26	1.84	45	17.36	4.76
6	10	2.29	48	13.54	2.30
7	15	2.63	76	17.92	19.07

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	88	5.44	-2.88
2	10	3.42	94	8.65	-0.16
3	18	8.23	82	8.93	3.79
4	13	5.78	75	-9.50	-4.89
5	26	2.27	50	17.34	6.68
6	10	3.61	81	15.10	7.38
7	15	2.58	88	18.77	12.69

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.32	98	2.77	1.99
2	10	4.62	83	6.80	4.05
3	18	2.25	76	-1.26	-5.05
4	13	1.84	80	-2.38	-8.05
5	26	2.07	48	19.91	8.28
6	10	1.72	52	11.99	1.88
7	15	3.12	74	19.82	8.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	67	0.55	-4.44
2	10	2.23	55	-0.05	-8.27
3	18	2.38	65	1.11	-4.82
4	13	4.55	78	0.55	-3.07
5	26	2.09	43	15.50	2.84
6	10	2.84	51	11.27	1.38
7	15	4.19	78	12.55	8.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	44	1.88	-9.94
2	10	2.83	45	3.05	-7.06
3	18	6.88	68	4.19	-1.72
4	13	3.54	73	-4.22	-8.37
5	26	4.00	71	12.43	6.64
6	10	6.41	69	10.16	8.77
7	15	2.01	70	11.08	5.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.78	63	1.55	-4.99
2	10	16.21	98	-0.39	-1.27
3	18	5.05	62	-8.57	-12.65
4	13	2.12	63	-7.13	-9.81
5	26	2.81	50	11.94	1.47
6	10	1.52	48	3.22	-8.99
7	15	1.05	65	6.44	0.37



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.78	78	-0.55	-6.32
2	10	3.08	61	-1.11	-7.77
3	18	2.43	60	-3.00	-10.05
4	13	2.83	66	-1.75	-7.38
5	26	1.71	59	7.94	-5.53
6	10	1.91	41	3.27	-8.77
7	15	4.48	72	6.58	1.40

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.07	52	0.77	-7.88
2	10	1.72	48	-0.55	-11.80
3	18	4.95	67	1.85	-5.88
4	13	3.48	75	1.70	-2.47
5	26	2.27	37	13.21	-2.06
6	10	2.31	42	8.21	-4.05
7	14	3.05	67	8.80	3.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.32	45	2.10	-10.22
2	10	1.87	53	1.33	-7.92
3	18	3.85	66	1.56	-5.57
4	13	5.60	80	3.85	0.39
5	26	2.16	36	13.70	-1.38
6	10	3.13	39	11.66	-2.22
7	14	1.81	90	14.77	6.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.86	51	2.21	-7.68
2	10	2.78	56	2.60	-5.21
3	18	4.04	64	5.10	2.48
4	13	1.76	62	0.68	-2.05
5	26	2.36	36	17.30	1.90
6	10	2.27	74	10.89	0.72
7	15	1.94	58	10.51	7.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	5.01	69	8.81	2.55
2	10	4.53	59	12.21	3.98
3	18	2.58	58	12.77	4.36
4	13	1.78	65	6.62	-0.25
5	26	2.38	37	23.17	5.42
6	10	1.95	57	20.88	5.88
7	15	2.58	62	20.44	12.[illegible]



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	5.48	78	7.68	2.39
2	10	3.58	70	7.16	1.83
3	18	2.75	66	0.98	-5.78
4	13	1.78	62	0.36	-6.02
5	26	2.52	50	20.87	9.43
6	13	2.15	65	13.36	7.35
7	15	1.52	56	19.89	8.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.28	58	-2.21	-10.48
2	10	1.68	41	-0.77	-12.77
3	18	1.77	49	1.68	-7.08
4	13	1.84	68	5.39	-0.59
5	26	1.68	22	11.17	-5.53
6	10	1.42	74	8.49	-8.38
7	15	1.78	44	16.40	9.73

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	0.77	-7.69
2	10	2.05	31	6.84	-9.21
3	18	3.08	59	8.80	-1.83
4	19	2.11	75	0.69	-2.08
5	26	1.83	28	15.80	-3.07
6	10	2.58	32	18.18	-0.68
7	15	4.08	68	18.62	11.95



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	8.10	-9.90
2	10	3.37	26	10.93	-8.88
3	18	8.98	85	2.50	0.21
4	19	2.20	65	-4.91	-9.78
5	26	2.81	34	19.05	2.26
6	10	6.78	81	14.18	10.60
7	16	3.29	62	14.07	5.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.79	78	9.80	-1.44
2	10	4.58	60	5.32	-2.32
3	18	4.27	38	-0.58	-4.07
4	19	3.50	30	-4.01	-8.88
5	26	2.68	63	14.73	6.70
6	10	3.82	75	4.88	0.72
7	15	1.83	48	13.58	0.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.38	93	0.89	-0.09
2	10	0.67	88	1.72	-0.32
3	18	2.08	82	-1.51	-8.05
4	19	2.04	60	-5.24	-7.31
5	26	2.32	48	13.62	-0.46
6	10	2.14	96	8.71	-0.32
7	15	1.74	45	14.82	2.32

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.22	60	-0.11	-7.21
2	10	4.02	57	0.22	-7.55
3	18	1.85	55	-1.10	-9.06
4	19	3.43	38	0.46	-7.00
5	26	2.12	34	13.97	-1.79
6	10	1.98	91	9.55	-3.14
7	15	2.14	75	17.21	9.92

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	58	-1.10	-9.43
2	10	1.58	93	9.22	-8.32
3	18	1.91	70	3.15	-8.95
4	19	2.80	71	-1.00	-5.72
5	26	2.58	92	13.96	0.70
6	10	3.20	59	9.43	1.83
7	15	2.81	51	15.03	9.14

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.80	42	5.22	-7.55
2	10	2.05	48	5.67	-4.43
3	18	2.48	54	1.91	-5.94
4	13	0.88	67	-7.28	-8.45
5	26	3.07	46	10.52	3.67
6	10	3.85	57	10.80	1.77
7	16	2.67	64	12.29	4.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.55	46	9.44	-8.10
2	10	2.84	48	-0.95	-8.60
3	18	2.85	57	-4.38	-11.41
4	13	1.70	57	-7.84	-16.16
5	26	3.54	54	12.06	2.46
6	10	1.81	51	4.27	-6.96
7	15	1.88	64	11.21	1.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.06	40	-1.88	-16.10
2	10	1.77	42	-0.27	-11.38
3	18	0.84	68	-1.23	-8.81
4	13	2.08	64	-2.67	-8.58
5	26	1.65	33	10.70	-5.06
6	10	2.35	56	8.55	-0.58
7	15	2.16	58	17.55	8.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	43	1.21	-10.30
2	10	1.56	44	2.30	-8.18
3	18	2.38	55	1.81	-7.37
4	13	2.28	48	-2.26	-10.03
5	26	2.26	41	17.06	3.78
6	10	4.20	25	11.99	7.32
7	15	3.44	70	15.95	9.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.97	88	-0.77	-2.89
2	10	9.48	60	-1.77	-4.94
3	18	2.51	57	-0.95	-8.66
4	13	1.61	52	-2.85	-9.71
5	26	3.42	71	14.29	8.75
6	13	3.51	89	4.49	-0.89
7	15	1.66	47	11.38	0.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	40	-4.55	-15.82
2	10	2.17	45	-4.21	-14.32
3	18	1.67	48	-0.80	-11.01
4	13	2.54	68	1.15	-4.21
5	26	1.98	43	10.95	-1.30
6	10	1.91	43	8.10	-3.99
7	15	1.82	41	16.87	2.55

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.82	99	-1.77	-16.48
2	10	1.78	96	0.16	-8.83
3	18	2.55	97	7.66	-2.98
4	13	2.66	80	10.38	2.56
5	26	2.76	98	14.83	2.22
6	10	1.81	38	16.38	1.45
7	15	2.12	97	18.05	8.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.86	81	8.55	-0.77
2	10	2.82	51	12.72	2.66
3	18	2.13	45	17.40	4.88
4	13	0.89	84	5.42	2.80
5	26	1.93	51	19.67	8.05
6	10	1.72	45	20.21	7.86
7	15	2.06	54	20.25	8.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.81	87	13.44	7.21
2	10	1.85	57	16.82	8.48
3	18	3.04	87	10.08	7.55
4	13	2.28	74	2.80	-2.17
5	26	2.73	68	20.61	14.08
6	10	1.85	71	18.77	13.18
7	15	1.88	49	18.16	8.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.27	89	12.66	10.77
2	10	3.09	76	12.27	8.05
3	18	3.84	73	3.31	-0.49
4	13	4.14	96	4.31	0.42
5	26	1.89	58	23.75	14.80
6	10	2.13	61	15.97	8.32
7	15	1.74	49	21.21	8.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	53	9.43	0.44
2	10	3.00	52	10.49	1.05
3	18	3.05	59	13.39	5.58
4	13	5.05	71	10.08	4.18
5	26	2.38	54	23.89	13.94
6	10	1.79	49	25.83	12.21
7	15	2.17	55	22.14	11.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.63	51	11.10	1.11
2	10	3.05	65	12.77	6.27
3	18	1.75	51	16.88	8.29
4	13	1.67	59	7.80	-0.38
5	26	3.67	72	22.43	16.66
6	10	1.52	68	22.99	16.32
7	15	3.30	89	19.58	12.92

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.43	89	10.95	8.86
2	10	7.27	66	15.77	9.32
3	18	7.78	95	11.78	9.37
4	13	5.66	89	8.49	6.76
5	26	9.26	88	25.08	17.48
6	10	1.48	58	25.71	18.60
7	15	2.08	52	18.75	8.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.95	82	11.44	8.56
2	10	3.17	69	21.55	15.68
3	18	1.86	68	15.28	7.57
4	13	2.26	85	7.80	1.98
5	26	1.62	56	26.86	17.13
6	10	3.12	79	18.77	12.98
7	15	1.75	52	18.85	8.40

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	88	14.88	8.44
2	10	1.58	88	14.71	8.77
3	18	1.79	92	18.50	9.98
4	13	1.85	88	11.57	8.47
5	26	3.04	68	20.16	12.20
6	10	1.85	62	17.80	9.71
7	15	1.65	51	21.10	9.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	48	12.77	-1.48
2	10	1.78	37	16.89	1.49
3	18	1.83	42	10.27	5.49
4	13	1.13	78	7.24	1.78
5	26	1.95	52	22.00	11.78
6	10	1.43	53	21.16	10.99
7	15	1.08	85	20.84	13.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	48	10.08	-2.11
2	10	2.39	53	14.49	4.21
3	18	5.48	72	12.37	7.00
4	13	5.18	85	5.49	3.71
5	26	2.78	58	25.01	16.46
6	10	2.53	73	21.19	16.05
7	15	1.71	48	20.69	7.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	58	8.99	-0.33
2	10	0.26	62	3.49	0.55
3	18	5.50	78	6.78	4.93
4	13	3.13	78	2.58	-1.27
5	26	2.58	67	22.73	15.76
6	10	1.43	43	21.62	8.38
7	15	1.01	40	16.40	2.59



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	48	8.84	-2.88
2	10	5.29	66	5.16	-1.61
3	18	2.38	70	4.44	-0.49
4	13	1.78	84	4.91	-0.37
5	26	2.43	63	10.46	0.39
6	10	1.52	52	13.32	5.80
7	15	2.36	58	12.33	4.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	46	11.77	-0.88
2	10	2.23	49	10.88	0.46
3	18	2.65	49	8.23	-1.84
4	13	3.00	86	8.53	-1.81
5	26	3.06	57	16.42	7.03
6	10	2.38	60	13.55	5.71
7	15	3.36	76	11.25	8.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	94	13.21	1.77
2	10	2.19	54	10.27	1.33
3	18	1.75	41	8.72	-5.80
4	13	1.81	48	8.82	-1.57
5	26	3.33	68	18.11	11.85
6	10	3.40	67	15.95	7.82
7	15	2.39	67	11.10	5.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.28	78	8.10	4.10
2	10	1.46	35	11.05	-3.77
3	18	1.70	39	11.58	-3.83
4	13	1.93	44	11.27	-0.78
5	26	2.16	49	18.14	7.75
6	10	1.93	43	15.85	7.43
7	15	2.90	60	10.86	4.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	33	14.88	-0.68
2	10	1.58	33	13.32	-2.48
3	18	3.75	50	10.73	0.97
4	13	1.67	54	9.74	0.38
5	26	6.42	75	15.85	10.80
6	10	5.22	81	10.80	7.49
7	15	1.75	42	18.38	3.33

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.72	92	6.44	5.32
2	10	4.88	60	6.21	2.94
3	18	2.50	57	10.11	1.54
4	13	1.78	42	14.18	0.98
5	26	1.73	41	18.26	4.39
6	10	1.39	29	18.49	4.27
7	15	1.64	28	23.62	4.70

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	54	13.43	0.68
2	10	2.60	48	12.66	2.10
3	18	2.25	48	12.74	0.81
4	13	1.67	58	14.94	0.78
5	26	1.97	45	21.10	8.41
6	10	1.86	41	21.77	7.71
7	15	1.65	28	26.32	9.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	56	9.55	1.59
2	10	2.08	55	10.16	1.49
3	18	1.99	56	8.76	0.18
4	13	1.67	48	11.67	-1.45
5	26	1.70	28	22.38	7.51
6	10	1.41	57	20.93	5.27
7	15	1.74	45	25.68	10.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	55	8.44	-2.10
2	10	1.58	50	8.10	-1.77
3	18	1.78	38	10.27	-4.07
4	13	1.83	53	10.50	0.38
5	26	1.57	27	19.56	6.06
6	10	1.45	56	17.06	1.77
7	15	1.91	60	21.44	12.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.98	36	11.43	-3.44
2	10	1.58	38	11.71	-2.10
3	18	2.01	35	11.72	-3.39
4	13	2.01	53	10.43	0.58
5	26	1.56	38	21.29	6.08
6	10	1.77	45	20.38	7.08
7	15	1.98	61	17.09	8.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.98	35	19.93	-2.88
2	10	1.08	31	14.77	-1.04
3	18	2.15	54	16.01	-0.49
4	13	1.91	38	15.97	1.31
5	26	3.69	68	19.97	13.20
6	10	3.06	79	17.18	13.55
7	15	1.93	56	14.47	5.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	55	16.77	0.68
2	10	2.61	38	19.27	1.05
3	18	2.85	39	20.27	5.55
4	13	1.99	41	19.22	5.89
5	26	3.73	32	21.40	15.67
6	10	3.57	79	18.54	14.68
7	15	2.05	65	18.58	5.55

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	48	20.88	8.77
2	10	5.60	68	17.66	10.60
3	18	3.30	52	19.59	8.00
4	13	1.82	50	15.85	5.04
5	26	2.70	65	19.80	12.45
6	10	2.57	68	18.93	12.68
7	15	1.94	97	24.47	8.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	81	17.00	9.55
2	10	1.82	50	10.71	0.06
3	18	3.08	58	18.94	7.83
4	13	6.10	81	3.50	0.38
5	26	1.92	47	25.27	12.00
6	10	1.79	48	24.30	12.18
7	15	1.74	48	21.82	8.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.49	79	11.21	8.88
2	10	3.61	64	16.99	8.46
3	18	7.80	87	2.34	0.48
4	13	1.81	60	5.88	-5.24
5	26	1.71	41	26.81	11.68
6	10	1.33	47	14.77	3.21
7	15	1.74	97	15.46	8.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.78	83	9.88	7.48
2	10	2.03	61	5.22	-1.99
3	18	2.83	58	3.36	-4.37
4	13	1.61	42	13.44	-1.28
5	26	1.76	41	14.85	1.47
6	10	1.46	46	9.71	-2.05
7	15	1.58	80	19.25	1.11



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.65	69	5.33	-1.33
2	10	1.58	35	9.10	-5.49
3	18	5.11	70	7.26	1.44
4	13	3.74	60	8.35	-1.70
5	26	1.15	33	16.81	0.29
6	10	1.43	97	17.16	1.84
7	15	1.65	49	22.62	7.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	58	8.22	0.44
2	10	4.00	78	7.93	4.43
3	18	2.97	78	4.37	0.80
4	13	1.64	52	7.09	-2.51
5	26	2.04	49	21.66	9.69
6	10	1.41	40	16.88	2.83
7	15	1.81	44	21.99	8.09

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.88	71	9.88	3.77
2	10	2.63	67	9.89	1.88
3	18	1.88	47	10.38	-1.11
4	19	1.70	46	13.37	1.58
5	26	1.66	38	18.46	4.08
6	10	1.91	58	14.82	0.94
7	15	2.74	68	18.79	8.10



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	48	12.44	1.22
2	10	1.72	31	15.66	-1.48
3	18	2.01	38	15.67	1.84
4	19	1.79	45	17.88	6.39
5	26	1.75	38	21.21	8.10
6	10	1.81	35	18.82	3.10
7	15	2.58	75	18.21	11.92



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	48	18.88	8.44
2	10	2.71	33	20.38	3.66
3	18	2.94	38	19.84	3.88
4	19	2.49	54	15.25	7.85
5	26	2.63	51	23.60	12.16
6	10	3.28	72	18.10	12.80
7	15	4.28	77	20.08	15.82

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.14	56	22.95	8.88
2	10	3.44	54	18.38	7.88
3	18	1.77	58	13.74	8.20
4	19	1.67	43	18.41	5.21
5	26	3.41	75	22.04	17.13
6	10	2.59	68	22.49	14.50
7	15	2.95	67	22.85	15.84



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	46	18.77	8.21
2	10	2.54	70	14.71	9.05
3	18	1.78	55	16.81	1.11
4	19	1.67	33	17.17	-0.25
5	26	1.83	53	26.27	15.80
6	10	1.60	47	25.19	12.66
7	15	1.68	62	24.66	16.69



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	60	12.22	4.21
2	10	1.66	58	11.21	2.71
3	18	1.74	61	7.15	-0.18
4	19	1.61	42	13.75	0.72
5	26	1.65	41	24.12	9.50
6	10	1.39	39	21.99	7.18
7	15	2.22	60	25.62	18.77

CAPITA

REGION	STWS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	36	8.00	-5.77
2	10	1.70	36	12.27	-2.00
3	18	2.08	48	16.72	4.77
4	19	2.36	50	20.75	8.41
5	26	1.66	37	21.10	5.66
6	10	1.38	52	22.38	4.55
7	15	1.06	66	23.52	10.06



REGION	STWS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.51	70	12.77	7.82
2	10	2.54	48	18.28	7.83
3	18	2.41	64	19.84	12.52
4	19	2.08	48	18.73	6.74
5	25	1.82	38	25.28	8.64
6	10	1.48	48	24.10	11.93
7	15	1.91	64	26.17	18.82

REGION	STWS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.86	48	18.84	8.88
2	10	1.91	37	21.10	8.44
3	18	1.92	48	19.31	4.93
4	19	1.78	34	18.83	8.28
5	26	2.43	52	25.81	14.60
6	10	2.47	73	21.88	17.60
7	15	2.48	75	22.88	17.07



REGION	STWS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	48	8.88	-2.44
2	10	1.52	32	12.16	-4.32
3	18	1.68	35	15.30	0.12
4	19	1.87	33	21.02	4.01
5	26	2.68	56	20.97	10.63
6	10	2.15	58	21.94	13.10
7	15	2.57	71	21.10	15.28



REGION	STWS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.07	36	13.21	-2.00
2	10	1.70	30	14.99	-2.40
3	18	2.58	31	20.84	2.77
4	19	2.30	32	22.73	5.33
5	26	2.97	62	19.17	8.67
6	10	4.60	71	17.71	11.32
7	15	1.92	69	23.58	15.88



REGION	STWS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	35	19.88	3.98
2	10	2.05	32	22.49	4.38
3	18	2.60	58	20.30	8.14
4	19	1.83	48	22.47	9.98
5	26	4.20	75	21.51	16.47
6	10	2.77	63	18.10	15.27
7	15	2.04	61	26.40	18.10

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	97	25.99	0.77
2	10	3.14	75	19.39	14.71
3	18	5.02	75	20.35	15.87
4	13	3.31	84	14.60	7.77
5	26	2.16	88	26.69	19.67
6	10	3.26	89	23.77	17.82
7	15	2.00	94	25.44	14.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	89	21.77	19.05
2	10	3.06	72	20.21	14.82
3	18	1.57	58	21.44	5.52
4	13	1.44	34	22.67	9.48
5	26	1.78	64	25.85	18.47
6	10	1.97	80	22.93	16.10
7	15	2.35	95	27.10	18.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.86	81	17.80	14.48
2	10	2.48	30	29.38	8.82
3	18	1.77	52	27.81	9.25
4	13	1.78	49	29.70	14.91
5	26	1.65	47	26.68	14.12
6	10	1.54	38	28.05	12.68
7	15	2.35	83	27.58	19.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	98	25.89	10.92
2	10	3.06	31	27.83	9.10
3	18	1.93	48	29.43	16.28
4	13	1.85	54	28.01	15.72
5	26	1.85	42	28.43	13.80
6	10	1.35	58	29.44	15.60
7	15	1.82	68	27.43	17.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	49	27.55	13.77
2	10	3.48	45	29.96	16.49
3	18	1.78	41	30.18	15.29
4	13	2.88	87	22.47	15.55
5	26	1.98	41	28.92	13.09
6	10	1.43	37	30.27	13.77
7	15	1.72	55	28.51	16.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	57	19.98	11.10
2	10	3.42	50	29.21	17.48
3	18	1.91	41	29.07	14.19
4	13	1.70	87	18.94	9.79
5	26	1.96	46	29.18	16.08
6	10	1.85	58	31.10	16.33
7	15	1.98	55	28.70	16.14

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	58	17.21	9.10
2	10	1.70	51	19.82	9.06
3	18	1.64	55	15.95	8.75
4	19	1.78	52	17.68	7.00
5	26	1.66	44	20.84	15.89
6	10	1.95	47	28.18	15.49
7	15	1.81	60	25.90	18.21



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	98	20.94	2.99
2	10	1.57	39	21.10	8.93
3	18	2.07	41	20.21	8.50
4	19	3.44	67	18.19	8.58
5	26	1.98	50	26.61	16.86
6	10	2.02	48	28.49	18.21
7	15	1.60	54	25.99	15.60



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	36	24.88	7.88
2	10	2.19	47	21.66	9.66
3	18	3.38	57	17.74	8.54
4	19	1.87	52	16.91	8.78
5	26	2.31	54	27.38	17.17
6	10	1.83	55	28.55	18.33
7	15	1.58	59	25.14	16.47



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	58	13.33	4.21
2	10	2.23	58	13.38	4.55
3	18	1.77	42	14.44	1.20
4	19	1.87	43	18.28	5.38
5	26	2.92	63	24.71	16.61
6	10	2.57	88	20.77	13.82
7	15	1.78	50	25.44	12.21

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.88	45	12.44	-0.93
2	10	1.57	37	14.44	-0.22
3	18	1.98	33	15.70	-1.04
4	19	1.70	46	21.23	9.14
5	26	3.06	67	19.56	12.66
6	10	1.99	55	19.94	10.38
7	15	1.84	51	23.18	12.44



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.88	68	11.54	4.32
2	10	1.95	35	17.83	2.21
3	18	2.52	57	21.78	8.35
4	19	1.86	49	29.71	10.08
5	26	1.81	50	21.87	10.74
6	10	1.95	42	29.10	9.44
7	15	1.83	46	24.82	12.44

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	90	17.33	1.66
2	10	2.20	86	20.16	3.56
3	18	2.62	57	25.90	10.30
4	13	2.09	48	24.78	10.89
5	26	2.32	44	26.61	11.06
6	10	1.72	38	28.10	9.93
7	15	1.88	41	28.44	11.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.21	59	18.44	10.77
2	10	6.96	86	20.32	12.88
3	18	2.20	50	22.85	11.80
4	13	1.05	46	22.17	8.73
5	26	2.48	42	26.70	12.62
6	10	1.93	58	28.05	11.71
7	15	1.79	54	25.45	14.83

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.00	41	15.77	2.44
2	10	1.08	48	20.83	7.06
3	18	2.81	56	23.97	11.78
4	13	2.38	66	23.97	12.96
5	26	2.60	46	27.26	14.07
6	10	2.07	58	28.80	15.10
7	15	1.98	66	29.56	18.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	97	18.33	7.98
2	10	3.41	56	20.60	11.71
3	18	2.83	58	24.30	14.50
4	13	2.04	62	23.74	15.18
5	26	2.58	53	25.91	14.82
6	10	2.07	40	28.77	13.77
7	15	2.24	57	26.53	15.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.28	42	25.10	10.98
2	10	5.42	58	25.44	13.09
3	18	2.73	43	27.98	14.37
4	13	2.05	64	22.47	15.18
5	26	2.91	52	26.68	15.58
6	10	1.83	45	28.88	15.05
7	15	1.78	61	28.38	17.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.78	48	27.88	14.44
2	10	5.12	54	26.93	16.71
3	18	2.21	55	26.04	15.55
4	13	1.70	70	19.68	14.05
5	26	2.28	48	28.28	16.06
6	10	1.68	43	28.88	14.71
7	15	1.77	60	27.29	18.96

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.70	52	27.89	10.77
2	10	2.61	51	27.62	10.88
3	18	3.32	72	20.46	14.82
4	19	1.78	74	13.27	9.89
5	26	1.73	43	28.52	15.55
6	10	1.42	45	28.62	15.49
7	15	1.74	58	27.67	17.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.18	71	10.10	6.86
2	10	2.60	76	10.60	6.96
3	18	2.25	87	15.48	7.27
4	19	2.06	71	14.18	8.01
5	26	1.77	48	28.56	16.76
6	10	1.85	55	27.10	17.10
7	15	1.86	58	27.86	18.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.88	84	10.88	8.77
2	10	1.48	86	10.68	8.88
3	18	5.85	78	17.58	11.57
4	19	8.28	77	15.80	11.78
5	26	1.82	62	26.58	16.58
6	10	1.58	68	27.48	18.62
7	15	1.71	48	27.28	16.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	58	19.88	5.10
2	10	6.31	85	16.21	12.58
3	18	2.75	77	17.85	13.39
4	19	1.38	58	18.20	8.75
5	26	1.88	55	28.50	16.20
6	10	1.52	53	27.46	16.88
7	15	1.68	48	28.16	15.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.19	87	21.44	18.88
2	10	2.03	88	21.71	19.21
3	18	2.02	87	21.89	12.88
4	19	1.67	88	15.12	8.78
5	26	1.78	48	28.86	16.85
6	10	1.85	57	25.77	18.49
7	15	1.91	94	28.51	17.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	61	20.68	12.77
2	10	3.11	62	22.68	16.55
3	18	3.15	58	16.18	7.32
4	19	1.81	62	14.91	1.19
5	26	1.77	46	28.62	16.76
6	10	2.09	68	24.05	17.38
7	15	1.68	94	28.62	18.62

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.57	40	16.10	2.00
2	10	1.46	39	16.16	0.84
3	18	1.94	48	14.71	3.87
4	19	1.67	51	20.29	8.51
5	26	1.66	42	24.05	11.17
6	10	1.59	41	21.55	7.60
7	15	1.76	50	27.03	18.21

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	48	15.46	4.00
2	10	4.96	70	12.84	7.10
3	18	1.61	41	14.43	1.44
4	19	1.61	42	20.48	7.94
5	26	2.00	47	24.82	11.47
6	10	1.50	46	24.10	10.82
7	15	1.88	56	27.90	18.09

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.18	61	10.77	7.88
2	10	1.66	42	14.38	1.66
3	18	2.45	58	14.76	8.55
4	12	1.71	47	20.48	8.51
5	26	1.86	38	24.31	8.20
6	10	1.59	40	25.60	8.18
7	15	1.88	58	28.61	18.09

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	57	19.21	4.43
2	10	1.66	46	13.66	2.10
3	18	1.67	45	15.95	3.14
4	19	1.81	40	22.04	11.15
5	26	1.81	46	25.35	11.87
6	10	1.71	47	25.21	12.88
7	15	1.76	50	27.30	17.88

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.19	63	12.44	5.56
2	10	1.68	45	14.27	2.33
3	18	1.68	34	19.71	3.80
4	19	1.81	50	23.54	14.01
5	26	1.88	47	26.08	12.70
6	10	1.75	50	24.69	12.77
7	15	1.75	61	27.58	18.21



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	40	14.77	9.77
2	10	1.57	32	16.38	1.40
3	18	1.88	37	23.05	7.81
4	13	2.01	69	24.18	16.40
5	26	2.42	56	25.40	15.31
6	10	2.45	63	24.60	16.88
7	15	2.97	53	30.00	18.07

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.06	80	18.49	7.94
2	10	1.06	36	21.66	6.32
3	18	2.08	57	28.89	10.92
4	19	1.80	60	30.70	18.20
5	26	2.32	60	25.70	16.40
6	10	1.87	59	27.89	18.10
7	15	1.71	50	31.16	18.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.02	48	20.46	8.00
2	10	1.70	41	22.71	8.55
3	18	2.28	45	27.40	16.37
4	19	1.84	61	24.62	18.27
5	26	1.88	48	26.84	14.35
6	10	1.84	52	27.21	18.05
7	15	1.71	47	31.59	17.79

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	58	24.99	8.10
2	10	2.78	58	25.43	8.32
3	18	2.51	49	27.31	15.02
4	19	1.76	69	22.28	14.89
5	26	1.82	42	26.70	12.38
6	10	1.88	59	29.49	14.09
7	15	1.84	48	30.40	17.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.85	97	28.88	10.88
2	10	2.40	38	26.71	9.27
3	18	2.79	50	28.14	18.20
4	19	1.81	55	29.24	13.49
5	26	1.74	45	26.29	12.71
6	10	1.84	38	29.80	13.77
7	15	1.65	51	29.44	17.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.81	99	27.77	12.40
2	10	1.70	41	26.99	12.16
3	18	1.32	43	28.40	14.66
4	19	2.78	61	20.55	12.50
5	26	2.36	57	26.58	16.72
6	10	1.79	39	30.27	14.80
7	15	1.77	48	29.89	15.79



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.81	48	28.10	18.88
2	10	1.88	58	27.10	16.38
3	18	1.81	43	24.40	10.79
4	19	1.70	60	24.43	12.64
5	26	1.71	51	20.76	17.86
6	10	3.99	50	29.49	17.80
7	15	1.78	47	29.55	18.28

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.06	96	27.92	16.24
2	10	1.09	98	26.38	10.05
3	18	1.75	97	25.99	11.58
4	19	1.64	48	24.52	17.00
5	26	1.78	48	31.67	16.18
6	10	1.58	48	30.21	15.20
7	15	1.60	97	28.47	16.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.21	48	23.77	9.21
2	10	1.57	28	22.10	2.56
3	18	1.58	48	19.98	8.07
4	19	1.78	84	17.80	7.40
5	26	1.68	48	31.88	16.55
6	10	1.58	48	30.32	15.49
7	15	1.78	98	28.05	16.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.32	47	18.86	6.10
2	10	1.58	36	17.77	2.27
3	18	1.81	58	19.80	3.73
4	19	2.02	88	18.11	10.05
5	26	2.06	48	27.15	16.82
6	10	1.79	46	29.27	15.77
7	15	1.88	97	28.96	17.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.95	48	19.10	5.99
2	10	1.62	36	21.16	5.71
3	18	1.98	56	23.57	8.68
4	19	1.98	82	22.67	14.26
5	26	2.07	56	25.50	16.69
6	10	2.39	82	27.55	19.27
7	15	1.65	56	27.08	18.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.20	48	22.52	10.95
2	10	2.25	46	23.88	11.46
3	18	2.09	47	26.52	15.02
4	19	1.92	67	20.59	16.57
5	26	1.42	58	26.72	17.45
6	10	1.91	66	27.05	19.80
7	15	1.77	85	27.70	20.51

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.07	48	27.98	15.98
2	10	2.81	48	28.88	16.48
3	18	2.25	58	27.55	18.29
4	19	1.78	91	29.91	18.62
5	26	2.11	67	26.51	19.68
6	10	2.01	78	29.38	20.98
7	15	2.88	68	28.88	20.18

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.76	50	20.77	18.10
2	10	2.72	46	21.38	17.71
3	18	2.10	52	20.01	19.59
4	19	1.78	62	27.43	18.91
5	26	2.15	63	20.30	20.42
6	10	1.88	67	27.27	20.60
7	15	1.89	66	27.62	20.10



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.96	51	30.96	18.00
2	10	2.10	52	20.66	18.16
3	18	3.25	73	28.19	20.81
4	19	2.09	64	21.59	16.14
5	26	1.68	62	28.86	20.86
6	10	2.05	68	28.32	21.52
7	15	1.87	69	28.51	20.96



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.13	58	20.60	18.00
2	10	2.07	56	20.30	18.02
3	18	3.17	75	25.26	20.27
4	19	1.78	64	20.67	19.79
5	26	1.68	63	20.26	20.53
6	10	1.90	75	28.66	21.05
7	15	1.88	68	27.00	20.20



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	52	27.00	18.77
2	10	1.88	57	28.43	17.55
3	18	2.11	71	21.78	15.82
4	19	1.87	41	24.39	10.21
5	26	1.95	66	27.36	20.20
6	10	2.08	78	24.52	19.82
7	15	1.89	54	28.35	17.47



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.27	54	20.66	18.92
2	10	1.57	60	20.80	16.88
3	18	2.51	68	22.98	18.82
4	19	1.81	59	26.57	15.18
5	26	2.26	71	26.76	20.81
6	10	2.57	69	24.27	17.93
7	15	1.87	48	29.70	17.66



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.12	58	20.92	18.92
2	10	1.64	56	20.16	18.27
3	18	3.43	75	23.51	18.08
4	19	1.73	57	27.78	18.15
5	26	2.14	63	20.58	20.31
6	10	1.75	56	28.53	18.49
7	15	1.84	51	31.07	19.88

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	57	28.80	19.92
2	10	2.43	66	26.99	19.60
3	18	3.17	80	27.80	19.31
4	19	1.86	68	21.82	14.35
5	26	2.08	60	28.35	20.01
6	10	3.18	65	26.55	18.60
7	15	1.74	54	31.40	20.60

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	62	29.80	21.92
2	10	2.18	60	28.44	18.77
3	18	2.27	52	28.80	19.10
4	19	3.31	71	24.08	18.24
5	26	2.38	58	29.78	20.63
6	10	1.93	55	29.38	18.99
7	15	1.04	60	30.89	20.20



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.69	73	22.88	18.00
2	10	3.20	60	28.10	20.27
3	18	2.57	55	29.78	19.82
4	19	1.87	60	28.71	20.60
5	26	2.54	60	29.71	21.00
6	10	1.88	58	29.38	20.16
7	15	1.88	47	32.25	18.92



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.94	57	28.88	18.10
2	10	3.03	43	32.77	18.40
3	18	2.68	66	27.08	19.98
4	19	1.81	51	28.19	15.08
5	26	2.17	62	30.29	21.66
6	10	1.73	78	27.86	21.49
7	15	1.75	48	31.70	19.40



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	68	25.10	18.49
2	10	2.11	46	28.38	15.60
3	18	1.58	59	26.78	11.78
4	19	1.67	66	27.85	17.98
5	26	2.20	63	28.41	21.34
6	10	2.03	60	29.27	20.33
7	15	1.65	48	32.60	19.99



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.98	94	25.10	7.77
2	10	1.60	31	27.40	8.88
3	18	1.95	49	27.69	14.99
4	19	1.67	58	28.87	18.98
5	26	1.87	53	30.01	18.88
6	10	2.01	50	30.99	19.05
7	15	1.72	53	30.88	19.04

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	58	25.52	19.00
2	10	2.11	56	31.64	16.05
3	18	1.79	48	30.21	17.77
4	13	1.87	50	28.50	17.00
5	26	2.03	63	30.27	22.11
6	10	1.71	66	29.49	22.21
7	15	1.98	65	28.61	20.29



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	61	30.22	21.85
2	10	2.66	67	28.80	22.05
3	18	2.05	70	27.57	21.29
4	13	1.87	54	27.60	17.54
5	26	1.70	66	28.65	22.60
6	10	1.77	67	29.55	22.62
7	15	1.78	58	30.81	20.66

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	44	30.77	18.00
2	10	1.87	46	32.18	18.05
3	18	2.12	67	29.54	21.32
4	13	1.79	62	28.41	18.00
5	26	1.80	56	32.68	22.34
6	10	1.46	62	31.09	22.99
7	15	1.87	68	30.77	21.92



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.82	60	22.77	18.44
2	10	2.43	48	30.16	18.16
3	18	2.32	60	28.42	19.64
4	13	1.84	63	27.69	19.56
5	26	1.79	62	32.24	21.14
6	10	1.52	64	29.99	22.21
7	15	1.88	57	31.14	20.81



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	58	23.21	19.77
2	10	2.56	52	27.40	16.60
3	18	2.29	54	30.30	19.84
4	12	1.84	48	27.47	14.88
5	26	2.33	62	28.74	21.53
6	10	1.91	62	30.38	22.10
7	15	1.93	58	30.51	20.66



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	54	22.99	19.92
2	10	3.20	56	26.32	16.66
3	18	2.70	68	29.22	20.67
4	13	1.78	56	28.14	18.05
5	26	2.40	67	29.01	21.91
6	10	2.01	61	30.77	21.99
7	15	1.68	58	31.60	19.90

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.87	64	25.00	18.56
2	10	3.22	55	26.50	18.56
3	18	2.78	56	31.39	21.22
4	13	1.81	61	31.00	19.48
5	26	2.11	70	27.62	21.46
6	10	1.50	56	32.22	21.77
7	15	1.59	68	32.11	19.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.88	51	30.77	18.89
2	10	2.99	51	28.00	17.10
3	18	5.42	52	32.15	21.10
4	13	1.99	50	30.18	17.80
5	26	2.46	68	27.68	21.04
6	10	1.62	58	30.96	21.18
7	15	1.58	64	33.07	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.88	48	31.92	18.98
2	10	2.77	47	30.60	17.82
3	18	2.97	51	32.00	20.89
4	13	1.88	48	33.18	20.97
5	26	2.06	66	28.52	21.32
6	10	1.61	55	30.96	20.21
7	15	1.78	61	32.60	20.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.98	54	33.78	19.77
2	10	2.62	36	33.89	16.82
3	18	2.88	45	33.64	20.05
4	13	1.84	48	33.28	20.93
5	26	1.67	63	30.88	22.08
6	10	1.71	58	30.27	20.68
7	15	2.29	58	30.59	19.95



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.78	48	33.11	18.10
2	10	2.78	48	32.83	19.88
3	18	2.58	47	33.90	20.38
4	13	2.12	58	31.53	19.85
5	26	1.67	68	30.93	22.21
6	10	1.82	55	31.85	21.38
7	15	1.89	58	30.21	20.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.18	48	27.88	12.55
2	10	1.88	44	30.83	17.21
3	18	2.40	55	31.72	21.18
4	13	2.26	64	28.11	20.03
5	26	1.76	58	32.05	22.40
6	10	1.55	58	31.98	22.46
7	15	1.78	55	33.38	21.03

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.01	90	28.99	18.39
2	10	2.01	67	26.09	16.82
3	18	2.81	88	25.70	22.91
4	19	2.99	84	28.99	21.10
5	26	1.95	58	32.15	22.11
6	10	1.48	58	32.72	22.05
7	15	1.66	62	32.60	21.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.86	49	25.00	10.21
2	10	1.58	40	26.10	11.16
3	18	3.54	71	28.94	21.07
4	19	5.24	84	28.22	21.40
5	26	2.30	60	30.76	21.66
6	10	2.47	58	32.00	21.71
7	15	1.61	48	33.11	20.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.84	94	26.00	0.58
2	10	1.71	38	27.20	11.73
3	18	3.05	68	29.10	21.84
4	19	2.83	85	27.86	20.78
5	26	2.31	62	29.62	20.98
6	10	1.40	58	31.94	22.71
7	15	1.87	53	31.58	20.56

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	62	27.77	19.85
2	10	1.92	46	26.66	13.49
3	18	3.39	78	27.95	23.28
4	19	1.88	87	28.27	15.88
5	26	1.76	62	28.35	20.12
6	10	1.58	58	32.27	23.10
7	15	1.71	56	31.48	21.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.49	88	19.44	17.32
2	10	3.76	78	22.94	18.49
3	18	1.68	58	25.67	15.87
4	19	1.75	47	25.25	12.98
5	26	1.98	62	29.33	21.02
6	10	2.59	67	30.18	22.93
7	19	1.71	52	31.81	20.69

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.78	58	24.85	14.77
2	10	2.46	58	26.93	15.38
3	18	1.65	52	25.62	15.05
4	19	1.79	68	26.72	18.97
5	26	2.42	65	29.03	21.72
6	10	2.26	63	29.18	20.95
7	18	1.74	52	32.48	21.14

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.98	62	27.10	18.82
2	10	3.17	65	26.21	18.77
3	18	2.57	54	26.75	18.58
4	19	1.88	54	27.17	18.87
5	26	2.06	65	28.48	21.83
6	10	2.09	71	28.80	22.38
7	15	1.64	59	32.14	20.77

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	68	24.88	18.21
2	10	2.47	57	27.32	17.66
3	18	2.11	48	28.20	15.88
4	19	2.70	56	25.60	19.67
5	26	3.26	65	30.88	22.53
6	10	3.51	78	27.27	22.49
7	15	1.79	58	30.99	21.14



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.10	69	25.44	17.88
2	10	1.62	59	28.88	18.71
3	18	2.15	59	25.81	18.53
4	19	1.81	58	24.18	14.58
5	26	3.32	66	28.67	22.21
6	10	2.19	68	28.55	21.98
7	15	1.82	58	31.51	21.88

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.14	69	24.33	17.98
2	10	3.47	57	27.10	17.32
3	18	2.14	53	25.92	15.42
4	19	1.85	46	27.00	14.14
5	26	2.68	67	29.44	22.41
6	10	2.76	64	29.88	21.86
7	15	3.42	63	29.10	21.07



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.03	62	28.55	18.92
2	10	3.48	52	28.16	16.82
3	18	1.98	48	28.08	15.49
4	19	1.74	42	29.14	15.03
5	26	3.00	71	28.15	22.36
6	10	3.55	72	27.49	21.94
7	15	1.90	58	29.18	19.77



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.18	62	23.77	20.22
2	10	7.12	61	23.89	20.27
3	18	3.54	68	26.80	17.40
4	12	2.14	49	28.51	18.70
5	26	2.50	71	27.96	21.94
6	10	3.82	76	26.05	21.55
7	15	1.76	53	31.21	18.81

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.10	71	27.43	21.55
2	10	2.67	66	28.21	21.76
3	18	2.80	63	27.92	20.24
4	19	2.10	54	27.58	18.99
5	26	2.38	70	28.15	21.80
6	10	1.71	68	28.71	21.77
7	15	1.77	52	32.22	20.62

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.20	68	30.10	20.21
2	10	2.71	56	31.32	20.98
3	18	2.08	54	29.85	18.68
4	19	1.84	48	28.57	16.48
5	26	1.80	68	30.12	22.45
6	10	1.91	61	30.35	21.59
7	15	1.62	50	33.00	21.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.10	48	32.46	18.88
2	10	3.56	61	30.89	22.21
3	18	2.58	67	28.50	19.53
4	19	1.84	62	28.76	18.84
5	26	1.87	65	29.78	22.36
6	10	1.63	65	29.52	21.99
7	15	1.68	48	33.09	20.56

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	48	28.10	13.48
2	10	3.03	51	29.83	18.18
3	18	2.65	78	27.15	22.62
4	19	1.07	52	25.48	14.31
5	26	1.73	58	30.85	21.88
6	10	1.48	68	30.49	21.58
7	15	1.88	58	32.70	20.53



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.05	58	27.55	18.88
2	10	3.44	64	30.16	22.48
3	18	1.75	58	27.00	17.27
4	19	1.75	45	28.19	15.31
5	26	1.63	56	31.85	22.06
6	10	1.48	59	30.77	21.49
7	15	1.65	54	31.83	20.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	37	28.88	11.93
2	10	1.58	40	27.16	12.38
3	18	1.72	55	27.03	17.08
4	19	1.67	41	28.58	20.10
5	26	1.71	58	31.70	21.61
6	10	1.38	57	30.94	21.38
7	15	2.04	38	29.70	20.47

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.04	50	27.99	9.10
2	10	1.52	32	28.69	8.98
3	18	2.08	58	30.79	21.10
4	13	1.70	65	31.82	21.52
5	26	1.65	61	31.70	20.10
6	10	1.35	57	30.80	21.21
7	15	1.69	67	30.79	21.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.19	80	21.21	17.84
2	10	2.88	59	28.16	18.71
3	18	1.95	61	30.24	21.90
4	13	1.87	63	31.82	20.88
5	26	2.04	52	32.52	21.48
6	10	1.85	61	30.10	21.52
7	15	2.41	66	28.80	21.25

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.66	51	29.96	10.10
2	10	2.57	48	31.16	10.21
3	18	1.79	62	30.21	22.12
4	13	1.64	57	29.22	18.60
5	26	1.73	52	32.05	21.23
6	10	1.58	52	31.77	20.68
7	15	1.72	62	29.20	21.10

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.15	50	34.11	21.99
2	10	3.13	55	32.22	21.93
3	18	1.85	58	31.07	21.93
4	13	1.79	67	27.20	20.21
5	26	1.76	48	33.64	21.21
6	10	1.48	49	32.72	20.60
7	15	1.69	58	30.76	20.38

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	59	32.68	23.32
2	10	2.39	53	33.22	21.71
3	18	1.89	58	31.23	21.93
4	13	1.67	57	29.58	18.99
5	26	1.73	47	34.27	21.06
6	10	1.80	50	32.80	21.05
7	15	1.58	53	31.21	20.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	45	33.89	20.68
2	10	2.23	47	33.39	20.60
3	18	1.68	63	29.96	21.23
4	13	1.60	68	21.98	14.91
5	26	1.91	50	33.91	21.87
6	10	1.69	52	32.77	21.58
7	15	1.63	58	32.98	20.55

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.67	48	32.78	20.77
2	10	2.48	61	31.86	20.21
3	18	2.59	71	29.20	17.55
4	13	1.87	64	29.15	19.87
5	26	2.15	54	33.20	22.38
6	10	1.72	58	31.59	22.05
7	15	1.68	52	30.90	19.91

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.21	78	28.21	20.65
2	10	1.58	56	26.98	15.27
3	18	1.56	48	25.32	11.89
4	13	1.70	50	26.00	15.48
5	26	1.83	60	29.86	20.80
6	10	1.72	57	28.18	18.88
7	15	2.07	51	30.95	19.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.19	48	28.10	16.21
2	10	1.79	40	26.83	12.10
3	18	1.72	52	24.87	14.54
4	13	1.84	60	25.39	19.82
5	26	2.62	66	27.41	20.16
6	10	2.18	52	28.99	17.93
7	15	1.88	47	30.88	18.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.27	58	27.55	17.92
2	10	2.59	47	28.88	16.30
3	18	2.08	54	26.04	15.02
4	13	1.71	58	29.71	12.43
5	26	2.08	68	28.45	21.03
6	10	2.74	60	27.89	19.32
7	15	1.81	43	30.59	15.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.08	77	24.66	20.44
2	10	4.92	68	27.93	21.44
3	18	2.60	59	25.76	17.12
4	13	1.64	43	25.84	12.90
5	26	2.47	65	29.37	22.19
6	10	1.77	58	29.71	20.05
7	15	1.68	47	29.25	18.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.62	75	26.32	21.33
2	10	3.88	64	27.27	19.55
3	18	2.09	52	26.29	15.79
4	13	1.67	45	27.85	14.69
5	26	2.18	69	28.73	22.38
6	10	2.05	62	28.88	20.80
7	15	1.78	56	28.21	17.88

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	58	28.21	18.77
2	10	3.04	55	27.77	17.77
3	18	1.98	47	27.34	16.96
4	13	1.81	47	28.84	18.14
5	26	2.02	58	30.53	21.30
6	10	2.11	56	29.34	20.27
7	15	1.77	60	27.66	18.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	48	29.88	15.77
2	10	2.08	37	30.16	18.88
3	18	2.08	48	28.28	16.04
4	13	1.78	45	31.15	17.38
5	28	1.98	54	30.55	19.97
6	10	1.93	54	30.43	19.34
7	15	1.81	61	27.95	18.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	42	31.10	18.55
2	10	2.31	57	30.88	14.77
3	18	1.93	50	30.15	18.63
4	13	1.78	46	33.20	17.81
5	26	2.42	57	30.38	20.59
6	10	1.85	59	29.86	20.80
7	15	1.78	61	28.40	20.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.93	50	33.50	18.77
2	10	2.21	44	31.80	18.16
3	18	2.20	48	31.17	19.30
4	13	1.87	44	32.11	18.32
5	26	2.22	52	31.19	19.91
6	10	1.75	51	30.93	19.82
7	15	1.72	61	28.74	20.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	43	33.78	19.21
2	10	2.43	38	34.44	17.88
3	18	1.81	47	31.91	19.16
4	13	1.84	53	29.27	18.49
5	26	2.24	54	31.40	20.84
6	10	1.89	55	30.55	20.30
7	15	1.72	61	27.88	20.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	40	33.40	17.10
2	10	2.56	38	35.05	18.38
3	18	2.25	42	33.54	20.18
4	13	1.70	50	28.28	19.09
5	26	2.06	55	31.69	21.29
6	10	1.85	51	31.99	20.55
7	15	1.58	58	30.81	20.09

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	59	28.94	18.89
2	10	2.07	48	32.66	20.21
3	18	2.18	56	29.52	21.28
4	13	1.78	60	30.12	21.19
5	26	2.30	63	32.87	21.70
6	10	1.88	58	32.55	20.99
7	15	1.68	52	32.11	20.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.81	78	29.92	19.44
2	10	3.83	64	28.71	20.36
3	18	3.29	76	28.78	21.24
4	13	1.70	59	29.48	20.29
5	26	2.73	58	31.49	21.83
6	10	1.75	56	31.98	21.04
7	15	1.61	48	32.81	20.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.26	89	20.89	17.77
2	10	4.66	65	26.27	18.10
3	18	3.35	61	27.58	19.31
4	13	2.16	63	28.71	20.85
5	26	2.16	62	30.38	21.95
6	10	2.08	61	30.17	22.16
7	15	1.86	48	33.18	20.92

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	52	24.80	14.32
2	10	1.68	50	27.85	15.43
3	18	3.32	58	28.73	19.58
4	13	3.24	63	26.33	20.66
5	26	2.15	63	29.91	22.02
6	10	1.63	56	31.86	21.27
7	15	1.69	53	32.87	20.94

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	48	26.72	12.55
2	10	2.25	45	27.55	14.31
3	18	3.30	65	27.98	20.48
4	13	3.30	63	27.93	20.16
5	26	3.00	83	29.03	22.23
6	13	2.68	68	30.27	22.49
7	15	1.75	50	33.18	20.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.99	92	25.10	11.32
2	10	2.03	58	26.68	16.55
3	18	2.95	63	28.05	20.42
4	13	2.97	60	29.15	20.28
5	26	3.07	68	29.12	21.21
6	10	3.10	68	29.27	20.55
7	15	1.91	51	32.85	21.14

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.71	57	29.77	14.10
2	10	1.82	46	27.83	14.82
3	18	3.08	71	28.5n	20.93
4	18	2.01	66	27.94	19.34
5	26	2.46	72	27.35	21.04
6	10	2.38	87	29.71	27.93
7	15	2.01	57	31.25	21.51

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.59	78	23.99	17.21
2	10	5.43	78	21.56	16.38
3	18	2.49	58	28.97	17.12
4	19	2.41	66	25.50	18.37
5	26	2.50	64	28.78	21.83
6	10	2.84	58	30.49	21.27
7	15	2.14	52	31.82	20.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.08	46	21.10	8.21
2	10	1.56	44	22.16	9.49
3	18	2.80	58	21.89	12.31
4	19	2.76	70	22.17	15.78
5	26	2.43	55	29.79	19.73
6	10	2.86	63	29.32	20.43
7	15	1.77	47	35.89	20.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.09	57	25.55	5.93
2	10	1.58	57	23.33	5.38
3	18	1.58	45	23.75	10.41
4	19	1.70	53	22.55	12.40
5	26	3.21	70	25.21	18.06
6	10	3.06	54	25.93	17.56
7	15	1.65	51	30.84	18.94



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.08	38	28.10	8.88
2	10	1.58	32	25.05	7.56
3	18	1.58	49	25.10	10.61
4	19	1.78	49	25.12	13.44
5	26	2.15	71	23.58	17.23
6	10	2.13	67	23.85	16.55
7	15	1.13	49	29.87	17.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.95	28	29.95	12.55
2	10	1.91	23	27.65	9.09
3	18	1.97	43	25.51	11.78
4	19	1.75	44	27.77	15.87
5	26	3.18	71	25.54	19.33
6	10	3.09	57	31.94	17.88
7	15	1.68	43	29.58	15.77

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.04	35	20.80	12.77
2	10	2.72	48	26.71	14.40
3	18	2.55	43	27.54	13.40
4	19	1.78	48	28.32	15.72
5	26	2.36	67	27.84	21.27
6	10	2.56	59	28.71	17.83
7	15	1.72	38	30.70	14.95



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.58	48	24.77	13.10
2	10	3.36	62	25.60	17.49
3	18	2.35	48	28.97	18.28
4	19	1.81	42	28.79	14.89
5	26	2.26	58	30.10	21.14
6	10	2.26	52	28.88	17.93
7	15	1.71	38	31.07	15.51



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	54	29.99	8.10
2	10	2.46	53	25.98	7.88
3	18	2.93	44	30.21	16.80
4	12	1.82	42	28.81	15.50
5	26	2.00	52	30.42	19.46
6	10	1.84	47	30.99	18.27
7	15	1.77	47	29.92	16.81

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	42	32.11	17.32
2	10	3.68	49	30.55	16.55
3	18	2.76	43	30.86	17.00
4	19	.67	49	28.92	16.03
5	26	3.38	64	29.11	21.78
6	10	[illegible]	47	31.53	18.52
7	15	1.74	49	30.14	17.68



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.98	45	33.68	19.55
2	13	5.12	48	31.55	19.18
3	18	2.15	60	27.62	18.26
4	19	2.18	55	29.56	14.26
5	26	4.72	68	28.84	22.28
6	13	1.81	56	30.32	20.27
7	15	1.71	49	30.14	18.10



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.78	58	30.89	20.88
2	10	3.23	62	29.21	20.99
3	18	2.58	53	23.20	17.52
4	19	1.69	46	25.08	10.20
5	26	4.15	78	27.49	22.15
6	10	2.57	51	28.43	20.27
7	15	1.71	48	30.29	17.61

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.92	87	29.10	25.88
2	10	2.05	79	22.27	18.16
3	18	1.70	47	24.28	11.97
4	13	1.87	44	25.67	12.47
5	26	1.68	56	29.79	20.03
6	10	2.84	53	28.21	17.55
7	15	1.84	47	31.82	17.10

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	51	24.77	13.98
2	10	1.91	48	26.05	16.66
3	18	1.88	52	24.75	14.03
4	13	1.81	45	22.21	9.90
5	26	2.40	56	29.74	19.86
6	10	1.72	51	28.88	17.49
7	15	1.93	55	29.88	19.03

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.44	86	25.39	18.55
2	10	2.98	87	24.84	18.38
3	18	1.81	52	22.77	12.03
4	13	1.81	42	19.57	5.72
5	26	3.08	69	27.45	20.67
6	10	2.01	56	29.05	19.27
7	15	2.80	55	30.14	18.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.13	82	25.11	18.77
2	10	1.59	85	22.83	7.64
3	18	1.57	42	18.77	3.93
4	13	1.81	33	21.84	6.35
5	26	1.81	53	28.15	17.30
6	10	1.42	46	25.27	11.58
7	15	1.63	48	27.37	15.62

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.95	93	20.08	8.51
2	10	1.56	91	21.82	7.99
3	18	1.51	38	23.11	8.05
4	13	1.61	37	25.38	9.73
5	26	2.35	62	28.30	18.11
6	10	1.47	43	28.10	16.21
7	15	1.48	42	29.83	18.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	98	24.32	23.44
2	10	2.35	96	25.38	22.32
3	18	1.62	47	24.53	13.91
4	13	1.73	51	25.35	15.12
5	26	2.08	65	27.73	20.06
6	10	1.85	69	27.27	19.66
7	15	1.76	58	29.66	19.38

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.58	88	28.89	18.21
2	10	2.58	53	27.21	18.71
3	18	2.08	72	24.48	19.47
4	13	2.79	63	23.57	15.58
5	26	1.81	61	28.77	20.59
6	10	2.51	88	28.13	20.49
7	15	1.97	81	28.21	18.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	87	28.21	18.21
2	10	2.07	82	27.68	18.77
3	18	1.78	81	23.35	15.30
4	13	1.67	57	18.71	9.99
5	26	1.68	68	28.76	21.08
6	10	1.39	88	24.27	21.37
7	15	1.74	94	20.44	19.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	56	20.44	10.99
2	10	1.63	52	19.99	9.88
3	18	1.64	57	19.71	10.79
4	13	2.27	38	16.74	12.47
5	26	1.68	63	29.05	21.29
6	10	2.43	87	27.21	20.38
7	15	1.88	55	30.79	20.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	51	16.7	8.55
2	10	2.18	58	13.71	8.32
3	18	2.88	68	19.47	13.14
4	13	1.98	63	17.89	15.53
5	26	3.25	71	25.13	20.25
6	10	2.05	55	29.21	19.38
7	15	1.49	58	31.84	19.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.09	87	15.89	9.66
2	10	3.75	76	17.86	12.88
3	18	1.57	48	18.76	7.37
4	13	1.76	58	19.28	7.94
5	26	2.07	59	28.39	19.65
6	10	1.31	58	27.77	17.09
7	15	1.62	63	28.55	20.29

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.20	75	24.77	18.22
2	10	1.38	62	15.99	5.05
3	18	1.65	45	24.52	7.52
4	13	1.61	48	22.58	9.98
5	26	1.77	53	24.57	13.60
6	10	1.48	94	23.60	18.32
7	15	2.40	71	21.10	19.25

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	48	19.99	8.98
2	10	1.90	46	20.65	8.10
3	18	1.70	40	22.05	8.17
4	13	2.57	68	20.08	13.05
5	26	1.60	50	23.09	12.08
6	10	1.43	43	24.49	11.05
7	15	1.75	66	20.52	17.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.07	81	10.88	8.92
2	10	1.60	66	22.00	8.71
3	18	2.54	58	21.41	11.59
4	13	3.47	76	18.05	15.04
5	26	1.03	64	25.29	15.08
6	10	1.56	46	25.32	12.88
7	15	1.73	66	20.47	20.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.07	91	20.94	8.77
2	10	1.72	81	22.95	11.88
3	18	3.84	68	20.73	16.51
4	13	4.83	85	18.08	12.81
5	26	1.88	61	25.31	17.10
6	10	1.57	48	26.32	14.48
7	15	2.10	94	21.48	20.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.09	71	19.89	14.49
2	10	2.69	88	19.71	17.75
3	18	2.85	88	17.91	11.18
4	13	1.61	52	12.55	2.58
5	26	2.18	65	26.20	19.97
6	10	2.73	88	25.55	17.85
7	15	2.41	61	24.25	15.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.10	85	22.77	19.99
2	10	2.67	71	22.55	16.99
3	18	1.78	58	15.51	5.06
4	13	1.81	56	14.49	5.52
5	26	2.06	62	28.26	20.14
6	10	1.62	49	25.38	16.49
7	15	3.13	78	22.82	18.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.77	85	14.09	17.22
2	10	2.68	82	19.99	12.27
3	18	2.50	60	16.68	8.57
4	13	1.74	56	16.71	7.82
5	26	2.01	74	29.74	18.30
6	10	2.57	89	24.68	18.71
7	15	2.37	70	23.07	17.07

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	21.21	9.30
2	10	2.41	48	20.60	9.21
3	18	2.88	57	18.51	9.40
4	13	2.05	88	22.00	12.88
5	26	2.68	61	28.84	20.29
6	10	3.22	72	24.10	18 49
7	15	2.17	70	24.84	18 70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.49	58	22.88	11.55
2	10	2.11	42	24.27	10.33
3	18	3.14	70	21.01	15.08
4	13	2.32	98	20.78	10.48
5	26	1.98	53	29.80	19.33
6	10	1.72	81	29.33	21.16
7	15	1.76	57	29.98	20.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.83	68	22.10	15.88
2	10	3.26	70	24.82	18.93
3	18	1.93	69	23.95	15.19
4	13	1.78	41	21.87	8.96
5	26	2.02	66	29.98	22.26
6	10	1.98	61	29.10	20.49
7	15	2.14	61	29.48	20.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	98	24.77	16.99
2	10	1.77	41	24.93	10.77
3	18	1.57	42	19.8	6.32
4	13	1.01	48	20.18	8.02
5	26	1.72	56	30.09	18.95
6	10	1.59	50	27.53	15.21
7	15	2.19	67	26.51	19.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	62	18.77	9.88
2	10	1.65	51	17.98	7.14
3	18	1.59	58	17.95	7.27
4	13	1.67	42	24.05	9.79
5	26	1.67	44	26.36	12.98
6	10	1.35	48	24.21	[illegible]
7	15	1.61	59	26.66	17.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	67	19.99	9.86
2	10	1.77	48	18.71	7.88
3	18	1.78	49	20.51	9.37
4	13	1.81	32	19.57	2.09
5	26	1.54	58	26.21	16.69
6	10	1.42	59	27.18	17.96
7	15	1.83	48	28.25	13.81

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.00	89	17.89	16.93
2	10	4.44	88	18.83	17.49
3	18	1.85	94	18.35	17.71
4	19	1.81	71	19.73	14.00
5	26	2.01	61	26.39	18.17
6	10	1.87	51	25.94	14.88
7	15	1.64	53	27.29	16.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	4.25	82	19.99	12.55
2	10	1.98	88	15.18	7.05
3	18	1.81	57	13.29	4.90
4	19	1.81	38	17.90	3.54
5	26	1.86	48	25.81	13.58
6	10	1.56	38	25.32	8.21
7	15	1.64	45	26.25	12.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.48	58	14.88	6.43
2	10	1.52	56	14.77	5.38
3	18	1.59	47	15.58	6.16
4	19	1.81	38	22.15	6.23
5	26	1.82	46	23.32	10.78
6	10	1.52	38	20.55	5.71
7	15	1.64	40	23.70	8.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	48	19.33	2.99
2	10	1.58	42	16.27	3.21
3	18	1.64	39	19.81	5.70
4	19	1.64	38	23.26	7.98
5	26	2.20	52	23.39	12.64
6	10	1.38	41	23.10	8.87
7	15	1.66	46	24.91	11.69



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.02	51	18.77	8.22
2	10	1.66	48	20.71	8.10
3	18	1.98	38	22.55	7.33
4	19	1.80	59	20.29	9.78
5	26	2.81	67	22.66	15.64
6	10	1.53	58	23.10	13.10
7	15	1.96	51	26.99	15.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.11	61	16.88	9.10
2	10	1.69	61	19.32	11.55
3	18	2.07	49	21.50	10.12
4	19	1.84	44	17.38	6.40
5	26	2.97	73	23.62	19.43
6	10	2.13	68	22.77	16.27
7	15	1.85	58	27.21	18.62

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.40	60	17.99	10.77
2	10	2.86	74	20.82	15.99
3	18	2.03	81	14.84	7.09
4	19	1.81	90	10.10	-0.30
5	26	2.58	71	24.67	10.08
6	10	2.09	55	24.10	14.05
7	15	1.58	46	27.82	14.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.34	80	18.90	15.49
2	10	6.22	88	14.21	12.30
3	18	1.50	45	12.49	0.87
4	19	1.84	39	10.00	0.00
5	26	3.04	71	21.30	16.23
6	10	1.45	47	17.27	5.55
7	15	1.65	37	23.07	7.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	58	17.77	9.66
2	10	1.56	45	17.44	5.44
3	18	1.78	21	18.48	1.07
4	19	1.70	34	19.58	3.32
5	26	1.88	48	22.80	10.46
6	10	1.33	27	19.27	4.33
7	15	1.83	28	22.81	8.10

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.99	38	15.77	2.44
2	10	1.83	43	20.21	7.27
3	18	2.16	31	12.12	4.40
4	19	1.73	47	19.44	7.37
5	26	1.87	53	24.27	13.67
6	10	1.45	43	23.71	10.32
7	15	1.71	44	24.51	10.92

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.02	48	14.55	3.99
2	10	1.68	45	20.50	8.16
3	18	2.41	47	23.92	10.70
4	19	2.09	58	19.61	10.80
5	26	1.74	55	24.29	14.63
6	10	2.08	57	23.27	13.49
7	15	2.39	60	25.58	16.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	58	18.39	9.44
2	10	1.72	55	20.49	9.66
3	18	3.71	61	19.56	15.95
4	19	1.78	69	22.37	15.15
5	26	1.84	56	25.35	15.65
6	10	3.28	65	22.99	16.82
7	15	3.51	75	24.55	18.95

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	89	20.86	12.10
2	10	3.63	68	20.71	15.44
3	18	5.01	84	18.86	15.09
4	13	1.73	52	17.51	7.04
5	26	1.65	55	26.29	16.36
6	10	4.25	73	23.05	17.55
7	15	2.19	73	24.29	18.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.56	57	20.88	11.88
2	10	2.42	58	21.60	12.82
3	18	2.81	67	18.35	11.72
4	13	3.09	88	20.82	19.54
5	26	1.98	63	26.34	18.77
6	10	1.76	68	24.38	17.94
7	15	2.34	84	24.95	17.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.02	48	17.08	9.44
2	10	1.68	58	18.27	9.77
3	18	4.39	83	18.88	15.70
4	13	2.52	84	19.18	11.92
5	26	2.35	69	26.89	19.91
6	10	1.50	87	25.88	18.62
7	15	1.89	58	27.58	17.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	68	16.86	10.35
2	10	2.65	77	20.06	15.88
3	18	2.07	59	25.92	16.69
4	13	1.73	55	20.20	13.35
5	26	2.36	78	26.01	20.93
6	10	1.39	58	28.55	18.08
7	15	1.71	61	28.55	19.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.31	85	18.32	15.77
2	10	8.91	68	23.49	17.05
3	18	1.77	57	27.29	17.92
4	13	2.08	59	19.52	13.37
5	26	2.09	67	26.81	20.18
6	10	1.96	60	28.93	19.80
7	15	2.03	67	27.47	20.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.30	83	19.98	18.32
2	10	2.41	76	25.27	17.82
3	18	1.70	68	27.95	19.03
4	13	8.10	71	15.46	8.96
5	26	1.60	61	27.79	19.44
6	10	1.45	59	28.18	19.55
7	15	1.86	58	28.29	20.62

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	58	28.21	18.49
2	10	2.58	53	28.45	18.08
3	18	1.97	58	27.27	17.59
4	13	1.74	47	18.87	8.83
5	26	1.96	58	27.87	18.71
6	10	1.35	53	28.30	17.60
7	15	1.83	45	28.10	11.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.24	72	29.32	17.77
2	10	2.12	51	28.66	17.48
3	18	2.78	70	23.57	15.21
4	13	2.10	58	12.90	6.18
5	26	1.88	58	28.26	18.60
6	10	1.48	52	28.21	17.43
7	15	1.58	51	28.98	16.55

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	54	28.88	15.88
2	10	2.87	62	29.71	15.27
3	18	2.31	52	15.92	4.99
4	13	1.71	42	17.88	4.58
5	26	1.77	57	27.60	18.30
6	10	2.58	37	22.27	17.08
7	15	1.58	43	22.79	9.25

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.02	48	17.99	5.77
2	10	1.58	43	17.80	5.38
3	18	1.08	38	19.59	4.90
4	13	1.67	42	17.71	4.35
5	26	2.16	61	26.01	16.69
6	10	1.63	56	24.55	15.32
7	15	1.81	43	28.55	8.89

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.99	46	19.99	7.86
2	10	1.05	38	20.71	6.38
3	18	2.18	45	18.39	6.01
4	13	1.01	42	15.25	2.13
5	26	3.28	73	22.68	17.36
6	10	2.48	65	23.49	16.21
7	15	1.40	39	23.73	8.68

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.98	62	19.66	10.49
2	10	2.38	66	16.32	8.55
3	18	1.16	46	16.97	5.18
4	13	1.78	41	17.17	3.58
5	26	2.61	67	23.39	17.08
6	10	2.25	61	22.50	16.49
7	15	1.81	39	23.77	8.55

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.07	41	16.77	2.88
2	10	1.44	37	17.54	2.77
3	18	1.86	47	19.28	7.83
4	19	1.78	42	18.22	5.88
5	26	3.11	66	22.06	15.27
6	10	3.30	72	21.27	15.88
7	15	1.83	41	24.44	8.77



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.04	47	18.44	8.77
2	10	1.60	48	17.16	5.86
3	18	3.01	57	19.74	10.88
4	19	1.73	45	19.01	6.78
5	26	3.51	70	21.18	15.14
6	10	2.08	61	22.32	13.94
7	15	1.80	52	24.47	13.85

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.12	48	17.88	8.43
2	10	1.73	36	17.38	1.88
3	18	3.90	57	20.79	11.83
4	19	2.05	64	17.88	10.29
5	26	2.10	58	22.58	14.01
6	10	2.24	59	22.88	14.18
7	15	1.70	58	25.98	17.10

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	48	17.77	8.55
2	10	2.21	48	17.63	6.21
3	18	3.45	51	20.97	9.81
4	19	5.35	37	19.1[illegible]	10.85
5	26	1.86	46	23.77	11.21
6	10	2.05	52	25.10	14.43
7	15	1.90	57	27.03	17.51



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	40	18.10	4.88
2	10	2.33	36	20.83	5.16
3	18	4.38	63	22.15	13.87
4	19	8.30	91	10.38	8.86
5	26	1.91	38	24.80	9.58
6	10	2.09	48	26.55	14.77
7	15	1.73	61	26.25	17.88

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	38	20.21	8.55
2	10	4.29	42	23.55	8.38
3	18	3.30	59	20.99	10.87
4	19	2.95	58	5.88	2.38
5	26	2.01	40	26.53	11.57
6	10	1.83	53	26.38	15.71
7	15	3.12	64	23.58	15.49

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.75	67	18.21	11.55
2	10	2.42	60	18.77	11.54
3	18	1.57	47	12.15	1.04
4	19	1.61	48	12.80	1.70
5	26	1.81	50	27.09	15.59
6	10	1.68	56	22.27	12.93
7	15	1.08	64	18.51	10.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.25	51	15.21	5.88
2	10	1.65	45	16.93	4.55
3	18	1.61	47	10.22	4.87
4	19	1.04	58	9.88	1.15
5	26	1.62	42	24.88	10.80
6	10	1.37	41	21.77	7.77
7	15	2.70	78	18.73	16.62

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	51	10.59	0.99
2	10	1.79	48	12.43	1.71
3	18	1.61	58	8.96	-1.08
4	19	1.67	56	5.80	-2.90
5	26	1.73	45	24.30	11.42
6	10	1.99	58	13.66	8.35
7	15	3.06	88	15.91	11.95

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	48	9.94	-1.88
2	10	2.19	55	10.38	1.77
3	18	2.22	48	11.57	1.01
4	19	1.67	57	8.11	-0.98
5	26	3.01	67	21.84	16.60
6	10	3.70	69	17.82	11.55
7	15	1.81	67	15.58	9.38

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.48	65	14.30	7.91
2	10	2.31	56	13.55	6.71
3	18	1.61	63	8.94	-2.77
4	19	1.61	48	9.43	-1.62
5	26	2.03	61	22.88	15.01
6	10	1.67	51	17.55	7.05
7	15	1.08	82	16.16	13.72

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.09	58	10.41	-3.48
2	10	1.50	43	11.16	-1.16
3	18	1.96	78	12.84	-1.81
4	19	1.71	58	15.53	5.25
5	26	2.25	58	20.31	11.03
6	10	1.87	51	21.05	+10.43
7	15	2.48	80	17.85	9.92

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.40	40	15.13	1.24
2	10	2.80	48	15.66	2.21
3	18	2.87	46	17.30	5.39
4	13	1.84	51	17.00	6.70
5	26	4.81	78	19.33	15.45
6	10	4.95	79	17.38	13.32
7	15	2.04	95	10.84	10.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.22	96	10.80	9.58
2	10	5.18	82	17.08	10.10
3	18	3.08	49	18.29	6.90
4	13	1.79	44	16.88	4.09
5	26	3.86	78	21.49	17.41
6	9	2.62	71	20.11	14.62
7	15	2.14	98	20.51	11.90

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	9.12	78	17.08	11.84
2	10	6.34	77	17.38	12.94
3	18	2.83	84	13.45	8.83
4	13	1.61	87	4.10	-3.35
5	26	6.98	83	22.16	18.90
6	10	7.73	89	18.88	16.83
7	15	2.43	68	17.84	11.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	4.28	90	16.24	14.57
2	10	2.16	73	15.04	10.10
3	18	1.65	59	5.50	-2.00
4	13	1.65	48	5.81	-3.44
5	26	2.61	69	23.13	17.55
6	10	3.41	80	17.19	7.71
7	15	1.68	49	11.81	-0.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.07	48	7.77	-5.78
2	10	1.50	45	8.05	-9.16
3	18	1.32	40	9.59	-8.29
4	13	1.48	42	15.38	-2.09
5	26	2.12	71	13.52	7.98
6	10	2.15	50	11.10	0.37
7	15	1.57	94	12.58	1.77

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.17	94	11.52	2.58
2	10	2.38	47	13.60	1.43
3	18	2.69	62	3.83	1.51
4	13	1.61	86	4.24	-4.62
5	26	1.91	68	16.07	6.79
6	10	1.48	80	17.38	5.71
7	15	1.52	82	20.21	2.96

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.67	57	14.71	6.71
2	10	3.08	66	12.94	8.33
3	18	1.97	85	9.66	-6.68
4	19	1.67	48	10.59	-2.76
5	26	2.48	59	17.15	6.03
6	10	1.68	56	7.68	-0.40
7	15	1.58	86	16.55	1.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.62	76	9.18	6.71
2	10	2.19	88	7.32	-0.68
3	18	4.42	85	5.82	-0.49
4	19	1.76	58	10.69	1.75
5	26	1.63	41	16.82	1.28
6	10	1.57	57	13.18	-0.59
7	15	1.56	36	21.10	4.44

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.08	67	5.41	-0.55
2	10	1.88	68	4.27	-1.05
3	18	1.69	54	5.85	-2.99
4	19	1.76	51	9.38	-0.04
5	26	1.97	45	14.88	2.41
6	10	1.82	48	11.18	-0.05
7	15	1.83	42	18.28	5.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.26	50	2.89	-6.85
2	10	2.11	67	5.71	-2.68
3	18	2.07	58	11.01	1.04
4	19	[illegible]	[illegible]	10.49	4.51
5	26	1.63	39	16.91	0.81
6	10	1.72	56	13.51	-0.78
7	15	1.98	45	17.58	5.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.68	71	9.13	6.00
2	10	4.08	67	9.82	3.99
3	18	2.36	48	17.21	4.52
4	19	1.67	35	18.79	2.77
5	26	1.81	37	19.67	4.09
6	10	2.05	36	17.88	1.75
7	15	1.81	28	20.30	5.95



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.04	49	17.21	8.11
2	10	2.19	47	18.16	6.47
3	18	2.08	48	17.89	5.38
4	19	1.48	52	14.52	6.52
5	26	1.86	41	24.89	7.50
6	10	2.30	41	19.77	2.48
7	15	1.87	40	22.21	7.47

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.07	86	8.90	-0.10
2	10	1.68	68	18.27	8.98
3	18	2.52	63	18.51	5.89
4	18	1.98	62	18.80	5.72
5	26	2.64	48	22.11	8.33
6	10	1.87	58	21.21	8.55
7	15	1.81	48	23.58	11.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.75	58	14.72	6.27
2	10	4.91	68	16.10	8.98
3	18	2.21	57	15.22	10.38
4	18	4.26	56	18.87	9.03
5	26	2.76	56	21.76	11.68
6	10	1.75	48	22.38	10.44
7	15	1.72	51	24.32	12.94



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.97	78	12.88	7.58
2	10	6.54	68	17.38	8.27
3	18	5.31	65	17.58	11.53
4	18	5.97	70	19.17	7.49
5	26	1.88	46	24.20	11.06
6	10	1.73	55	23.58	13.82
7	15	1.88	52	24.14	13.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.13	48	6.26	-4.71
2	10	5.40	61	7.93	4.98
3	18	5.53	73	18.23	13.16
4	18	3.51	76	8.62	5.97
5	26	2.78	58	23.79	12.46
6	10	1.76	58	22.55	13.43
7	15	1.75	43	13.71	4.33



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.98	77	5.98	1.94
2	10	3.51	68	12.10	8.06
3	18	2.74	72	10.98	6.67
4	18	1.61	58	13.74	1.96
5	26	2.45	73	21.82	15.78
6	10	2.43	76	18.60	12.27
7	15	1.55	53	18.58	8.70

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.61	89	15.13	4.90
2	10	1.87	51	12.27	2.99
3	18	1.85	63	7.98	1.23
4	18	2.73	48	7.89	-2.73
5	26	2.18	56	19.80	10.16
6	10	1.51	48	17.05	6.68
7	15	1.65	51	21.07	2.77

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.48	42	12.83	0.08
2	10	3.26	46	12.21	0.61
3	18	2.29	63	3.84	-2.58
4	13	1.61	68	5.48	-3.76
5	26	1.88	41	20.10	6.17
6	10	1.58	44	15.32	2.80
7	15	1.58	59	10.20	2.20

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.82	92	11.24	1.98
2	10	2.45	52	7.68	-2.49
3	18	3.48	64	4.74	-1.86
4	13	2.06	62	4.82	-5.10
5	26	1.75	28	17.43	3.16
6	10	1.48	55	13.82	-1.49
7	15	1.80	35	19.92	6.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	5.08	84	5.19	-0.85
2	10	3.30	61	6.49	-0.89
3	18	4.10	78	2.89	-0.52
4	13	1.81	48	4.10	-5.01
5	26	1.84	44	13.62	1.08
6	10	1.77	48	8.71	-2.32
7	15	1.58	54	17.08	0.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.38	45	5.90	-5.27
2	10	2.48	79	3.60	0.27
3	18	2.78	87	2.90	-3.19
4	13	1.61	91	0.25	-4.52
5	26	1.82	42	11.83	-1.14
6	10	1.72	48	7.05	-3.27
7	15	1.58	38	10.25	2.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.28	48	8.26	-9.27
2	10	2.47	60	4.66	-2.55
3	18	2.52	57	7.21	-1.13
4	13	2.28	41	14.31	-0.60
5	26	1.67	37	13.85	-0.08
6	10	1.75	53	14.10	-1.96
7	15	1.66	34	22.70	6.94



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.20	68	8.48	2.35
2	10	2.98	66	9.16	2.27
3	18	1.92	65	4.18	-1.85
4	13	4.94	50	4.40	-4.26
5	26	1.78	18	20.70	7.73
6	10	1.81	43	10.59	0.05
7	15	1.58	42	20.96	7.25

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.04	82	4.45	-2.48
2	10	2.84	58	4.22	-3.71
3	18	3.71	67	-0.83	-6.26
4	19	1.87	88	-2.04	-0.31
5	26	1.72	44	17.02	4.66
6	10	1.59	45	8.38	-5.44
7	15	1.58	57	13.10	-1.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.21	59	-1.84	-10.19
2	10	1.86	43	-0.83	-11.88
3	18	2.05	57	0.36	-7.26
4	19	1.87	68	0.78	-4.85
5	26	1.66	60	8.66	-4.67
6	10	1.62	66	5.88	-5.77
7	15	1.58	57	12.51	-2.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	47	5.61	-5.19
2	10	3.08	48	5.48	-5.10
3	18	1.88	54	5.79	-4.88
4	19	1.88	58	1.82	-7.19
5	26	2.06	46	16.93	-0.18
6	10	2.19	58	12.21	-1.94
7	15	2.59	45	18.88	0.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	44	2.03	-0.74
2	10	3.23	57	3.61	-4.32
3	18	2.48	63	3.34	0.89
4	19	1.52	68	2.52	-0.31
5	26	2.36	46	17.05	5.38
6	10	3.46	75	14.66	10.10
7	15	1.79	62	20.70	7.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	12.36	95	8.11	5.27
2	10	5.47	78	4.96	1.44
3	18	2.62	76	-0.95	-5.11
4	19	1.88	87	2.80	-0.04
5	26	2.55	69	13.81	3.33
6	10	2.48	59	8.82	-1.55
7	15	1.66	35	19.77	3.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	12	-2.91	-11.98
2	10	2.07	48	-2.48	-12.32
3	18	3.35	59	-0.98	-5.58
4	19	2.88	68	0.35	-2.30
5	26	1.65	28	9.72	-3.97
6	10	2.17	47	4.88	-2.49
7	15	.74	18	2.15	0.66

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	10.20	87	-4.72	-8.88
2	10	5.58	82	-3.71	-6.32
3	18	3.01	71	2.21	-2.52
4	11	1.79	68	8.27	-2.17
5	26	2.45	48	18.59	5.45
6	10	2.66	55	15.88	5.96
7	16	1.81	44	23.21	9.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	4.85	83	-1.25	-5.76
2	10	3.49	69	1.69	-4.10
3	18	5.91	75	5.72	2.49
4	11	1.79	68	12.81	1.76
5	26	2.71	56	17.38	8.67
6	10	5.58	75	17.88	12.71
7	16	1.87	41	24.75	8.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	9.78	83	8.88	5.88
2	10	11.67	88	6.16	5.21
3	18	5.88	59	10.27	2.08
4	11	1.81	48	10.69	-8.15
5	26	2.58	67	20.25	13.54
6	10	1.98	49	20.18	8.62
7	16	1.68	58	23.67	7.46

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.98	58	8.19	-0.27
2	10	4.36	62	7.93	1.05
3	18	1.82	48	6.83	-3.68
4	11	1.81	50	7.89	-7.06
5	26	1.68	38	17.96	2.86
6	10	1.87	29	15.85	-2.98
7	16	1.78	29	18.81	-0.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.28	51	0.10	-3.19
2	10	1.96	55	4.46	-1.94
3	18	6.47	69	2.88	-3.91
4	11	1.92	56	3.11	-5.29
5	26	1.67	33	16.52	-2.15
6	10	2.09	29	13.56	-4.71
7	16	1.99	48	17.66	6.97

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	9.61	78	3.88	-2.03
2	10	12.51	66	3.88	0.44
3	18	2.17	59	0.88	-7.08
4	11	1.71	62	5.85	-3.71
5	26	2.22	40	14.81	0.12
6	10	2.05	36	3.66	-5.11
7	16	3.02	48	14.81	3.70

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.62	88	-0.41	-7.48
2	10	1.78	59	0.33	-6.62
3	18	2.42	52	4.80	-4.41
4	13	1.78	53	7.80	-2.08
5	26	1.81	36	12.80	-2.28
6	10	3.22	28	13.55	-4.43
7	15	0.73	68	10.29	0.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	81	0.27	-6.24
2	10	3.17	60	3.16	-4.27
3	18	2.55	61	4.84	-2.54
4	13	1.81	44	4.30	-7.13
5	26	2.48	48	14.07	3.00
6	10	5.65	69	10.05	6.21
7	15	2.37	55	14.96	5.44

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.98	88	4.18	-2.81
2	10	2.03	66	2.48	-5.10
3	18	1.71	48	5.20	-6.75
4	13	1.78	44	2.68	-8.88
5	26	1.67	28	13.02	-3.24
6	10	1.67	30	10.77	-5.98
7	15	2.60	48	15.79	4.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.25	41	-8.71	-15.86
2	10	1.58	50	-1.49	-10.66
3	18	3.33	53	3.48	-5.11
4	13	2.47	48	4.14	-6.70
5	26	1.85	31	14.85	-2.56
6	10	2.03	33	14.88	-1.88
7	15	2.66	58	18.59	9.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.26	88	-4.46	-8.18
2	10	6.56	73	3.22	-1.22
3	18	2.97	69	0.67	-4.37
4	13	1.98	81	-4.82	-11.38
5	26	2.61	56	17.43	7.78
6	10	5.05	55	14.49	4.99
7	15	1.86	51	17.92	6.92

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.58	54	-9.48	-11.56
2	10	2.07	54	-1.16	-9.70
3	18	2.68	58	-4.13	-11.22
4	13	1.73	56	-9.20	-15.08
5	26	2.07	47	13.90	1.58
6	10	1.93	48	8.62	-3.49
7	15	4.45	66	10.92	4.10

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	81	-4.82	-12.84
2	10	3.16	65	-2.10	-10.21
3	18	2.68	98	-5.82	-9.99
4	13	7.32	77	-4.81	-7.43
5	26	2.24	87	10.50	-0.36
6	10	2.09	45	8.71	-4.39
7	15	4.30	78	10.24	6.79



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.55	48	-1.85	-10.88
2	10	4.10	58	0.37	-6.71
3	18	14.29	95	1.80	0.98
4	13	7.53	88	3.15	1.48
5	26	6.10	68	11.64	5.16
6	10	5.57	84	9.82	7.05
7	15	6.46	88	16.79	14.85



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.99	66	1.92	-0.41
2	10	10.26	67	9.94	2.05
3	18	7.38	95	12.95	12.15
4	13	7.49	89	2.88	1.80
5	26	6.22	78	14.97	10.76
6	10	4.34	66	16.88	14.77
7	15	1.71	56	19.79	10.44



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.68	49	10.13	0.16
2	10	9.65	68	9.65	7.54
3	18	2.02	64	2.31	-4.01
4	13	1.64	55	-7.91	-14.56
5	26	3.96	78	20.69	14.67
6	10	6.08	84	16.44	13.38
7	14	1.19	58	9.97	1.40



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.27	78	7.85	2.83
2	10	2.15	66	4.46	-1.33
3	18	2.29	55	-1.50	-9.47
4	13	1.52	57	-9.21	-14.36
5	26	3.12	69	19.22	13.02
6	10	5.75	82	6.46	3.61
7	14	2.20	60	6.25	-1.29

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.55	51	0.89	-8.47
2	10	2.25	55	-0.22	-8.27
3	18	2.42	55	-5.30	-11.00
4	13	1.74	59	-7.18	-13.33
5	26	4.28	68	10.18	3.05
6	10	3.63	61	4.12	-2.60
7	15	4.15	67	4.43	-1.77

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.26	48	-2.21	-16.38
2	10	1.88	47	-2.27	-12.06
3	18	2.55	52	-5.52	-15.82
4	19	1.98	56	-2.58	-8.88
5	26	3.04	65	0.35	1.58
6	10	2.35	52	5.44	-5.72
7	16	1.68	46	8.68	-4.09

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.75	41	-3.10	-12.89
2	10	3.01	61	-0.89	-8.83
3	18	3.24	48	1.41	-6.02
4	19	3.55	58	2.21	-5.66
5	26	2.47	52	8.20	-1.25
6	10	2.51	43	8.55	-5.10
7	16	1.42	47	10.03	-1.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.88	48	3.88	-8.89
2	10	4.22	42	9.71	-7.08
3	18	3.15	53	5.12	-3.82
4	19	3.51	66	0.78	-4.86
5	26	3.38	62	11.34	6.20
6	10	5.42	63	7.10	-0.05
7	16	5.78	77	12.95	8.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.32	77	7.69	3.88
2	10	8.21	86	7.57	5.38
3	18	7.42	94	5.32	5.11
4	19	4.97	71	0.80	-2.97
5	26	5.72	72	16.56	11.00
6	10	6.36	86	14.14	11.83
7	16	3.60	86	16.94	7.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.62	73	9.99	5.41
2	10	4.96	83	7.82	5.10
3	18	10.14	90	5.95	4.50
4	19	10.38	90	3.28	-0.13
5	26	2.30	69	18.98	12.98
6	10	5.90	73	13.38	9.77
7	16	3.69	89	18.03	11.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.55	69	8.24	-0.27
2	10	3.10	88	8.49	0.88
3	18	8.87	89	11.50	10.05
4	19	4.07	78	-3.85	-5.95
5	26	4.77	68	16.42	9.97
6	10	5.24	80	17.05	8.93
7	16	1.03	65	20.21	14.03

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.07	70	10.27	4.99
2	10	4.06	80	9.64	6.32
3	18	9.29	91	7.57	5.98
4	19	9.88	86	-8.79	-12.77
5	26	3.62	67	18.08	11.50
6	10	5.08	72	17.32	11.88
7	15	7.14	84	12.88	9.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.09	88	14.16	9.18
2	10	5.69	79	14.86	9.77
3	18	4.16	81	0.55	-2.00
4	19	1.79	58	-7.88	-12.77
5	26	2.15	68	20.95	13.98
6	10	3.16	85	10.58	7.63
7	15	1.86	91	5.47	-4.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.28	81	9.58	8.18
2	10	7.87	87	2.98	1.18
3	18	2.98	84	-6.55	-10.82
4	19	3.89	58	-4.69	-10.91
5	26	3.17	68	11.69	6.78
6	10	1.95	83	1.55	-6.95
7	15	1.58	81	8.16	-4.55

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.28	93	-1.38	-12.77
2	10	2.98	93	0.22	-4.38
3	18	3.32	87	-1.35	-6.78
4	19	4.98	86	-5.81	-10.45
5	26	2.03	98	10.73	-0.23
6	10	1.52	98	7.77	-5.77
7	15	1.99	93	10.40	-1.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	88	1.26	-7.21
2	10	2.32	96	2.66	-5.27
3	18	2.59	96	5.27	-3.08
4	19	2.18	89	-5.96	-10.88
5	26	3.33	88	11.23	5.36
6	10	1.36	99	12.93	2.33
7	15	3.15	89	12.99	6.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.43	88	8.80	6.71
2	10	6.51	89	9.80	7.38
3	18	7.78	99	3.67	1.98
4	19	3.07	98	-5.84	-11.98
5	26	6.28	82	15.80	13.62
6	10	6.08	92	12.27	10.98
7	15	2.42	88	9.58	2.38

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.83	81	12.63	11.30
2	10	9.57	82	12.55	11.27
3	18	2.53	78	5.66	0.50
4	13	2.15	81	-1.24	-8.45
5	26	3.77	81	20.01	16.84
6	10	6.01	79	13.40	9.94
7	14	9.24	59	19.07	2.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.16	49	4.50	-7.07
2	10	1.68	48	5.77	-4.38
3	18	2.86	80	5.16	-1.97
4	13	3.11	51	2.04	-5.26
5	26	2.26	48	16.10	4.08
6	10	1.58	56	13.52	-1.05
7	14	1.88	47	14.25	2.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.30	41	-1.11	-12.01
2	10	1.50	58	2.16	-7.48
3	18	2.76	61	4.59	-2.54
4	13	3.02	64	-1.68	-8.60
5	26	2.08	48	17.77	2.65
6	10	2.27	57	15.10	0.55
7	15	2.32	54	15.20	5.20

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	35	-4.71	-17.21
2	10	1.70	38	-2.33	-14.02
3	18	4.71	57	5.83	-2.07
4	13	3.92	70	5.9	0.76
5	26	2.09	46	19.15	2.30
6	10	2.27	38	15.83	0.50
7	15	2.51	64	15.43	8.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	39	1.10	-11.52
2	10	2.45	48	2.16	-10.05
3	18	10.53	76	6.66	2.03
4	13	4.62	78	-0.51	-1.11
5	26	2.61	43	13.38	0.85
6	13	9.15	52	13.05	3.38
7	15	7.42	86	15.10	12.32

CAPITA


REGION 1, QTR 1 1949
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 1, QTR 2 1949
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 1, QTR 3 1949
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 1, QTR 4 1949
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


REGION 2, QTR 1 1949
100 15
RH
BEXT
0 0
JAN
FEB
MAR
30
TEMP
-20


REGION 2, QTR 2 1949
100 15
RH
BEXT
0 0
APR
MAY
JUN
40
TEMP
-10


REGION 2, QTR 3 1949
100 15
RH
BEXT
0 0
JUL
AUG
SEP
50
TEMP
0


REGION 2, QTR 4 1949
100 15
RH
BEXT
0 0
OCT
NOV
DEC
30
TEMP
-20


REGION 3, QTR 1 1949
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 3, QTR 2 1949
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 3, QTR 3 1949
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 3, QTR 4 1949
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


REGION 4, QTR 1 1949
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 4, QTR 2 1949
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 4, QTR 3 1949
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 4, QTR 4 1949
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


REGION 5, QTR 1 1949
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 5, QTR 2 1949
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 5, QTR 3 1949
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 5, QTR 4 1949
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


REGION 6, QTR 1 1949
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 6, QTR 2 1949
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 6, QTR 3 1949
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 6, QTR 4 1949
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CORITO


REGION 7, QTR 1 1949
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 7, QTR 2 1949
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 7, QTR 3 1949
100 15
50
RH
BEXT
TEMP
0. 0
0
JUL
AUG
SEP


REGION 7, QTR 4 1949
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITO


EUS MEAN, QTR 1 1949
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


EUS MEAN, QTR 2 1949
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


EUS MEAN, QTR 3 1949
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


EUS MEAN, QTR 4 1949
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.77	49	4.10	-7.89
2	10	5.65	84	4.49	-1.66
3	18	12.07	92	8.05	6.75
4	13	6.08	85	1.67	1.10
5	26	2.73	47	15.72	4.23
6	10	4.81	72	12.48	7.10
7	15	4.08	86	10.60	14.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.33	79	8.05	-1.10
2	10	9.60	85	6.62	3.30
3	18	11.82	90	9.98	9.57
4	13	12.74	88	2.22	1.16
5	26	2.23	54	18.01	9.20
6	10	5.08	78	15.80	11.44
7	15	2.98	78	20.68	15.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.88	88	6.88	7.48
2	10	5.71	86	11.77	9.43
3	18	8.93	95	10.88	10.15
4	13	8.72	70	-10.47	-7.81
5	26	2.03	65	20.95	18.43
6	10	2.57	78	18.82	16.38
7	15	6.27	78	18.28	11.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.08	87	17.2.	11.10
2	10	3.95	75	16.49	11.82
3	18	5.00	80	-2.19	-1.85
4	13	2.98	80	-14.75	-11.88
5	26	1.08	61	23.09	16.97
6	10	4.08	85	16.71	13.08
7	15	2.98	88	2.28	-2.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.78	64	8.88	2.49
2	10	6.58	85	8.05	5.44
3	18	4.19	75	-4.96	-8.79
4	13	1.48	60	-12.31	-15.22
5	26	2.10	64	22.30	15.16
6	10	3.58	77	13.88	9.10
7	15	4.48	78	1.18	-3.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	15.17	94	3.88	2.91
2	10	13.56	96	5.44	4.98
3	18	7.16	83	-2.03	-4.58
4	13	2.29	58	-7.58	-12.27
5	26	2.92	64	22.58	15.35
6	10	7.37	88	12.88	10.80
7	14	1.92	68	4.44	-3.25

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.09	88	-2.77	-0.88
2	10	2.68	80	0.50	-6.77
3	18	3.10	88	-2.95	-7.38
4	13	1.78	87	-4.80	-8.50
5	26	1.67	46	19.75	1.73
6	10	2.54	58	5.33	-5.77
7	15	1.78	49	7.82	-6.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	98	-12.58	-100.00
2	10	1.55	48	-8.21	-17.32
3	18	2.09	85	-0.24	-8.01
4	13	2.00	51	0.88	-7.01
5	26	1.85	38	11.36	-2.08
6	10	1.92	48	9.46	-5.80
7	15	1.65	60	6.66	-0.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.77	87	-1.94	-8.30
2	10	3.88	84	2.38	-3.88
3	18	2.75	84	8.81	0.55
4	13	2.77	88	0.27	-8.27
5	26	2.08	60	17.13	6.68
6	10	5.55	74	12.27	7.88
7	15	8.08	74	16.28	10.14

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	11.13	93	0.84	-0.27
2	10	10.74	95	6.83	6.21
3	18	2.08	78	4.93	0.03
4	13	9.91	98	-8.61	-11.02
5	26	2.20	57	27.36	12.39
6	10	2.62	79	17.27	13.88
7	15	1.88	48	15.29	3.44

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.20	98	0.27	-10.83
2	10	4.31	58	1.68	-7.94
3	18	2.48	81	-1.84	-8.32
4	13	3.78	57	-2.98	-9.46
5	26	1.30	47	16.98	4.25
6	10	2.87	58	11.27	2.33
7	15	3.83	69	13.84	8.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.42	33	-1.25	-14.25
2	10	3.12	47	0.27	-9.77
3	18	7.45	75	4.28	0.09
4	13	3.43	76	-0.65	-2.52
5	26	5.93	37	12.68	0.18
6	9	6.48	68	14.74	12.84
7	15	6.17	61	17.68	14.28

CAPITA



REGION	% STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.20	87	2.48	2.08
2	10	11.31	96	5.80	5.27
3	16	8.77	93	10.48	9.57
4	13	10.27	86	-9.28	-6.14
5	26	6.14	77	16.04	11.58
6	10	4.52	76	18.88	14.88
7	16	1.76	87	18.66	8.28



REGION	% STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.42	46	11.06	0.00
2	10	1.54	40	9.21	-3.96
3	16	1.84	55	-1.52	-9.27
4	13	1.88	84	-7.98	-10.78
5	26	1.61	52	20.33	9.88
6	10	1.79	45	12.77	2.05
7	15	1.77	66	16.82	8.70



REGION	% STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.10	48	1.00	-6.66
2	10	8.70	58	2.32	-6.10
3	16	7.99	91	8.29	4.99
4	13	6.47	80	-10.80	-6.18
5	26	1.06	56	18.77	8.82
6	10	1.56	67	20.62	16.46
7	15	1.80	68	18.88	8.40

REGION	% STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.20	48	0.52	-6.29
2	10	1.56	37	4.27	-9.10
3	16	1.82	50	-5.85	-11.90
4	13	2.12	47	-2.91	-11.90
5	26	1.78	54	10.50	4.35
6	10	1.88	63	3.55	2.55
7	14	2.10	88	12.40	6.78

REGION	% STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.10	98	-0.55	-11.05
2	11	2.17	53	0.05	-8.55
3	18	3.18	90	2.65	-6.11
4	13	5.10	62	-3.98	-9.21
5	25	5.19	66	11.21	6.29
6	10	4.78	79	10.05	6.43
7	15	4.67	73	16.51	10.51



REGION	% STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.22	63	7.91	1.24
2	10	6.15	78	4.11	-0.27
3	18	3.27	83	-8.28	-11.66
4	13	1.91	74	-12.56	-12.22
5	25	4.47	78	16.98	11.07
6	10	5.14	74	13.38	10.60
7	15	2.64	68	14.49	7.88

CAPITA

Reproduced from best available copy.



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	39	-6.27	-10.66
2	10	1.07	48	-4.21	-12.03
3	18	2.17	51	-6.20	-14.33
4	19	1.07	58	-6.47	-10.71
5	26	3.07	71	16.38	8.61
6	10	5.11	81	8.22	4.65
7	16	2.12	88	8.66	2.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.20	58	-7.36	-10.88
2	10	1.03	51	-4.88	-13.14
3	18	3.13	54	-3.32	-11.26
4	19	5.03	58	-2.22	-8.38
5	26	2.63	67	10.87	2.80
6	10	2.21	58	8.55	-1.27
7	16	2.69	71	8.40	2.70



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.78	67	-8.04	-12.06
2	10	6.29	66	-0.66	-6.21
3	18	4.56	62	2.95	-3.63
4	19	2.77	67	0.00	-8.10
5	26	2.01	68	13.90	4.40
6	10	5.12	70	10.88	5.71
7	16	6.01	76	14.78	8.26



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	13.37	66	-0.83	-2.91
2	10	4.04	77	4.71	1.11
3	18	7.21	69	4.90	2.83
4	19	4.84	68	0.93	-2.57
5	26	2.87	64	17.04	10.20
6	10	3.18	79	14.93	11.27
7	16	3.16	67	18.51	11.84



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.58	78	3.88	0.27
2	10	11.02	82	5.82	2.83
3	13	9.35	90	5.82	3.61
4	13	7.08	79	-4.71	-6.15
5	26	2.50	60	20.65	12.47
6	10	3.40	78	18.68	14.10
7	15	1.74	58	21.43	12.36



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.79	66	-1.52	-3.47
2	10	12.01	93	4.49	3.55
3	10	6.87	69	11.81	9.99
4	13	9.44	81	-1.38	-2.97
5	26	2.14	59	22.83	14.26
6	10	1.54	60	22.38	13.99
7	15	1.83	52	24.10	12.88

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	12.48	84	1.68	0.66
2	10	9.63	82	10.08	7.71
3	18	5.86	78	14.74	10.82
4	13	10.46	88	-4.88	-5.86
5	26	2.87	80	28.71	15.27
6	10	1.47	57	24.05	14.08
7	15	2.88	84	10.86	10.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.54	89	10.82	10.09
2	10	4.22	78	15.27	11.48
3	18	3.44	79	-2.82	-4.12
4	13	1.84	56	-9.98	-10.00
5	26	1.64	58	24.58	15.78
6	10	3.55	78	10.71	12.05
7	15	1.85	88	8.68	1.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.17	82	-0.10	-0.84
2	10	2.22	63	-0.06	-8.66
3	18	2.94	56	-2.98	-10.55
4	13	2.03	58	-7.10	-11.87
5	26	2.61	66	16.76	10.12
6	10	2.82	71	8.71	4.88
7	15	2.84	82	7.18	-0.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	93	0.13	-0.14
2	10	1.93	83	1.77	-6.93
3	18	6.27	70	3.89	-1.41
4	13	4.03	88	2.16	-3.83
5	26	3.57	73	11.93	6.81
6	10	4.69	83	12.92	9.71
7	15	3.71	88	14.97	8.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.48	80	10.41	8.94
2	10	5.71	84	8.82	6.16
3	18	3.29	77	1.85	0.41
4	13	1.75	91	-12.88	-8.88
5	26	3.73	72	17.47	12.15
6	10	2.72	78	13.16	14.43
7	15	1.94	58	13.73	8.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	3	1.27	98	4.07	-0.81
2	10	1.66	93	-0.55	-8.82
3	10	4.09	83	-7.03	-11.66
4	13	7.61	86	-14.02	-12.40
5	26	3.36	70	19.01	12.90
6	10	4.37	80	12.61	8.66
7	15	4.98	76	7.28	2.81

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.20	66	-6.41	-7.48
2	10	7.66	68	-1.06	-2.88
3	18	5.75	75	-5.24	-8.97
4	19	9.13	66	-12.28	-14.21
5	26	3.21	65	10.80	12.63
6	10	5.73	84	12.59	10.10
7	15	5.88	74	7.62	2.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.91	61	-1.82	-9.14
2	10	5.97	75	-0.88	-6.83
3	18	6.27	78	-1.35	-5.11
4	19	9.04	65	-0.48	-12.88
5	26	6.96	66	10.30	11.06
6	10	8.65	85	15.88	10.99
7	15	6.74	76	8.81	8.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.20	88	0.41	-1.26
2	10	9.88	88	2.38	0.83
3	18	7.02	73	-1.72	-5.51
4	19	1.88	58	-8.88	-19.55
5	26	3.84	68	10.80	12.81
6	10	5.18	84	15.38	10.48
7	15	6.87	71	8.55	8.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	36	-1.94	-15.69
2	10	1.54	47	-1.22	-11.32
3	18	1.58	49	-0.58	-10.02
4	19	1.78	54	-3.67	-11.53
5	26	2.01	45	14.14	2.70
6	10	2.36	52	8.21	-3.10
7	15	6.01	87	8.88	8.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.36	51	1.24	-7.91
2	10	3.17	52	2.60	-6.60
3	18	3.38	58	2.40	-5.96
4	19	3.33	60	-2.90	-9.78
5	26	2.25	62	14.59	1.32
6	10	2.47	48	10.56	-1.05
7	15	5.80	67	10.88	6.22



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	52	-6.52	-100.00
2	10	1.60	45	-1.00	-11.33
3	18	3.79	57	4.19	-3.68
4	19	3.79	76	2.28	-1.70
5	26	2.16	38	14.71	0.30
6	10	2.65	41	14.55	1.50
7	15	5.06	69	16.21	8.98

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.97	75	0.41	-9.75
2	10	11.44	91	1.77	0.55
3	18	7.65	87	5.42	3.58
4	13	6.05	76	0.78	-1.71
5	26	2.96	67	16.55	7.11
6	10	5.85	71	15.04	9.27
7	15	2.08	66	18.49	12.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.86	58	-5.98	-8.84
2	10	6.07	72	-2.38	-6.71
3	18	4.56	74	2.00	-2.10
4	13	7.38	88	0.84	-1.38
5	26	2.58	65	17.15	10.20
6	10	5.43	71	15.88	10.88
7	15	3.16	67	18.62	12.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.16	40	-5.82	-16.44
2	10	3.25	62	-2.71	-10.30
3	18	9.26	78	3.17	-0.48
4	13	7.35	81	1.11	-2.00
5	26	9.34	60	13.03	5.27
6	10	2.78	70	16.71	11.10
7	15	2.94	66	18.16	11.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.44	90	5.13	3.60
2	10	6.92	92	5.94	4.21
3	18	4.38	81	2.37	-0.55
4	13	1.85	61	2.73	-4.44
5	26	4.80	75	16.36	11.34
6	10	6.00	82	12.38	9.21
7	15	2.38	66	13.73	8.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.07	61	3.18	-3.60
2	10	2.49	61	3.88	-2.88
3	18	6.68	78	2.89	-0.64
4	13	2.13	60	1.70	-5.33
5	26	6.70	78	15.72	11.17
6	10	3.95	78	10.99	7.92
7	15	2.21	60	14.81	8.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	11.18	88	2.21	0.33
2	10	6.62	72	5.66	1.18
3	18	2.79	58	4.59	-3.17
4	13	2.34	71	-3.10	-9.41
5	26	3.15	66	16.61	10.03
6	10	3.38	65	13.05	8.55
7	15	8.58	78	16.91	12.21

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	48	4.85	-4.99
2	10	2.20	55	5.27	-2.84
3	18	4.67	78	1.72	-1.78
4	13	8.70	86	-2.77	-6.98
5	26	6.87	72	14.91	9.41
6	10	3.56	75	18.27	11.21
7	14	2.81	77	18.87	12.33



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.21	80	0.96	-0.38
2	10	12.59	88	-0.56	-2.38
3	18	11.70	95	2.74	1.79
4	13	6.08	80	-5.88	-8.58
5	26	5.89	74	17.86	12.71
6	10	1.84	65	19.49	15.80
7	15	2.32	72	8.87	5.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.46	74	-1.10	-5.55
2	10	8.30	88	0.77	-0.83
3	18	5.93	93	3.91	2.89
4	13	2.71	78	-6.78	-7.91
5	26	4.57	70	10.20	18.17
6	10	1.56	67	14.21	7.88
7	15	1.81	84	8.75	-1.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.58	93	0.97	0.00
2	10	6.34	89	3.10	1.55
3	18	4.41	81	-0.73	-3.51
4	13	1.88	64	-8.32	-11.91
5	26	2.04	56	15.97	6.85
6	10	2.35	82	4.80	-2.27
7	15	1.68	42	12.55	0.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.25	82	0.69	-1.94
2	10	9.14	73	2.71	-1.77
3	13	9.17	72	-1.81	-6.22
4	13	3.79	59	-3.91	-10.29
5	25	3.03	45	10.91	-0.68
6	10	1.76	48	5.88	-5.48
7	15	1.68	40	15.80	2.14

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.29	75	1.66	-2.36
2	10	3.17	63	2.55	-3.77
3	18	2.54	67	0.52	-5.02
4	13	3.46	59	2.60	-4.99
5	26	2.11	40	9.16	-4.69
6	10	1.93	42	7.43	-5.27
7	15	1.65	41	10.62	0.10

CAPITA



FEB. 18 1950

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	98	1.10	-0.29
2	10	2.31	82	3.21	-3.32
3	18	5.11	79	2.62	-1.88
4	13	2.66	88	-0.30	-11.81
5	26	2.08	90	12.67	-1.15
6	10	1.85	55	15.18	1.55
7	15	1.66	82	10.80	6.44



FEB. 19 1950

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.79	83	9.98	0.85
2	10	6.36	88	3.16	-8.88
3	18	9.05	70	-5.75	-8.57
4	13	1.82	80	-4.27	-8.06
5	26	1.91	40	13.86	0.06
6	10	1.75	55	7.27	-1.96
7	15	1.71	48	10.89	2.08



FEB. 20 1950

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.26	98	-12.68	-100.00
2	10	2.16	45	-12.28	-26.43
3	18	2.88	62	-8.87	-12.15
4	13	2.12	61	1.10	-4.98
5	26	1.67	28	11.08	-5.16
6	10	1.73	58	8.98	-5.71
7	16	1.64	48	17.38	0.82



FEB. 21 1950

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	28	-11.81	-100.00
2	10	3.13	46	-9.71	-16.10
3	18	9.51	81	0.93	-2.49
4	13	5.82	76	-4.86	-7.77
5	26	2.30	36	14.35	-1.60
6	10	3.58	41	15.61	1.16
7	16	1.96	68	10.77	10.51



FEB. 22 1950

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	11.74	75	-9.30	-10.91
2	10	12.27	87	-4.82	-6.66
3	13	10.97	86	-3.17	-5.74
4	13	3.16	83	-2.68	-9.01
5	26	4.68	68	17.17	10.58
6	10	4.52	88	12.71	10.43
7	15	2.80	58	10.32	1.22



FEB. 23 1950

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.08	84	-4.68	-8.80
2	10	3.64	69	-1.66	-6.68
3	18	2.55	72	-0.55	-5.05
4	13	3.42	69	-2.27	-2.69
5	26	1.74	46	12.67	0.77
6	10	1.63	42	8.88	-3.27
7	15	1.69	32	10.18	-1.10

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.08	61	4.10	-2.48
2	10	5.38	68	4.16	-1.38
3	18	5.58	62	-6.88	-11.46
4	13	2.52	86	-7.88	-10.75
5	26	1.87	41	16.87	2.13
6	10	1.84	46	13.98	0.05
7	15	1.82	45	18.66	6.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	37	-8.10	-18.90
2	10	3.01	48	-4.77	-16.38
3	18	4.87	65	-8.75	-15.71
4	13	1.88	80	-8.80	-11.10
5	26	2.48	42	15.28	1.88
6	10	2.11	58	15.15	5.05
7	15	2.07	51	21.88	8.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.26	48	-7.98	-17.21
2	10	3.87	51	-6.48	-14.57
3	18	3.52	57	-7.12	-13.03
4	13	2.41	58	-5.88	-12.21
5	26	1.84	38	11.67	-2.02
6	10	1.84	58	5.11	-8.58
7	15	2.33	58	17.79	7.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.12	48	-12.63	-100.00
2	10	2.86	48	-8.82	-16.47
3	18	2.38	54	-1.72	-9.71
4	13	2.04	61	3.63	-3.37
5	26	1.71	29	10.16	-6.97
6	10	1.68	38	8.63	-5.21
7	15	1.71	37	18.21	10.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.20	31	3.33	-18.38
2	13	5.11	53	-1.68	-10.49
3	18	5.18	61	3.63	0.04
4	13	3.08	59	-0.47	-7.68
5	26	2.08	36	15.83	-0.29
6	10	2.73	62	13.68	8.05
7	15	1.68	57	20.36	11.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.88	68	1.62	-0.41
2	10	2.56	68	1.33	-5.96
3	18	5.23	63	-4.87	-10.18
4	13	4.21	85	-5.27	-11.04
5	26	2.22	48	15.78	4.63
6	10	1.71	49	8.21	-3.55
7	15	1.82	48	12.61	-0.66

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.36	87	-7.77	-17.77
2	10	5.68	69	-8.21	-15.27
3	18	5.21	57	-11.38	-15.92
4	19	2.04	68	-9.28	-10.42
5	26	1.62	80	0.60	-0.86
6	10	1.52	87	1.35	-12.16
7	15	2.86	67	7.21	-9.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	27	-11.28	-100.00
2	10	2.51	48	-8.60	-16.43
3	18	4.22	58	-4.28	-11.50
4	19	1.65	58	0.17	-8.75
5	26	1.83	84	7.86	-4.86
6	10	2.05	59	4.46	-9.05
7	15	4.19	67	10.10	2.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	51	-0.18	-100.00
2	10	2.07	38	-4.05	-15.48
3	18	5.32	51	4.89	-4.82
4	19	1.81	54	0.68	0.54
5	26	2.43	68	10.55	-1.28
6	10	5.24	51	0.80	-2.61
7	15	2.87	71	12.10	9.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	48	5.27	-0.38
2	10	2.16	47	8.27	-3.05
3	18	2.27	58	10.16	2.28
4	19	1.66	58	9.83	1.68
5	26	3.17	63	14.71	6.51
6	10	2.56	58	15.53	4.71
7	15	2.24	68	16.70	7.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	38	-6.80	-18.98
2	10	1.46	48	-2.55	-13.57
3	18	1.93	57	5.88	-2.00
4	19	1.79	68	12.80	1.53
5	26	2.41	58	16.47	6.21
6	10	2.14	61	14.38	8.45
7	15	3.14	58	18.21	7.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	52	0.97	-16.02
2	10	1.83	37	3.05	-10.66
3	18	3.38	64	11.68	4.99
4	13	0.36	81	-0.88	-1.21
5	26	6.16	70	14.05	8.05
6	10	1.83	58	17.48	9.16
7	15	3.06	34	16.88	0.08

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.61	79	0.00	2.01
2	10	6.10	80	0.77	0.21
3	17	4.62	84	-4.54	-9.75
4	18	2.08	60	-9.26	-19.06
5	26	3.26	71	16.29	10.23
6	10	5.57	54	4.55	-4.10
7	15	9.07	26	10.29	-0.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.72	46	-8.60	-14.18
2	10	6.02	52	-5.71	-16.38
3	18	2.19	52	-5.15	-15.54
4	19	2.49	66	-5.48	-11.66
5	26	1.54	82	0.12	-6.00
6	10	1.58	54	5.05	-9.66
7	15	2.96	80	14.62	-5.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	45	-5.00	-15.18
2	10	2.21	47	-2.22	-12.00
3	18	2.60	53	1.14	-7.62
4	19	9.04	80	-9.75	-8.10
5	26	1.74	80	18.07	-4.31
6	10	1.58	50	11.00	-5.49
7	15	2.04	67	10.00	0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.94	51	-2.08	-11.10
2	10	4.59	60	2.05	-3.44
3	18	3.25	91	2.52	1.28
4	19	4.30	67	-9.61	-9.02
5	26	2.21	53	17.01	7.06
6	10	2.61	66	14.94	8.22
7	15	2.20	69	17.55	9.22



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.[illegible]	53	4.86	-3.74
2	10	3.75	68	4.49	-1.05
3	18	3.62	75	-2.86	-6.72
4	12	3.46	62	-8.93	-14.21
5	26	2.67	60	22.21	13.77
6	10	7.21	80	15.27	13.18
7	15	3.05	70	8.77	2.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	12.53	86	-2.50	-4.44
2	10	9.49	87	-0.83	-2.66
3	18	3.46	69	-3.32	-8.40
4	13	1.05	58	-8.81	-19.04
5	26	4.30	78	18.90	14.52
6	10	3.34	64	7.33	4.77
7	15	1.90	50	4.84	-5.14

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	58	-0.69	-8.36
2	10	1.88	56	-0.38	-8.48
3	18	2.58	81	0.30	-6.44
4	13	1.80	80	1.69	-4.11
5	26	1.62	68	12.67	0.63
6	10	1.85	67	8.71	-5.06
7	15	1.88	68	10.88	-2.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.82	44	9.80	-7.48
2	10	1.68	43	3.96	-7.82
3	18	2.57	52	1.95	-6.87
4	13	2.26	66	1.88	-6.26
5	26	1.82	63	10.13	4.76
6	10	2.05	41	15.52	0.55
7	15	2.57	66	17.18	8.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.30	56	-0.87	-15.06
2	10	1.83	48	-0.27	-10.05
3	18	3.51	68	0.18	-5.31
4	13	2.52	66	3.98	-2.13
5	26	5.78	78	12.43	8.16
6	10	6.83	88	9.46	8.18
7	15	1.81	41	10.88	2.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.35	50	-0.89	-15.96
2	10	1.81	37	2.55	-10.88
3	18	0.34	74	3.63	-1.01
4	13	1.88	67	-0.21	-5.89
5	26	2.04	67	12.96	1.01
6	10	1.95	48	13.10	2.38
7	15	1.72	80	20.29	0.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.47	83	-0.97	-7.83
2	10	1.90	53	-1.33	-10.05
3	13	2.19	57	-1.78	-9.28
4	13	2.76	66	-3.41	-10.93
5	26	2.48	46	15.78	2.81
6	10	1.76	46	13.43	1.27
7	15	1.78	62	21.51	6.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.25	44	2.49	-8.48
2	10	1.79	49	0.11	-8.82
3	18	2.65	63	0.45	-5.82
4	13	3.24	73	-3.20	-7.26
5	26	1.77	[illegible]	14.85	1.58
6	10	2.02	45	15.18	2.61
7	15	2.17	48	11.78	-0.78

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.20	42	8.26	-6.66
2	10	1.83	60	4.60	-4.77
3	18	5.75	72	4.51	-0.35
4	19	9.80	77	-0.12	-0.84
5	26	6.65	71	14.62	8.01
6	10	5.22	69	10.77	6.77
7	15	1.66	56	16.61	0.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.77	87	8.76	-2.77
2	10	5.16	80	4.27	0.86
3	18	9.15	85	5.42	5.20
4	19	7.87	80	1.62	-1.18
5	26	2.11	63	17.20	10.03
6	10	5.55	58	14.55	5.66
7	15	2.16	41	18.66	1.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.16	46	7.77	-8.74
2	10	2.73	68	5.77	0.22
3	18	8.05	86	3.[illegible]	1.69
4	19	1.66	64	4.[illegible]	-1.46
5	26	6.04	75	1.20	0.66
6	10	2.38	52	0.10	0.08
7	15	1.64	26	[illegible]	-2.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.10	66	3.88	2.08
2	10	7.41	87	2.62	1.05
3	18	5.82	78	4.99	0.88
4	13	2.78	52	8.67	-1.29
5	26	1.08	38	13.90	-1.02
6	10	1.08	36	15.27	-1.66
7	15	1.56	37	22.62	5.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.46	68	4.71	-1.66
2	10	2.76	62	6.60	-0.22
3	15	3.67	67	7.92	1.26
4	13	1.95	62	7.13	-0.59
5	26	1.74	35	21.55	5.14
6	10	1.69	30	21.55	0.49
7	15	1.66	46	23.51	8.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.75	54	7.00	-2.35
2	10	2.93	66	5.82	-0.22
3	17	3.18	63	7.12	0.48
4	13	2.69	68	7.98	0.51
5	26	1.72	38	21.48	5.55
6	10	1.75	46	19.96	8.96
7	15	1.66	56	25.77	14.07

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	30	8.10	-0.00
2	10	2.31	66	7.44	-3.55
3	18	7.87	83	9.58	8.50
4	13	8.45	86	12.84	2.30
5	26	2.03	46	21.34	8.00
6	10	1.51	55	25.00	14.05
7	16	6.20	87	23.26	6.34



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.61	94	9.05	2.36
2	10	8.50	86	8.38	5.71
3	18	5.38	86	15.75	8.87
4	13	5.95	79	9.18	-1.53
5	26	3.06	50	25.95	13.80
6	10	5.01	70	19.98	12.94
7	16	2.57	29	18.77	-0.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.38	85	10.82	8.46
2	10	3.76	56	16.56	7.27
3	18	1.68	60	6.87	-1.07
4	13	9.47	64	-1.02	-7.13
5	26	2.58	53	21.68	10.16
6	10	2.70	28	20.05	0.94
7	16	1.84	25	20.89	-1.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.87	43	14.71	1.79
2	10	2.71	58	8.10	0.31
3	18	1.87	88	0.21	-0.03
4	13	1.81	91	0.42	-0.71
5	26	2.53	47	17.86	5.10
6	10	1.83	47	10.77	-1.38
7	16	1.80	28	17.40	-1.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	41	2.08	-9.71
2	10	1.10	38	2.94	-10.32
3	18	1.32	45	3.29	-7.58
4	13	1.61	48	7.26	-3.79
5	26	1.63	18	10.91	-6.61
6	10	1.06	37	7.32	-8.49
7	16	1.71	30	17.92	-0.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	30	4.30	-11.80
2	10	1.00	31	5.83	-10.10
3	18	2.03	48	9.15	-1.32
4	13	1.07	52	10.55	0.12
5	26	1.01	28	12.58	-5.14
6	10	1.32	52	12.82	-3.43
7	19	1.00	48	20.21	7.46

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	50	7.77	-0.06
2	10	2.14	48	7.71	-3.05
3	18	2.68	65	5.36	-0.98
4	18	1.85	57	6.48	-2.68
5	26	2.18	46	14.73	3.07
6	10	4.50	75	11.27	6.49
7	15	1.95	51	21.16	9.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.20	56	8.46	0.27
2	10	1.91	45	9.27	-2.77
3	18	2.76	62	9.25	1.84
4	18	3.07	57	10.38	1.23
5	26	1.68	41	20.46	6.76
6	10	1.87	57	18.27	8.55
7	15	1.75	53	24.68	13.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.98	80	8.88	6.82
2	10	5.15	80	12.66	9.38
3	18	5.41	78	11.18	7.34
4	18	7.72	88	2.17	-0.48
5	26	1.76	44	26.18	11.06
6	10	2.59	58	22.62	15.55
7	15	2.01	53	28.70	14.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.38	67	10.68	12.35
2	10	2.48	55	22.10	12.38
3	18	4.16	88	7.12	5.08
4	18	2.66	67	2.47	-3.32
5	26	1.68	62	24.16	15.76
6	10	3.47	78	17.21	15.16
7	15	1.88	48	14.68	3.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.34	73	8.88	4.57
2	10	2.64	71	6.83	1.94
3	18	3.28	72	1.51	-3.23
4	13	1.61	48	3.45	-0.62
5	26	2.32	61	15.57	7.36
6	10	1.58	49	9.55	-1.49
7	15	1.83	31	14.73	-2.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.33	44	2.38	-8.74
2	10	1.48	48	3.10	-7.98
3	10	1.04	53	1.98	-8.72
4	13	1.67	48	8.76	-4.88
5	26	1.78	38	10.88	-3.56
6	10	1.58	41	8.93	-5.68
7	15	1.77	31	15.14	-2.16

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	88	4.30	-11.10
2	10	1.60	26	6.88	-12.06
3	18	2.07	43	8.85	-9.02
4	18	8.10	47	10.88	-1.11
5	26	1.66	27	12.61	-6.26
6	10	1.50	31	12.18	-4.32
7	15	1.74	38	20.88	5.62



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	37	7.83	-8.82
2	10	3.15	40	6.88	-8.06
3	18	2.57	63	3.05	-5.80
4	13	4.81	68	3.87	-3.77
5	26	2.31	26	18.47	-2.07
6	10	2.35	32	20.10	2.88
7	15	1.81	50	28.77	11.84

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.38	47	9.88	-8.82
2	10	1.64	47	4.21	-8.48
3	18	3.70	72	1.87	-2.83
4	13	6.78	64	8.48	8.80
5	26	1.74	32	18.76	1.47
6	10	1.85	40	20.80	8.27
7	15	1.86	50	24.61	12.22



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	29	7.35	-13.32
2	10	1.60	29	8.99	-8.16
3	18	4.42	71	14.53	9.19
4	13	3.80	72	7.08	1.79
5	26	1.98	41	20.50	6.53
6	10	1.51	42	23.88	9.88
7	15	2.77	44	24.18	8.77

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.15	48	8.05	-3.46
2	10	2.59	60	10.49	2.88
3	13	1.77	66	3.88	-1.91
4	13	1.64	56	3.63	-4.40
5	25	2.03	49	22.92	10.70
6	10	1.83	52	18.55	5.82
7	15	2.31	40	18.77	4.33



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	37	8.80	-5.69
2	10	4.69	51	6.83	-3.60
3	18	4.07	63	0.21	-8.22
4	13	1.70	58	-1.53	-8.07
5	26	1.67	37	18.80	3.56
6	10	1.52	58	14.88	-0.33
7	15	1.79	47	20.44	7.98

CAPITA

Reproduced from best available copy.



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	7.18	89	4.02	1.36
2	10	5.00	85	0.00	-5.21
3	18	5.04	58	-2.54	-8.71
4	13	1.81	89	1.52	-11.23
5	26	1.86	36	16.33	-0.85
6	10	1.47	58	7.99	-5.00
7	15	2.80	84	19.73	8.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.88	80	6.58	-1.58
2	10	1.88	62	3.94	-2.04
3	18	2.35	57	2.05	-5.78
4	13	1.64	35	7.80	-7.04
5	26	1.75	36	11.57	-4.16
6	10	1.85	62	7.30	-5.27
7	15	2.55	84	14.81	9.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.58	47	7.69	-2.81
2	10	1.65	47	6.44	-4.32
3	18	1.75	46	8.02	-5.05
4	13	1.70	58	12.06	-2.60
5	26	1.83	33	12.48	-3.65
6	10	1.70	38	11.05	-2.99
7	16	1.86	67	17.21	7.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.38	29	13.60	-6.38
2	10	1.78	32	12.41	-8.05
3	18	2.03	35	15.16	-8.71
4	13	1.98	52	15.53	-5.63
5	26	1.86	32	17.86	-8.18
6	10	1.77	29	17.10	-8.93
7	15	2.37	66	16.70	9.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.99	49	14.79	-3.79
2	10	2.27	43	16.66	4.10
3	18	2.02	43	17.55	9.58
4	13	1.79	49	18.96	6.23
5	26	2.17	23	22.47	2.78
6	10	2.27	33	19.93	2.58
7	15	2.09	68	17.99	11.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.68	28	20.55	-0.97
2	10	2.47	26	19.60	3.02
3	18	2.25	28	17.35	7.57
4	13	1.79	51	10.29	0.53
5	26	2.33	43	22.81	8.75
6	10	1.97	74	20.38	10.38
7	15	1.71	56	22.99	12.14

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	41	18.19	1.52
2	10	2.06	38	23.66	6.63
3	18	2.08	86	9.47	7.98
4	19	1.81	47	7.60	-4.08
5	26	2.08	48	26.76	12.83
6	10	2.08	83	17.71	10.27
7	15	1.84	88	10.14	8.65



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.00	00	10.00	0.00
2	10	2.24	71	9.77	6.32
3	18	1.78	95	7.28	-2.00
4	19	1.61	97	6.75	-5.87
5	26	2.03	61	19.10	7.06
6	10	1.48	36	14.90	-1.00
7	15	1.82	43	10.10	0.20

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.50	48	12.48	3.04
2	10	0.95	52	9.33	-0.48
3	18	1.72	58	5.58	-4.93
4	19	1.61	50	14.01	-2.77
5	26	1.67	31	17.32	-0.03
6	10	1.33	28	18.55	-2.96
7	15	1.77	48	20.52	10.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.17	40	8.76	-4.71
2	10	1.50	96	10.77	-4.77
3	18	2.05	58	17.71	-2.58
4	19	2.02	94	21.44	4.73
5	26	1.66	30	21.49	2.08
6	10	1.73	50	20.99	9.49
7	15	1.78	52	26.14	14.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.42	25	7.35	2.91
2	10	5.09	68	9.77	6.49
3	18	3.42	66	15.98	8.98
4	19	1.67	48	10.67	0.91
5	26	2.70	42	35.08	9.82
6	10	1.42	48	34.93	12.60
7	15	1.47	55	25.70	14.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.29	30	11.10	-5.98
2	10	3.72	61	7.49	-0.05
3	18	5.04	61	11.78	8.38
4	19	6.00	70	9.81	6.05
5	26	2.15	40	25.63	9.05
6	10	1.52	45	25.18	12.10
7	15	2.08	64	24.80	18.47

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	57	11.62	-2.65
2	10	2.46	50	12.49	2.18
3	18	4.05	74	11.32	8.66
4	19	4.87	62	4.31	-8.28
5	26	2.03	67	21.55	14.46
6	10	2.05	75	19.38	14.71
7	16	1.88	87	10.66	9.66



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.88	87	8.88	6.44
2	10	2.30	51	16.18	6.60
3	18	1.81	47	10.21	-0.89
4	19	2.61	62	4.40	-8.50
5	26	1.77	61	28.70	19.03
6	10	1.41	58	21.46	6.99
7	16	1.88	88	20.77	6.68



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.01	47	16.65	8.88
2	10	4.28	53	14.06	3.71
3	18	2.07	55	7.51	-1.01
4	19	1.87	63	4.31	-6.88
5	26	2.14	48	26.32	19.08
6	10	1.73	42	25.88	9.55
7	16	2.08	64	22.88	12.08



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.61	78	9.85	6.38
2	10	4.77	56	13.27	3.99
3	18	2.28	49	8.26	-1.84
4	19	2.38	66	3.67	-2.34
5	26	2.37	50	26.57	14.65
6	10	2.58	58	22.39	12.55
7	16	2.28	63	24.84	15.92



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	[illegible]	62	8.47	0.97
2	10	[illegible]	60	8.21	0.72
3	18	[illegible]	63	9.19	3.48
4	19	[illegible]	59	4.05	0.89
5	26	2.54	54	25.65	15.18
6	10	[illegible]	57	24.88	15.43
7	16	2.78	65	23.47	15.07



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	31	13.48	-9.33
2	10	2.88	64	8.43	1.38
3	18	5.57	84	8.82	8.13
4	19	3.04	74	4.58	0.25
5	26	3.72	63	23.15	15.06
6	10	2.40	79	20.71	18.88
7	15	1.93	61	18.88	10.70

CAPITA

Reproduced from best available copy.



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.00	81	8.10	4.72
2	10	4.10	80	9.60	8.38
3	18	2.54	56	10.45	2.52
4	13	1.87	88	9.14	8.08
5	26	2.40	81	24.65	16.21
6	10	6.77	68	21.10	14.08
7	15	8.68	78	20.14	16.77

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.91	44	18.38	8.88
2	10	9.66	61	19.88	8.06
3	18	2.45	51	14.18	4.16
4	13	4.94	71	10.18	4.81
5	26	3.06	66	24.66	17.11
6	10	6.66	78	23.38	18.86
7	15	2.10	82	24.82	16.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	27	10.66	-2.05
2	10	5.08	64	17.60	7.72
3	18	5.87	61	21.01	13.17
4	13	8.00	78	11.40	7.75
5	26	3.06	65	24.87	17.66
6	10	1.87	63	25.35	17.06
7	15	2.23	68	00.00	16.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.66	60	14.44	6.52
2	10	5.06	61	19.66	12.16
3	18	9.27	64	23.66	16.48
4	13	9.28	78	14.93	11.10
5	26	2.30	58	27.26	18.76
6	10	1.58	58	28.38	19.03
7	15	2.44	64	28.77	17.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.32	62	14.44	7.35
2	10	7.47	74	17.89	12.94
3	18	2.48	59	26.35	17.48
4	13	6.91	78	9.73	5.16
5	26	2.52	53	29.41	18.56
6	10	1.58	53	28.93	18.21
7	15	3.19	35	28.87	8.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.33	67	23.60	16.38
2	10	5.37	74	21.88	11.21
3	18	1.70	34	19.68	2.92
4	13	4.03	53	13.98	2.55
5	26	2.05	46	30.76	17.53
6	10	2.09	67	22.80	15.71
7	15	2.56	58	25.79	12.20

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.52	29	18.46	-0.89
2	10	2.01	52	18.86	1.68
3	18	1.81	45	19.49	3.73
4	13	1.67	50	18.46	2.47
5	26	1.71	50	27.09	15.05
6	10	2.12	71	22.50	18.48
7	15	1.88	88	20.80	18.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	18	10.56	-12.89
2	10	1.50	21	12.18	-8.13
3	18	1.68	35	14.18	-1.04
4	13	1.70	60	10.16	6.70
5	26	1.58	40	23.60	8.66
6	10	1.58	46	25.55	12.88
7	15	1.48	56	27.77	17.22



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	18	10.60	-8.56
2	10	1.88	28	18.03	0.00
3	18	2.51	72	20.05	14.74
4	13	1.81	60	12.18	6.48
5	26	1.86	48	23.75	11.85
6	10	1.85	85	24.46	17.58
7	15	1.88	97	20.21	18.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.57	61	15.63	12.35
2	10	2.15	63	18.82	11.48
3	18	1.78	48	18.84	5.03
4	13	1.67	48	14.61	3.71
5	26	1.68	58	27.26	16.76
6	10	2.33	85	25.06	17.56
7	15	2.10	81	25.69	15.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	26	17.99	1.52
2	10	1.57	40	16.71	2.60
3	18	2.39	53	14.53	4.04
4	13	1.71	42	19.82	8.40
5	26	1.71	47	27.98	15.48
6	10	2.19	67	24.82	17.66
7	15	1.96	78	21.40	15.73

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.21	20	20.69	2.21
2	10	1.75	35	18.82	3.27
3	18	2.16	44	19.85	5.08
4	13	1.79	58	19.58	8.20
5	26	2.73	61	26.73	15.97
6	10	2.63	80	19.93	18.32
7	15	1.91	87	22.68	18.88

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	27	22.69	1.86
2	10	2.68	43	20.43	6.77
3	18	1.85	47	20.16	8.42
4	13	1.87	48	21.10	9.75
5	26	2.17	56	26.20	15.69
6	10	1.75	58	23.10	14.36
7	16	1.86	62	24.21	16.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	20	14.30	-5.48
2	10	1.58	33	17.99	1.46
3	18	1.88	38	24.19	8.97
4	13	1.87	39	21.87	6.74
5	26	2.48	67	23.95	16.61
6	10	2.57	66	22.55	15.80
7	15	2.16	61	24.81	15.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	57	16.38	8.80
2	10	5.71	75	15.88	11.21
3	18	2.54	42	21.58	7.77
4	13	1.84	48	18.28	6.01
5	26	2.43	68	22.83	16.25
6	10	1.83	52	24.54	15.54
7	16	1.84	48	26.48	19.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.48	80	12.08	8.48
2	10	2.02	46	20.71	8.30
3	18	2.29	45	19.37	6.31
4	13	2.08	59	16.84	8.07
5	26	2.10	51	25.12	13.99
6	10	1.85	43	27.05	13.21
7	15	1.68	48	27.47	14.09

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.20	50	17.07	8.24
2	10	4.10	63	17.55	10.37
3	13	2.08	52	20.81	10.38
4	13	1.71	52	19.65	8.75
5	23	2.43	50	25.65	14.22
6	10	1.79	46	27.43	13.60
7	15	1.77	49	28.95	16.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.02	78	10.62	8.94
2	10	3.38	78	13.32	8.60
3	18	1.97	46	19.15	7.15
4	13	1.78	51	21.32	10.48
5	26	2.28	52	26.19	16.02
6	10	1.53	44	27.60	13.88
7	15	1.67	46	29.68	15.73

CAPITA

Reproduced from
best available copy.

REGION	# STNS	BEXT	RH %	TEMPERATURE.C	DEWPOINT.C
1	4	3.27	80	8.58	6.24
2	10	4.03	83	10.21	7.48
3	18	1.97	47	20.05	7.65
4	13	3.02	81	18.81	8.75
5	26	2.15	50	25.10	13.20
6	10	1.79	49	25.60	13.58
7	15	1.66	45	28.89	14.62



REGION	# STNS	BEXT	RH %	TEMPERATURE.C	DEWPOINT.C
1	4	1.15	41	15.41	2.21
2	10	1.50	48	15.84	4.82
3	18	1.94	42	20.88	6.87
4	13	2.08	61	18.20	10.12
5	26	2.38	58	21.53	12.25
6	10	1.92	53	24.45	13.83
7	15	1.83	58	24.82	15.10



REGION	# STNS	BEXT	RH %	TEMPERATURE.C	DEWPOINT.C
1	4	1.10	29	23.10	1.94
2	10	1.62	32	23.46	5.60
3	18	2.73	44	21.18	7.49
4	13	2.06	56	18.88	9.01
5	26	2.02	51	22.81	11.60
6	10	2.73	65	22.38	15.52
7	15	1.84	45	26.84	15.88



REGION	# STNS	BEXT	RH %	TEMPERATURE.C	DEWPOINT.C
1	4	1.30	30	10.88	0.97
2	10	1.48	37	21.43	5.19
3	18	2.68	63	19.43	12.06
4	13	1.81	49	25.23	11.40
5	26	2.88	62	23.03	14.78
6	10	2.15	55	24.27	14.46
7	15	1.84	41	27.88	13.21



REGION	# STNS	BEXT	RH %	TEMPERATURE.C	DEWPOINT.C
1	4	1.15	45	21.98	8.93
2	10	3.30	67	18.66	12.27
3	18	2.47	50	24.38	12.19
4	13	1.51	41	28.62	13.54
5	26	1.98	59	25.57	16.78
6	10	1.85	53	26.88	16.43
7	15	1.05	48	29.10	14.68



REGION	# STNS	BEXT	RH %	TEMPERATURE.C	DEWPOINT.C
1	4	1.67	68	20.13	11.88
2	10	5.47	65	20.68	13.48
3	18	1.93	48	27.52	15.18
4	13	1.78	51	32.17	11.57
5	26	2.16	43	27.66	16.85
6	10	1.75	49	28.10	15.93
7	15	1.58	44	29.78	15.28

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.50	88	18.30	19.53
2	10	2.98	60	22.66	14.27
3	18	2.10	58	20.47	10.86
4	13	2.10	86	14.95	7.73
5	26	2.68	61	27.61	15.76
6	10	1.87	44	29.55	15.77
7	15	1.67	61	27.88	16.92

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	52	21.58	10.41
2	10	3.61	64	22.27	16.88
3	18	2.06	68	15.90	15.23
4	13	2.33	84	16.80	9.24
5	26	2.48	60	28.06	15.03
6	10	1.67	42	30.77	10.38
7	15	1.70	83	22.45	16.77

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.20	28	29.48	8.52
2	10	3.08	51	23.44	12.06
3	18	2.37	83	18.42	11.13
4	13	2.73	83	18.74	7.88
5	26	2.37	48	28.64	16.22
6	10	2.56	51	29.32	17.71
7	15	1.78	61	22.32	14.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.61	55	18.32	8.08
2	10	3.57	73	19.27	9.49
3	18	2.23	53	19.28	9.19
4	13	2.65	85	17.85	10.33
5	26	2.85	63	25.91	17.90
6	10	2.07	55	27.60	17.43
7	15	1.98	55	28.69	16.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.15	72	17.77	12.21
2	10	5.51	83	15.60	12.43
3	18	2.49	51	22.52	12.93
4	13	2.59	69	21.10	13.59
5	26	2.29	62	26.64	18.39
6	10	1.80	50	28.93	17.43
7	15	1.61	57	28.94	18.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.25	82	18.80	15.13
2	10	0.46	58	21.94	13.32
3	18	2.45	79	24.25	15.27
4	13	2.29	74	21.69	12.80
5	26	2.12	68	27.23	18.79
6	10	1.69	81	26.38	17.93
7	15	1.73	58	27.77	18.03

CAPITA

Reproduced from
best available copy.



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.48	87	20.98	16.57
2	10	3.35	78	20.10	16.16
3	18	2.29	48	21.87	9.98
4	13	1.71	88	18.16	9.87
5	26	2.24	67	25.55	18.75
6	10	1.91	86	24.27	17.05
7	15	1.68	46	20.95	15.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.75	92	18.48	17.21
2	10	3.03	77	18.48	13.93
3	18	1.58	50	29.17	9.82
4	13	1.61	93	22.45	9.57
5	26	1.70	50	27.34	15.76
6	10	1.49	43	26.82	13.16
7	15	1.73	58	27.09	17.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.10	50	24.68	8.98
2	10	1.87	34	25.12	8.48
3	18	2.81	63	23.20	14.90
4	13	2.07	58	18.20	9.54
5	25	1.78	43	28.68	15.26
6	10	1.85	68	25.38	18.68
7	15	2.26	76	24.84	19.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.87	69	23.76	18.79
2	10	3.12	73	21.77	16.10
3	18	3.30	73	18.80	11.29
4	13	1.84	43	18.27	3.20
5	26	2.01	64	27.73	20.31
6	10	4.11	80	23.99	20.21
7	15	2.28	84	24.81	17.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.10	48	18.52	8.98
2	10	1.46	48	18.05	6.33
3	18	1.57	39	19.77	5.48
4	12	1.61	91	22.95	9.39
5	26	2.28	68	24.08	18.23
6	10	1.75	65	20.77	13.60
7	15	1.78	53	23.38	12.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.07	53	22.07	9.85
2	10	1.77	48	22.38	7.03
3	18	1.61	36	24.25	8.28
4	13	1.61	56	26.76	18.20
5	26	1.59	47	25.82	13.98
6	10	1.48	42	24.55	10.55
7	15	2.05	63	23.20	15.40

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.98	49	26.10	11.06
2	10	2.02	41	26.21	11.48
3	18	1.81	41	26.38	11.94
4	13	1.81	38	27.84	12.47
5	26	1.80	45	28.39	15.08
6	10	1.68	48	28.55	14.60
7	15	9.06	64	24.21	16.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.99	42	26.80	14.44
2	10	2.51	38	29.77	13.71
3	18	1.78	41	28.51	14.00
4	13	1.78	52	25.42	14.73
5	26	2.15	52	28.54	17.17
6	10	2.10	57	26.80	18.71
7	15	1.95	58	27.70	18.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	56	32.84	14.57
2	10	2.25	38	30.38	14.32
3	18	1.88	48	28.82	16.58
4	13	2.82	54	23.15	11.53
5	26	2.17	62	27.82	19.26
6	10	1.72	70	28.32	20.27
7	15	1.88	58	29.26	17.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.48	95	31.94	14.71
2	10	2.45	46	29.77	16.71
3	18	2.53	68	25.70	15.25
4	13	1.97	44	21.40	8.11
5	26	1.88	60	26.52	19.88
6	10	1.97	73	26.54	21.21
7	15	1.71	55	30.32	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.01	59	27.77	18.76
2	10	2.26	63	26.66	18.08
3	18	1.65	51	29.70	12.55
4	13	1.61	41	32.55	8.20
5	26	1.87	61	28.79	20.20
6	10	2.57	63	29.80	20.55
7	15	1.71	56	30.33	19.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	41	20.49	7.21
2	10	1.46	48	20.55	6.44
3	18	1.57	42	21.47	8.08
4	13	1.61	54	25.80	10.25
5	26	1.60	49	27.83	16.27
6	10	1.38	47	27.21	15.05
7	15	1.83	54	29.68	18.96

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.07	36	22.48	4.71
2	10	1.65	37	21.66	6.21
3	18	1.98	46	25.88	11.58
4	13	1.87	58	26.67	16.74
5	26	1.64	47	26.86	14.30
6	10	1.40	48	28.59	15.71
7	15	1.60	61	30.06	18.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.24	42	24.72	10.82
2	10	1.98	45	22.83	10.21
3	18	2.79	70	22.98	16.53
4	13	2.26	58	27.80	18.88
5	26	1.71	51	27.96	16.15
6	10	1.83	52	29.21	18.43
7	15	1.66	48	31.59	18.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.25	55	21.38	11.10
2	10	5.41	63	18.27	14.98
3	18	5.05	65	25.24	17.80
4	13	1.84	62	28.55	18.52
5	26	1.82	55	28.77	18.58
6	10	1.73	58	28.48	19.80
7	16	1.81	48	31.26	18.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.44	47	28.13	13.05
2	10	3.19	60	21.46	14.98
3	18	3.37	65	26.72	19.22
4	13	1.81	60	28.11	19.31
5	26	2.51	54	28.75	18.59
6	10	1.86	54	30.77	20.18
7	16	1.84	48	31.40	18.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.24	45	25.41	12.63
2	10	3.13	66	24.10	17.16
3	18	2.11	63	29.10	21.22
4	13	1.64	63	31.40	16.31
5	26	2.48	57	29.61	20.08
6	10	1.69	51	31.68	20.55
7	15	1.58	49	31.59	19.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.25	55	18.74	8.02
2	10	1.66	51	17.32	6.99
3	18	1.57	58	15.84	7.08
4	13	3.10	73	18.40	11.27
5	26	1.66	47	32.05	18.05
6	10	1.81	54	31.22	20.66
7	15	1.59	45	31.68	18.25

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.04	29	18.18	0.14
2	10	1.05	36	18.66	2.99
3	18	5.57	70	14.77	10.76
4	18	3.06	70	18.18	18.48
5	26	1.78	68	26.20	17.28
6	10	1.94	52	31.88	20.88
7	15	1.68	48	31.62	17.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.45	52	16.38	6.56
2	10	6.62	75	15.33	10.48
3	18	4.10	72	18.45	13.29
4	13	1.74	62	21.88	10.93
5	26	2.33	56	31.34	20.85
6	10	1.77	55	30.55	20.55
7	15	1.71	52	30.40	18.95



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.16	58	22.78	13.48
2	10	5.38	67	21.60	16.77
3	18	5.35	68	21.38	15.10
4	13	1.78	58	22.68	13.82
5	26	2.27	58	30.40	21.27
6	10	1.78	64	29.10	21.43
7	15	1.89	57	30.40	20.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.90	51	24.18	13.60
2	10	2.48	49	23.88	12.66
3	18	2.30	53	24.25	14.03
4	13	1.78	43	28.32	14.14
5	26	1.87	57	30.43	20.89
6	10	2.38	73	26.68	21.49
7	15	1.77	62	28.73	20.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.10	38	30.68	4.99
2	10	2.21	41	32.98	8.93
3	13	2.30	58	28.20	18.51
4	13	1.73	57	29.69	19.89
5	26	2.19	57	35.88	20.38
6	10	1.68	69	28.18	21.66
7	15	1.79	58	30.10	20.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.07	33	29.85	14.30
2	10	2.98	58	28.71	17.10
3	18	2.69	65	29.47	22.18
4	13	1.64	48	29.52	18.87
5	26	1.98	56	31.36	21.17
6	10	1.63	58	31.10	21.27
7	15	1.86	52	30.79	18.14

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.07	58	29.16	20.13
2	10	3.06	66	28.27	21.21
3	18	2.05	70	27.83	21.81
4	13	1.84	58	27.47	18.37
5	26	1.76	48	33.37	20.91
6	10	1.51	50	31.86	20.06
7	15	1.75	48	32.20	18.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.10	58	27.96	18.32
2	10	1.68	45	29.10	15.77
3	18	2.00	59	29.22	20.05
4	13	1.84	52	28.58	16.83
5	26	1.65	48	33.42	20.78
6	10	1.75	56	32.27	21.77
7	15	1.84	45	32.51	18.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	43	28.80	12.07
2	10	1.88	37	31.33	14.77
3	18	1.91	45	29.84	18.28
4	13	1.67	48	22.21	8.14
5	26	1.70	45	33.27	19.37
6	10	1.75	52	33.11	21.82
7	15	1.55	45	32.76	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.57	67	23.32	16.10
2	10	2.28	58	25.89	16.18
3	18	1.63	52	20.05	9.56
4	13	1.61	46	24.76	9.98
5	26	1.73	43	34.08	19.33
6	10	1.56	46	30.16	16.02
7	15	1.52	45	32.11	18.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.19	90	22.77	8.66
2	10	1.50	92	23.82	9.71
3	18	1.71	97	23.08	10.35
4	13	1.61	94	23.24	9.99
5	26	1.66	96	29.46	16.55
6	10	1.60	98	28.16	16.72
7	15	1.62	97	31.14	17.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.24	41	26.80	12.77
2	10	2.38	56	23.33	13.88
3	18	1.79	45	21.32	8.91
4	13	1.64	38	29.41	8.52
5	26	2.48	64	27.83	20.08
6	10	1.77	49	28.16	18.27
7	15	1.81	54	28.70	17.44

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	56	25.41	15.41
2	10	2.37	42	25.49	11.82
3	18	1.75	48	22.12	9.40
4	13	1.61	38	23.96	8.41
5	26	1.82	56	28.99	18.58
6	10	1.73	40	26.88	11.82
7	15	1.83	60	28.10	18.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.08	58	24.88	15.55
2	10	1.65	36	25.72	9.38
3	18	1.58	43	25.82	10.49
4	13	1.70	48	27.88	15.42
5	26	1.84	46	29.80	16.68
6	10	1.38	37	28.82	12.43
7	15	1.55	46	30.07	16.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.55	50	27.48	11.80
2	10	2.57	45	27.38	13.66
3	18	2.20	69	23.48	17.27
4	13	1.73	48	25.68	14.05
5	26	2.31	56	29.29	18.01
6	10	1.71	43	30.05	15.71
7	15	1.58	47	30.81	17.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	48	20.05	15.48
2	10	2.53	65	26.32	16.49
3	18	2.81	73	22.77	17.55
4	13	2.78	54	24.95	18.65
5	26	2.27	56	29.63	19.73
6	10	1.68	48	30.82	18.71
7	15	1.60	53	30.25	19.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.08	79	22.95	18.92
2	10	3.05	78	24.38	19.27
3	18	2.17	63	24.59	16.63
4	13	1.61	45	26.18	11.39
5	26	2.19	62	29.18	20.78
6	10	1.48	62	28.71	20.04
7	15	1.63	55	29.70	19.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.21	50	26.68	10.06
2	10	3.50	65	26.49	18.10
3	18	2.09	78	23.35	18.53
4	13	1.61	51	22.08	11.48
5	26	2.03	66	28.90	21.68
6	10	1.62	62	29.10	21.05
7	15	1.81	68	28.88	19.68

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.55	44	26.11	12.63
2	10	1.02	63	22.84	12.94
3	18	1.61	47	25.32	11.10
4	13	1.61	40	26.20	10.80
5	26	3.61	73	26.72	21.23
6	10	3.26	70	25.27	18.99
7	15	1.71	58	28.21	18.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	42	25.85	11.80
2	10	1.56	41	26.05	11.66
3	18	1.61	41	25.70	11.41
4	13	1.86	40	27.17	12.13
5	26	2.76	66	26.76	18.45
6	10	1.69	50	27.21	15.86
7	15	2.72	62	28.40	19.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.25	38	29.88	11.93
2	10	2.03	36	28.71	11.05
3	18	1.74	37	27.08	11.26
4	13	2.17	58	25.85	18.48
5	26	3.53	64	25.48	17.62
6	10	1.77	48	27.80	15.38
7	15	1.88	52	30.10	18.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.25	42	28.47	13.74
2	10	2.10	46	26.93	13.77
3	18	1.91	57	28.60	12.46
4	13	2.72	70	23.84	17.51
5	26	2.30	71	24.91	18.75
6	10	1.69	46	28.10	15.10
7	15	1.88	59	30.55	18.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	48	25.55	16.10
2	10	6.22	76	20.03	16.10
3	18	2.57	45	27.52	13.97
4	13	2.16	62	25.25	16.48
5	26	2.98	66	27.53	20.57
6	10	1.81	48	29.27	16.94
7	15	1.90	63	28.40	20.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.09	78	25.13	20.69
2	10	6.27	77	24.88	20.49
3	18	2.98	47	28.08	15.30
4	13	2.69	63	26.14	17.94
5	26	1.94	67	28.43	21.53
6	10	1.90	61	27.68	18.88
7	15	1.98	61	28.84	20.25

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.08	82	27.21	19.30
2	10	3.92	67	27.71	18.55
3	18	2.23	43	30.39	16.32
4	19	2.96	88	22.21	15.03
5	26	2.12	64	28.69	21.10
6	10	3.84	72	26.21	20.71
7	15	2.27	83	20.62	20.44

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.53	43	30.69	18.24
2	10	4.00	68	26.82	20.38
3	18	2.65	81	20.81	12.46
4	19	1.81	42	20.06	6.86
5	25	2.24	61	29.35	20.83
6	10	2.78	80	24.77	20.86
7	15	2.27	88	20.47	19.26

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	45	22.21	9.71
2	10	1.58	42	21.49	8.05
3	18	1.57	42	22.34	8.79
4	19	2.44	48	23.67	11.68
5	26	2.30	60	28.85	20.33
6	10	2.73	70	25.62	19.38
7	15	2.20	64	27.10	18.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.30	40	24.44	9.05
2	10	1.81	46	24.10	11.68
3	18	1.76	42	27.34	13.23
4	13	1.08	85	24.82	17.55
5	26	2.36	70	27.30	21.06
6	10	2.25	77	25.94	20.02
7	15	1.73	80	20.47	20.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.08	59	22.49	13.60
2	10	1.78	75	24.38	19.32
3	18	1.79	66	27.09	20.15
4	13	1.30	60	25.08	16.28
5	26	2.02	68	26.69	21.04
6	10	1.48	67	28.38	21.43
7	15	1.58	55	30.70	20.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.77	62	28.19	20.27
2	10	2.81	57	30.05	20.71
3	18	2.11	71	26.44	20.52
4	13	1.04	63	22.80	14.82
5	26	1.68	61	30.65	22.20
6	10	1.51	68	28.88	22.10
7	15	1.97	61	28.21	20.36

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE.C	DEWPOINT.C
1	4	2.77	58	29.05	20.89
2	10	1.81	56	27.66	17.93
3	18	1.76	56	25.24	15.82
4	13	3.00	70	22.38	16.06
5	26	1.67	67	30.83	21.38
6	10	1.78	69	27.99	21.49
7	15	1.74	58	28.85	20.66



REGION	# STNS	BEXT	RH %	TEMPERATURE.C	DEWPOINT.C
1	4	1.35	37	27.77	11.52
2	10	1.81	40	26.93	12.05
3	18	3.98	76	23.05	18.23
4	13	1.74	71	20.78	15.18
5	26	1.81	56	30.66	20.57
6	10	1.56	55	31.18	21.10
7	15	1.56	67	28.85	20.21



REGION	# STNS	BEXT	RH %	TEMPERATURE.C	DEWPOINT.C
1	4	1.88	70	17.88	13.10
2	10	3.65	68	23.16	15.10
3	18	2.39	76	19.90	15.33
4	13	1.61	58	22.38	19.71
5	26	1.71	55	31.51	21.21
6	10	1.61	64	29.77	21.98
7	15	1.62	58	28.88	19.77



REGION	# STNS	BEXT	RH %	TEMPERATURE.C	DEWPOINT.C
1	4	1.10	38	24.18	8.05
2	10	1.50	34	24.71	7.88
3	18	1.72	47	24.13	11.09
4	13	1.91	67	21.29	15.21
5	26	2.50	58	29.20	19.98
6	10	2.12	65	28.77	19.48
7	15	1.91	58	28.07	19.04



REGION	# STNS	BEXT	RH %	TEMPERATURE.C	DEWPOINT.C
1	4	1.10	31	26.24	9.05
2	10	1.38	37	26.16	10.32
3	18	1.48	45	26.01	13.23
4	13	1.07	54	24.91	14.08
5	25	2.26	50	28.80	19.46
6	10	2.05	54	28.43	18.43
7	15	1.91	57	28.77	18.81

REGION	# STNS	BEXT	RH %	TEMPERATURE.C	DEWPOINT.C
1	4	1.41	48	28.24	13.05
2	10	1.60	38	26.88	11.55
3	18	3.16	67	26.58	17.16
4	13	2.09	61	23.41	15.38
5	26	1.97	56	28.56	18.82
6	10	2.69	70	27.55	21.21
7	15	1.63	58	28.73	18.58

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.17	43	24.71	11.24
2	10	3.10	70	21.80	15.82
3	18	2.30	58	25.11	16.19
4	13	1.87	51	24.39	13.57
5	26	1.82	62	28.22	20.07
6	10	1.65	66	28.32	21.16
7	16	1.77	65	27.81	20.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.47	44	27.07	13.88
2	10	1.78	52	25.60	14.49
3	18	1.63	50	25.21	14.13
4	13	1.88	50	23.75	14.80
5	26	1.92	55	30.51	20.16
6	10	1.69	58	29.55	20.21
7	15	1.70	63	28.81	20.36

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	35	26.10	9.16
2	10	1.74	46	25.10	12.82
3	18	2.48	57	24.84	15.52
4	13	1.84	54	24.88	14.68
5	26	2.93	66	28.16	20.79
6	10	2.63	79	24.88	20.93
7	15	1.80	63	28.18	19.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.15	38	26.88	10.98
2	10	1.83	38	28.10	12.82
3	18	1.87	48	27.98	15.33
4	13	1.78	47	27.18	15.12
5	26	2.45	67	27.63	20.52
6	10	2.29	67	28.77	19.98
7	15	1.88	61	28.59	20.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.41	42	30.48	14.16
2	10	2.57	56	26.82	16.71
3	18	1.87	48	30.20	14.87
4	13	1.37	45	29.18	15.84
5	26	2.15	59	26.97	20.01
6	10	2.01	63	27.55	19.55
7	15	1.82	61	29.19	20.49



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	40	29.44	14.50
2	10	2.56	48	28.30	16.27
3	18	1.83	48	29.37	15.73
4	13	1.78	51	29.52	18.24
5	26	2.32	57	29.38	19.71
6	10	2.38	55	29.18	18.88
7	15	1.74	50	30.33	21.10

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.66	47	29.18	18.10
2	10	2.24	50	29.16	17.38
3	18	2.19	49	29.89	17.88
4	19	2.88	63	28.19	18.20
5	26	2.17	66	30.53	20.40
6	10	3.71	62	28.44	20.21
7	15	1.77	67	30.51	20.38

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.52	53	29.02	17.98
2	10	3.88	55	29.48	18.05
3	18	2.86	72	28.75	21.28
4	19	2.47	68	24.74	16.26
5	26	2.16	66	31.18	21.10
6	10	3.49	73	27.88	22.43
7	15	1.74	64	31.03	20.44

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.88	65	19.98	17.86
2	10	5.40	73	26.21	20.66
3	18	2.20	55	28.97	17.03
4	19	2.10	59	29.24	12.61
5	26	1.87	60	31.47	22.17
6	10	1.77	60	30.98	22.10
7	15	2.72	57	28.56	18.98

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.07	71	18.68	13.19
2	10	4.01	66	23.83	16.88
3	18	1.83	58	21.84	12.89
4	19	1.61	48	22.60	10.88
5	26	2.18	67	31.26	21.49
6	10	2.07	62	28.10	19.48
7	15	1.58	61	29.38	18.14



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.24	71	20.98	15.41
2	10	4.75	72	22.60	16.82
3	18	1.85	51	20.95	10.33
4	19	1.61	50	24.35	13.11
5	26	2.01	55	30.67	20.33
6	10	1.73	54	28.18	15.99
7	15	1.55	49	30.18	18.47



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.21	64	24.99	15.13
2	10	1.81	48	23.21	11.49
3	18	1.55	51	22.95	12.97
4	19	1.70	58	25.18	15.25
5	26	2.00	62	27.62	16.40
6	10	1.52	47	25.55	13.93
7	15	1.78	50	30.51	18.32

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	58	22.21	13.48
2	10	1.88	48	23.83	12.21
3	18	1.73	47	24.51	12.12
4	13	1.85	61	25.28	16.87
5	26	2.07	64	26.98	18.36
6	10	1.81	48	28.71	15.18
7	16	1.70	61	31.87	18.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.45	65	20.86	13.16
2	10	2.27	48	23.98	11.86
3	18	1.59	41	26.25	11.90
4	13	1.87	54	27.08	18.89
5	26	1.88	48	28.08	15.61
6	10	1.52	45	27.55	14.55
7	16	1.86	52	30.26	18.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	45	22.07	8.88
2	10	1.48	41	24.66	10.49
3	18	1.71	58	27.43	12.21
4	13	2.13	64	25.29	17.94
5	26	1.81	48	27.85	14.71
6	10	1.62	48	28.80	15.77
7	16	1.78	44	31.77	17.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.38	42	25.41	10.86
2	10	1.68	38	27.38	11.16
3	18	3.18	51	28.26	14.37
4	13	2.57	55	27.90	17.68
5	26	1.95	48	28.62	16.25
6	10	1.91	47	28.82	15.98
7	16	1.74	45	32.37	18.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.50	56	29.90	11.52
2	10	2.66	43	29.10	15.21
3	18	3.47	61	29.38	18.56
4	13	1.90	52	28.29	17.49
5	26	2.01	50	29.58	17.77
6	10	2.39	61	27.10	18.49
7	15	1.63	48	30.95	17.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.72	47	28.80	10.24
2	10	2.85	54	27.21	16.03
3	18	2.58	55	27.77	17.03
4	13	1.70	62	23.75	15.72
5	26	2.00	56	29.01	18.92
6	10	2.56	58	28.21	19.21
7	15	1.89	48	31.62	18.29

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.62	48	25.55	12.77
2	10	2.77	58	24.71	16.46
3	18	1.95	82	21.68	19.00
4	19	1.76	81	23.62	19.07
5	26	2.32	66	30.12	20.26
6	10	2.14	55	28.83	18.68
7	15	1.76	94	21.88	17.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.10	38	22.48	7.35
2	10	1.48	46	22.80	8.32
3	18	1.88	58	21.81	11.22
4	19	2.88	78	22.88	19.08
5	26	2.00	66	28.88	18.71
6	10	2.48	55	29.96	18.77
7	15	1.88	94	22.07	17.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.30	33	24.57	8.88
2	10	1.71	33	24.32	7.18
3	18	1.84	45	23.41	10.52
4	19	2.79	76	21.82	18.48
5	26	2.62	65	28.20	17.81
6	10	2.48	56	28.71	18.52
7	15	2.56	48	31.16	18.26

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.16	37	23.76	8.18
2	10	1.77	41	25.96	11.18
3	18	2.46	48	25.42	15.34
4	19	2.98	68	25.69	18.84
5	26	2.32	51	28.13	16.62
6	10	3.15	61	27.99	19.05
7	15	1.58	49	31.58	18.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.47	33	28.10	8.78
2	10	2.68	38	27.16	11.38
3	18	2.85	58	28.14	17.49
4	19	2.47	57	27.77	18.07
5	26	2.51	56	28.43	18.52
6	10	2.81	63	28.77	20.71
7	15	1.58	48	31.77	19.51

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.52	52	28.93	15.68
2	10	2.97	68	26.10	17.68
3	18	2.08	58	29.68	18.08
4	19	1.70	58	29.89	19.01
5	26	2.65	68	28.24	21.08
6	10	2.13	68	29.10	20.95
7	15	1.61	88	30.10	20.09

CAPITA



REGION	# STNS	RAIN	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.00	53	27.81	17.36
2	10	3.42	58	27.92	18.27
3	18	1.66	51	29.08	18.45
4	13	1.78	55	21.81	12.94
5	26	2.28	58	28.68	20.44
6	10	1.77	55	30.77	20.05
7	15	2.54	67	28.26	18.98



REGION	# STNS	RAIN	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.00	81	20.26	17.77
2	10	5.36	72	24.82	19.56
3	18	5.70	75	20.70	15.68
4	13	1.71	48	22.04	10.12
5	26	2.07	68	28.62	21.12
6	10	2.73	84	26.88	20.77
7	15	1.84	67	27.98	18.44



REGION	# STNS	RAIN	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.52	78	25.38	18.16
2	10	6.48	84	28.71	20.88
3	18	2.52	81	22.45	14.31
4	13	1.78	58	14.88	8.10
5	26	1.85	58	30.38	21.51
6	10	2.06	87	26.71	19.82
7	15	1.73	67	28.78	18.80



REGION	# STNS	RAIN	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.84	80	22.83	18.47
2	10	2.47	66	22.66	15.48
3	18	1.58	43	18.65	5.78
4	13	1.84	37	18.98	5.78
5	26	1.96	56	29.94	19.59
6	10	1.72	54	25.88	15.48
7	15	1.98	54	25.89	15.38



REGION	# STNS	RAIN	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	38	22.99	7.98
2	10	1.68	41	21.77	9.06
3	18	1.65	41	21.20	7.74
4	13	1.81	45	21.91	9.28
5	26	2.20	56	28.03	18.38
6	10	2.01	47	25.88	15.66
7	15	1.84	53	27.40	18.17

REGION	# STNS	RAIN	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.18	36	24.18	8.06
2	10	2.47	46	23.21	10.68
3	18	1.85	48	23.54	11.50
4	13	1.84	45	25.49	12.13
5	26	2.30	57	28.63	18.99
6	10	1.57	48	26.36	13.60
7	15	2.21	53	28.68	17.51

CAPITA

REGION	STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.21	61	25.68	14.00
2	10	3.10	52	25.44	14.32
3	18	1.78	45	26.16	15.11
4	19	1.61	48	26.16	13.48
5	26	2.30	61	26.87	20.31
6	10	1.72	42	28.80	14.36
7	15	1.67	55	29.00	18.62

REGION	STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.52	45	27.77	14.44
2	10	3.66	51	27.60	16.27
3	18	2.02	48	27.45	14.77
4	19	1.87	62	24.28	18.18
5	26	1.87	58	28.20	20.20
6	10	2.48	48	29.66	18.46
7	15	1.63	60	31.79	19.36

REGION	STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.48	58	27.21	16.68
2	10	3.38	57	27.04	17.66
3	18	2.58	58	25.79	18.75
4	19	1.82	60	20.18	11.67
5	26	1.83	58	29.20	20.31
6	10	1.95	60	27.21	20.86
7	15	1.58	48	32.20	18.77



REGION	STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.44	67	28.19	18.18
2	10	4.10	57	28.30	18.80
3	18	3.29	60	27.09	18.23
4	19	2.04	73	19.70	14.65
5	26	1.72	63	28.66	20.61
6	10	1.09	70	28.66	20.44
7	15	1.58	48	31.02	19.43



REGION	STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.58	57	28.80	19.90
2	10	2.45	52	29.27	18.43
3	18	2.70	64	28.84	19.31
4	19	3.36	68	21.87	15.63
5	26	1.77	62	28.86	20.57
6	10	1.56	60	29.43	20.88
7	15	1.58	56	29.99	18.99



REGION	STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.63	56	29.02	19.29
2	10	4.30	67	27.39	20.38
3	18	2.43	68	26.19	19.65
4	19	3.41	70	21.67	15.93
5	26	1.72	61	29.86	21.36
6	10	1.54	64	29.65	21.49
7	15	1.63	62	28.88	20.68

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.98	76	24.80	19.80
2	10	2.66	66	27.27	20.38
3	18	2.23	68	23.62	18.51
4	18	2.21	66	20.78	16.06
5	26	1.72	60	30.27	21.66
6	10	1.81	70	26.80	20.94
7	15	1.76	68	28.96	18.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.01	78	17.68	15.98
2	10	6.17	71	23.48	18.06
3	18	5.84	62	21.55	18.23
4	18	1.78	68	22.67	19.07
5	26	1.83	62	28.87	21.87
6	10	2.76	72	28.55	20.98
7	15	1.76	67	28.25	18.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	12.86	84	19.08	18.80
2	10	6.48	78	26.32	21.09
3	18	5.26	83	22.71	19.62
4	18	1.78	90	25.28	19.82
5	26	2.36	72	30.02	22.76
6	10	3.15	78	25.88	21.00
7	15	1.88	68	28.68	18.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.28	81	24.65	21.28
2	10	3.83	73	28.93	21.16
3	18	3.28	73	24.68	19.59
4	18	1.71	46	27.80	19.98
5	26	1.81	69	30.68	22.66
6	10	1.62	72	27.52	21.60
7	15	1.76	48	27.65	15.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	58	29.95	19.88
2	10	1.95	55	28.32	18.88
3	18	4.07	71	21.88	15.85
4	18	1.76	63	25.80	15.12
5	26	1.86	61	30.31	21.81
6	10	2.70	75	27.88	22.43
7	15	1.76	48	28.25	18.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.97	61	17.91	14.44
2	10	4.08	75	20.10	15.16
3	18	2.42	57	24.56	15.73
4	18	1.76	82	24.65	19.08
5	26	2.70	68	26.60	21.66
6	10	1.48	80	23.98	21.27
7	15	2.12	64	26.66	18.88

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	87	21.84	19.56
2	10	2.03	56	21.60	12.44
3	18	1.58	51	19.77	9.28
4	19	1.61	48	23.20	10.76
5	26	2.08	65	26.80	21.66
6	10	1.58	62	27.88	19.68
7	15	2.44	68	28.88	20.26



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.98	65	18.74	11.80
2	10	1.58	58	18.27	8.88
3	18	1.57	46	19.71	7.77
4	19	1.67	44	22.77	10.08
5	26	2.47	65	22.86	15.86
6	10	1.68	51	24.18	13.27
7	15	1.64	67	25.20	16.58

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	43	20.97	8.06
2	10	1.64	43	22.10	8.88
3	18	1.68	44	21.84	9.18
4	19	1.61	40	23.20	8.84
5	26	3.11	74	21.02	15.93
6	10	1.38	48	22.55	11.52
7	15	1.64	52	25.08	14.40



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	42	25.97	12.08
2	10	3.24	41	25.82	11.27
3	18	2.21	47	23.29	11.19
4	19	1.70	42	24.36	10.55
5	26	3.58	68	23.77	17.28
6	10	3.61	64	18.05	15.18
7	15	1.78	50	25.80	14.55



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	45	25.89	12.63
2	10	4.20	44	26.49	13.27
3	18	3.25	54	23.91	13.54
4	19	1.96	47	23.45	11.10
5	26	2.07	63	25.82	17.04
6	10	3.79	78	21.38	17.38
7	15	1.80	48	27.09	15.26



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.64	52	26.80	18.11
2	10	2.32	47	27.21	14.66
3	18	3.48	63	24.53	16.63
4	19	2.00	47	23.80	11.01
5	26	2.37	66	27.43	20.21
6	10	1.82	69	24.05	17.82
7	15	2.17	48	27.77	15.96

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.76	72	21.30	16.10
2	10	0.62	80	22.60	20.00
3	18	3.32	68	24.17	18.42
4	18	1.06	66	30.37	19.46
5	26	1.90	61	28.67	20.20
6	10	2.52	72	24.10	18.55
7	16	1.62	46	29.90	18.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.48	88	15.66	14.16
2	10	4.26	85	20.48	17.88
3	18	3.22	78	22.15	18.11
4	18	2.68	76	19.84	0.00
5	26	1.93	60	26.60	18.86
6	10	2.20	65	26.88	19.55
7	16	1.66	66	26.21	17.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	94	15.84	8.10
2	10	1.62	68	18.05	11.88
3	18	5.73	82	20.05	17.00
4	18	9.21	71	14.91	6.71
5	26	2.87	66	27.36	20.06
6	10	2.81	68	26.32	19.48
7	16	2.61	60	27.62	18.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.30	84	17.81	7.98
2	10	0.83	85	15.93	13.48
3	18	2.68	78	18.38	15.05
4	18	1.85	81	16.68	9.97
5	26	2.64	68	28.26	19.48
6	10	2.55	58	27.93	18.88
7	16	3.12	81	28.97	18.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.02	78	14.98	11.88
2	10	0.48	83	17.83	16.04
3	18	2.26	73	17.71	12.84
4	18	1.01	58	19.52	8.71
5	26	2.58	60	28.37	18.62
6	10	2.52	80	26.18	17.71
7	16	2.70	60	28.79	18.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.00	82	23.93	19.30
2	10	6.33	71	19.10	13.55
3	18	1.62	57	30.02	10.95
4	18	2.26	63	19.16	11.53
5	26	1.97	52	27.77	16.91
6	10	2.92	57	24.18	14.93
7	16	1.92	64	29.77	18.62

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.32	67	17.81	8.38
2	10	1.56	66	17.66	9.56
3	18	1.88	67	18.98	11.01
4	19	2.01	72	18.41	13.19
5	26	1.82	62	27.82	16.53
6	10	2.49	85	25.10	15.46
7	16	1.60	66	20.10	10.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.07	80	16.26	1.89
2	10	1.68	62	17.10	6.10
3	18	1.82	52	20.76	10.55
4	19	2.04	68	21.81	14.61
5	26	2.07	65	26.10	16.38
6	10	2.58	81	24.99	15.46
7	15	1.86	63	27.67	18.95



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.18	48	18.60	8.82
2	10	2.58	48	20.84	7.84
3	18	2.14	52	24.53	14.08
4	18	1.78	82	24.88	17.08
5	26	2.23	68	26.58	17.78
6	10	2.05	54	26.44	18.05
7	16	1.73	66	20.16	20.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.36	76	18.80	14.71
2	10	5.33	78	19.78	15.43
3	18	3.55	74	22.43	17.40
4	19	2.20	62	24.01	16.28
5	26	2.82	61	27.81	19.46
6	10	1.89	57	28.93	19.43
7	15	1.72	60	28.25	20.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.18	59	14.43	8.82
2	10	3.71	64	17.89	10.83
3	18	4.09	71	22.00	16.56
4	19	2.08	74	22.08	17.17
5	26	2.91	68	28.30	18.82
6	10	1.93	54	28.94	18.38
7	15	1.64	59	30.16	19.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.30	54	17.91	7.91
2	10	3.25	58	20.16	11.16
3	18	4.33	82	19.25	16.07
4	19	2.07	78	16.88	12.88
5	26	3.26	58	27.92	18.62
6	10	2.07	67	26.48	19.71
7	16	1.71	66	28.21	18.28

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.00	81	19.60	10.41
2	10	0.00	66	16.27	12.49
3	18	0.11	80	18.76	12.60
4	19	2.28	82	20.12	0.00
5	26	0.35	67	26.61	18.26
6	10	1.00	65	24.05	18.00
7	18	1.00	00	26.10	18.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.15	41	18.10	2.77
2	10	1.53	50	15.21	6.00
3	18	1.35	51	18.65	8.17
4	19	2.04	41	19.58	0.00
5	26	2.29	54	26.25	16.93
6	10	2.40	53	24.10	15.00
7	18	1.81	58	26.00	16.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	91	9.89	-0.00
2	10	1.50	68	9.21	-1.06
3	18	1.08	52	10.08	0.70
4	19	1.87	45	18.98	0.72
5	26	1.68	46	22.51	10.16
6	10	1.62	47	20.32	8.55
7	18	1.76	68	20.14	16.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	37	13.74	-0.07
2	10	2.58	56	11.77	3.60
3	18	1.89	48	17.93	6.35
4	19	2.14	42	22.81	0.78
5	26	2.83	53	20.63	10.46
6	10	1.56	48	21.77	9.82
7	15	2.39	65	22.40	15.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.05	58	14.67	5.98
2	10	5.40	80	17.32	9.43
3	18	2.21	41	21.10	7.15
4	19	2.23	60	20.72	0.00
5	26	2.51	48	22.70	10.07
6	10	1.59	48	24.18	11.77
7	18	2.20	65	23.69	18.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.25	69	17.49	10.69
2	10	5.58	56	18.49	10.16
3	18	5.50	61	20.02	11.87
4	19	1.00	00	19.31	12.43
5	26	4.13	61	22.73	14.67
6	10	5.08	58	21.49	12.92
7	15	2.35	69	20.08	16.10

CAPITA



REGION	= STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.70	80	17.69	11.10
2	10	4.82	80	18.83	10.60
3	18	4.43	67	21.41	14.62
4	19	1.82	80	17.50	8.19
5	26	5.46	75	22.06	17.36
6	10	5.20	58	22.56	19.82
7	15	3.40	61	27.26	18.80



REGION	= STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.70	80	18.94	11.10
2	10	7.40	61	20.16	12.27
3	18	3.78	55	24.55	14.80
4	19	4.38	70	18.87	14.86
5	26	4.82	70	23.30	17.55
6	10	5.88	71	22.88	17.55
7	15	2.92	61	27.61	18.10



REGION	= STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.14	66	23.74	14.18
2	10	8.52	61	22.60	14.77
3	18	8.76	64	23.88	16.90
4	19	8.94	76	20.08	15.29
5	26	6.05	72	23.88	18.47
6	10	4.45	63	25.10	17.49
7	15	2.56	68	27.68	18.82



REGION	= STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.58	40	27.91	12.89
2	10	5.88	51	26.27	15.21
3	18	5.01	61	25.51	17.58
4	19	4.71	82	15.29	12.19
5	26	3.53	61	25.80	17.51
6	10	3.37	62	25.21	17.32
7	15	1.07	68	27.32	18.88



REGION	= STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.90	56	24.71	15.27
2	10	3.58	46	27.55	14.77
3	18	4.07	61	25.27	17.15
4	19	1.73	71	10.48	9.20
5	26	3.62	54	26.66	16.55
6	10	3.68	58	26.21	18.71
7	15	2.08	62	27.03	18.08



REGION	= STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.04	48	28.24	14.02
2	10	4.80	63	22.56	14.54
3	18	2.24	68	12.85	8.13
4	19	1.81	68	8.75	0.88
5	26	3.75	57	26.19	16.57
6	10	5.18	68	24.49	15.88
7	15	2.18	64	23.29	15.81

CAPITA

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	43	18.89	9.60
2	10	1.54	46	15.21	3.66
3	18	1.88	50	11.72	1.78
4	13	1.84	51	10.80	0.47
5	26	2.11	58	24.60	16.36
6	10	2.40	58	19.71	11.52
7	15	2.04	58	21.40	12.26



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	32	16.10	-0.69
2	10	1.54	40	15.10	1.48
3	18	2.07	44	14.34	2.18
4	13	1.78	56	14.35	5.12
5	26	2.20	60	20.60	12.29
6	10	1.68	44	19.60	6.95
7	15	1.96	54	22.68	12.88



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.15	44	16.60	4.78
2	10	2.01	45	17.77	5.66
3	18	2.48	42	19.22	6.10
4	13	1.83	67	20.25	11.27
5	26	2.41	61	21.86	13.66
6	10	1.61	48	22.44	10.82
7	15	1.72	48	26.82	15.20



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.54	57	17.35	8.47
2	10	3.08	61	18.88	10.71
3	18	3.74	67	19.22	12.15
4	13	2.00	50	18.43	4.98
5	26	3.60	68	22.86	16.27
6	10	1.61	49	24.55	13.18
7	15	1.82	52	28.20	14.82

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	56	20.27	11.38
2	10	3.31	71	19.49	13.88
3	18	2.90	70	16.01	10.24
4	13	1.70	64	13.32	8.49
5	26	2.53	70	24.71	18.64
6	10	3.81	67	21.71	14.66
7	15	1.62	56	24.82	7.81



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.68	57	21.94	12.77
2	10	3.54	74	19.38	14.44
3	18	4.46	60	14.68	10.95
4	13	1.84	53	18.02	8.15
5	26	2.01	60	23.58	14.86
6	10	1.89	60	17.27	9.16
7	15	1.96	57	23.69	7.05

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.50	92	13.92	12.21
2	10	2.58	72	17.80	11.86
3	18	2.11	58	18.20	8.73
4	13	1.66	48	17.81	6.14
5	26	1.78	51	24.29	13.11
6	10	1.97	47	21.98	10.21
7	15	1.86	41	28.10	11.86

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.38	62	18.79	9.16
2	10	2.78	67	17.62	11.66
3	18	3.23	64	17.80	10.73
4	13	1.61	34	21.28	6.56
5	26	1.88	47	25.70	13.26
6	10	1.54	46	23.94	11.77
7	15	1.72	42	28.18	10.86

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.07	90	14.71	13.05
2	10	3.20	76	15.18	10.56
3	18	1.61	49	15.55	2.55
4	13	1.67	36	20.25	3.78
5	26	1.73	40	26.23	9.84
6	10	1.32	51	22.88	9.49
7	15	1.66	57	28.18	11.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.18	67	11.60	5.48
2	10	1.54	61	12.72	2.77
3	18	1.77	48	14.50	5.45
4	13	1.62	48	22.17	7.77
5	26	1.67	35	22.66	5.78
6	10	1.63	30	22.21	3.86
7	15	1.56	37	27.58	11.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	48	12.21	-0.98
2	10	1.66	58	13.21	4.05
3	18	2.38	58	17.49	9.18
4	13	1.71	47	18.75	7.17
5	26	1.62	41	23.71	8.47
6	10	1.50	33	25.66	8.05
7	15	1.56	36	28.51	12.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.20	84	19.05	-0.89
2	10	1.66	56	19.21	3.98
3	18	2.34	51	18.57	8.17
4	13	2.03	53	21.27	10.03
5	25	1.90	48	25.35	12.77
6	10	1.78	58	26.88	18.93
7	15	1.82	58	28.47	19.07

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	87	14.44	-0.85
2	10	1.78	86	16.77	2.32
3	18	2.48	45	23.20	10.58
4	19	1.78	66	18.88	10.88
5	26	8.06	63	21.82	14.41
6	10	1.77	48	27.80	12.77
7	15	1.58	48	28.09	12.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.57	68	18.04	8.52
2	10	2.58	55	20.48	10.88
3	18	5.86	47	25.79	15.14
4	19	1.76	60	21.81	10.84
5	26	6.27	71	22.43	16.67
6	10	2.08	47	25.62	13.27
7	15	1.78	46	26.81	13.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.08	81	17.77	9.71
2	10	5.60	64	21.60	12.84
3	18	8.63	63	26.78	15.11
4	19	1.82	43	24.88	10.68
5	26	8.06	68	24.05	17.75
6	10	1.98	50	25.10	15.27
7	15	2.37	48	25.32	15.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.10	51	23.80	12.83
2	10	4.16	57	22.80	13.77
3	18	2.05	45	24.93	12.12
4	19	1.71	47	18.58	8.83
5	26	4.86	77	26.03	19.58
6	10	1.87	66	22.80	15.32
7	15	3.31	61	29.18	16.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	37	18.52	1.24
2	10	1.58	38	17.27	2.77
3	18	1.68	51	18.10	5.83
4	19	1.64	43	18.41	5.50
5	26	2.00	70	25.28	19.06
6	10	2.38	70	22.18	15.98
7	15	1.68	48	24.83	12.77

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.25	59	15.55	1.38
2	10	2.26	48	17.68	3.62
3	18	5.88	41	21.47	7.71
4	19	1.84	63	15.68	9.72
5	26	2.14	64	23.52	16.02
6	10	5.83	67	24.38	17.55
7	15	2.38	48	24.25	10.03

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.50	84	13.49	8.38
2	10	3.37	51	17.18	6.38
3	18	4.00	65	17.18	10.24
4	13	3.25	76	7.04	3.21
5	26	3.06	73	28.43	18.05
6	10	4.28	71	25.05	17.18
7	16	1.84	41	25.80	10.62

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.00	00	0.10	0.00
2	10	7.46	00	9.21	7.55
3	18	9.17	74	10.58	8.18
4	13	1.00	71	7.00	2.00
5	26	2.99	71	28.79	18.07
6	10	3.75	00	22.05	18.05
7	16	1.79	46	22.79	10.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.87	82	6.94	4.18
2	10	3.32	75	10.16	8.04
3	18	4.51	68	12.34	8.53
4	13	1.78	46	12.47	0.84
5	26	3.52	71	22.08	16.32
6	10	4.98	65	20.65	15.46
7	16	1.84	43	26.51	12.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	83	12.77	9.41
2	10	2.01	48	18.88	3.22
3	18	1.83	43	12.55	0.30
4	13	1.73	55	13.80	-1.45
5	26	2.86	61	22.21	16.20
6	10	3.52	53	20.55	10.48
7	16	2.08	47	28.89	13.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.15	48	7.07	-4.48
2	10	1.50	42	0.84	-2.77
3	18	2.74	51	12.95	2.83
4	13	2.20	59	17.56	7.85
5	26	2.35	61	21.60	11.10
6	10	2.97	41	21.99	8.27
7	16	1.71	38	28.58	10.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.30	47	8.88	-1.64
2	10	2.48	48	11.71	-0.05
3	18	4.97	64	18.25	10.88
4	13	2.29	42	19.81	8.58
5	26	2.30	51	21.10	10.48
6	10	2.13	50	24.27	13.78
7	16	1.78	48	27.29	11.88

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.81	69	12.81	5.82
2	10	2.29	70	14.77	8.48
3	18	5.11	84	20.45	15.34
4	19	1.84	28	30.88	1.83
5	26	2.06	64	23.68	10.78
6	10	2.28	58	24.82	15.58
7	15	1.72	61	27.67	12.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	6.98	81	16.88	12.21
2	10	5.73	68	18.88	10.88
3	18	5.18	48	21.75	9.05
4	18	1.84	28	29.24	0.82
5	26	2.24	62	26.16	16.01
6	10	2.48	58	25.48	16.48
7	15	1.87	48	28.18	15.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.28	45	21.88	8.89
2	10	3.36	45	22.55	8.06
3	18	2.85	50	24.28	13.05
4	19	2.07	34	34.44	8.62
5	26	2.20	48	26.79	14.88
6	10	2.19	51	27.18	18.38
7	15	2.05	48	27.48	18.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.10	30	10.00	-1.00
2	10	3.48	41	22.27	7.88
3	18	2.35	53	25.70	15.21
4	19	1.87	38	43.92	7.90
5	26	1.88	48	27.51	15.16
6	10	1.85	48	27.82	18.21
7	15	1.79	45	47.77	14.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.81	82	10.52	8.86
2	10	2.83	58	26.15	14.88
3	18	1.78	48	25.84	15.07
4	14	1.57	58	13.76	2.10
5	26	1.86	46	28.17	16.62
6	10	1.82	48	27.85	19.77
7	15	1.78	41	29.84	11.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.58	93	29.88	12.48
2	10	2.62	58	20.88	10.38
3	18	1.87	63	5.18	2.52
4	14	2.84	68	7.77	0.87
5	26	2.08	58	26.88	14.52
6	10	3.48	82	20.38	14.98
7	15	1.87	44	23.48	8.87

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.98	72	8.09	3.38
2	10	2.20	73	9.27	4.86
3	18	2.30	68	7.89	1.32
4	14	1.64	68	9.90	-4.20
5	26	2.42	66	26.08	16.46
6	10	5.57	77	15.21	10.80
7	15	2.83	80	11.21	2.40



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	15.37	88	8.18	7.88
2	10	4.88	88	13.44	12.88
3	18	3.77	74	3.73	-0.80
4	14	1.87	68	8.48	-2.46
5	26	2.08	74	17.68	12.02
6	10	3.85	73	8.32	1.71
7	15	1.88	87	11.68	-0.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	67	18.60	7.48
2	10	1.81	68	7.62	-0.27
3	18	1.74	51	7.24	-2.77
4	14	1.80	48	14.88	0.86
5	26	1.68	46	11.66	0.12
6	10	1.53	40	10.21	-2.88
7	15	1.66	28	10.88	-1.93



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.12	42	10.55	-2.39
2	10	2.22	42	11.60	-0.83
3	18	1.79	40	13.88	0.38
4	14	1.60	42	9.18	-3.60
5	26	1.66	35	17.81	1.60
6	10	1.81	37	18.10	2.38
7	15	1.63	38	21.88	6.73



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.77	53	15.41	5.82
2	10	3.55	48	16.05	4.88
3	18	3.03	58	12.88	3.73
4	14	1.97	58	7.73	-0.07
5	26	1.91	40	21.76	7.24
6	10	1.97	43	20.27	7.18
7	15	1.68	45	22.88	9.73



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.31	67	14.58	8.48
2	10	2.76	64	18.38	9.44
3	18	5.20	65	9.48	7.37
4	14	4.88	78	1.62	-1.82
5	26	1.85	46	22.86	9.48
6	10	1.85	61	19.21	10.49
7	15	1.78	47	23.88	10.64

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.47	78	14.50	10.00
2	10	2.29	68	17.66	10.40
3	18	2.02	70	2.10	-2.31
4	14	0.94	66	-0.52	-10.71
5	26	1.70	68	28.02	12.63
6	10	1.98	94	10.65	9.82
7	15	1.72	46	10.80	-1.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	48	12.22	-0.05
2	10	1.66	45	9.16	-2.82
3	18	2.81	68	-0.52	-8.10
4	14	1.87	61	-6.07	-10.41
5	26	1.81	67	10.61	10.86
6	10	2.19	88	4.71	-0.72
7	15	1.70	41	9.99	-8.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.35	51	0.52	-2.00
2	10	2.61	61	4.77	-2.16
3	18	2.72	54	-1.28	-8.47
4	14	2.08	48	1.18	-10.00
5	26	2.68	63	12.42	5.26
6	10	2.17	58	4.55	-4.88
7	15	1.80	51	7.01	-8.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.45	47	5.80	-5.71
2	10	1.68	47	4.83	-5.48
3	18	2.48	51	2.80	-7.08
4	14	2.10	84	-0.87	-9.60
5	26	2.56	68	12.96	8.92
6	10	1.99	38	3.38	-6.38
7	15	1.94	27	15.20	-8.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.90	41	9.59	-7.08
2	10	3.48	48	5.21	-6.66
3	18	2.26	59	4.37	-9.58
4	14	2.73	81	4.98	-4.81
5	26	2.65	46	15.52	3.33
6	10	2.53	38	12.93	-0.98
7	15	1.80	43	18.81	9.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.28	45	7.69	-3.80
2	10	2.66	48	7.80	-2.77
3	18	2.71	43	10.42	-1.80
4	14	1.88	40	11.28	0.76
5	26	2.23	45	17.38	4.64
6	10	2.50	38	16.27	1.96
7	15	2.20	88	21.40	12.62

CAPITA

REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.68	86	11.52	-2.22
2	10	2.04	68	12.52	1.06
3	18	4.05	78	11.72	8.01
4	14	5.03	84	13.58	6.82
5	26	2.32	58	20.46	10.58
6	10	2.43	52	18.82	8.80
7	18	1.70	66	24.75	14.62

REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.11	86	14.00	7.06
2	10	3.06	68	15.38	8.16
3	18	1.95	66	8.39	2.85
4	14	2.08	68	5.80	-4.12
5	26	1.70	56	32.70	18.12
6	10	2.21	80	18.21	8.46
7	18	1.66	90	18.51	8.88



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.80	88	12.88	9.38
2	10	1.78	91	7.55	0.06
3	18	2.38	83	4.71	-1.88
4	14	2.88	98	8.84	-0.72
5	26	1.83	80	20.18	6.16
6	10	1.82	92	13.46	-1.05
7	18	1.84	98	18.82	1.88

REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.28	86	4.89	-1.88
2	10	1.62	87	7.83	3.21
3	17	3.15	89	8.72	-0.92
4	14	2.23	98	9.92	-2.87
5	26	1.76	98	15.35	1.10
6	10	1.82	97	13.83	-1.48
7	18	1.98	86	20.58	10.40



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	27	14.02	-6.88
2	10	2.01	36	13.88	-1.88
3	18	5.77	88	8.31	8.73
4	14	2.85	87	-4.18	-7.88
5	26	1.98	58	17.25	8.58
6	10	1.98	84	15.36	8.50
7	18	1.98	58	25.18	13.48



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.98	66	16.26	10.13
2	10	3.21	78	13.71	10.16
3	18	3.88	78	-1.38	-3.92
4	14	1.57	87	-3.84	-11.18
5	26	2.26	62	21.72	13.76
6	10	3.28	82	11.38	8.27
7	18	1.79	98	14.63	2.88

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.20	81	0.41	-2.96
2	10	2.00	50	0.69	-0.30
3	18	3.21	63	0.73	-5.87
4	14	1.54	54	4.20	-4.89
5	26	1.67	90	11.06	-2.83
6	10	1.89	40	8.55	-8.27
7	15	1.00	50	15.04	0.51

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.16	40	1.04	-7.40
2	10	2.34	57	2.71	-4.00
3	18	4.58	73	1.60	-2.80
4	14	3.20	62	4.72	-2.61
5	26	2.10	44	13.66	1.11
6	10	2.40	40	11.10	0.33
7	15	2.00	47	20.09	7.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	50	0.97	-0.00
2	10	4.70	77	2.40	-1.10
3	18	6.93	70	-1.69	-5.57
4	14	3.00	53	-11.80	-8.00
5	26	2.00	43	17.69	4.70
6	10	2.25	41	10.21	2.60
7	15	2.21	50	16.60	6.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.20	70	8.65	1.00
2	10	5.10	81	4.94	1.83
3	18	4.20	81	-13.29	-18.19
4	14	2.51	55	-10.11	-15.71
5	26	3.10	61	15.39	7.34
6	10	2.31	64	-5.10	-11.10
7	15	1.70	32	3.55	-10.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.00	74	8.00	4.57
2	10	6.30	84	12.16	9.49
3	18	7.60	74	-7.49	-11.20
4	14	2.20	61	-1.40	-8.21
5	26	3.51	54	-0.30	-7.27
6	10	2.70	45	-7.71	-10.44
7	15	1.55	27	10.55	-8.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.91	77	6.10	2.95
2	10	3.30	60	-1.11	-8.21
3	18	4.75	79	-3.42	-8.90
4	14	1.57	62	-0.04	-6.54
5	26	2.27	45	5.16	-6.27
6	10	3.90	62	1.60	-5.90
7	15	1.66	32	13.09	-2.92

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.86	83	0.24	0.00
2	10	3.30	57	1.88	-5.00
3	18	5.55	76	-2.40	-8.04
4	14	1.54	66	-0.81	-8.82
5	26	1.60	46	0.10	-2.77
6	10	2.68	56	5.95	-4.27
7	18	1.74	26	17.05	-1.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.61	88	6.18	4.18
2	10	10.82	66	0.40	-1.77
3	18	4.56	74	-1.75	-5.70
4	14	2.28	61	-0.86	-7.01
5	26	2.41	47	7.60	-9.22
6	10	2.53	57	2.77	-5.00
7	18	1.00	26	10.28	-0.01

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.48	62	0.40	-3.18
2	10	8.83	61	0.77	-2.21
3	18	9.43	78	-1.70	-5.05
4	14	2.70	63	0.00	-6.96
5	26	2.42	40	7.00	-5.14
6	10	2.90	56	3.00	-4.05
7	18	2.51	30	10.00	2.14



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.13	82	3.19	-3.18
2	10	5.95	71	1.49	-3.44
3	18	2.51	63	0.27	-5.65
4	14	1.79	66	-2.65	-7.73
5	26	2.37	43	12.30	-0.14
6	10	4.13	53	11.82	2.30
7	18	2.06	44	20.77	7.61

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	57	3.74	-4.18
2	10	1.00	59	1.22	-5.77
3	18	4.00	66	-0.59	-5.90
4	14	9.71	65	-0.31	-8.08
5	26	2.43	45	15.95	3.41
6	10	3.93	67	13.10	8.83
7	18	2.08	47	22.00	9.82



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.20	47	3.60	-8.08
2	10	5.08	72	2.61	-2.10
3	18	7.01	68	9.25	7.24
4	14	9.00	76	-3.44	-8.23
5	26	2.07	56	19.22	10.25
6	10	1.66	65	19.77	12.99
7	18	2.06	52	19.04	9.21

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.88	96	10.06	9.19
2	10	9.13	72	11.66	5.43
3	18	9.48	88	0.71	-2.22
4	14	1.87	81	-6.10	-10.04
5	26	2.64	72	20.50	15.14
6	10	9.01	87	9.82	7.66
7	18	1.81	90	13.94	8.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.27	84	12.49	9.71
2	10	7.16	87	8.27	6.23
3	18	2.47	87	-1.69	-6.75
4	14	9.13	88	-4.94	-8.04
5	26	2.68	68	10.76	2.80
6	10	2.53	49	5.98	-4.10
7	18	8.84	81	10.89	-1.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.38	60	8.81	-0.48
2	10	1.84	62	2.77	-8.31
3	18	9.52	72	0.70	-9.82
4	14	7.45	78	-11.84	-11.47
5	26	1.88	45	12.06	0.28
6	10	2.75	52	8.77	-0.98
7	18	7.72	87	4.88	-1.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.20	91	9.81	-0.10
2	10	2.19	56	2.55	-5.48
3	18	9.15	78	0.84	-3.38
4	14	7.92	70	-12.05	-9.32
5	26	2.63	61	13.71	6.11
6	10	4.48	77	8.33	4.11
7	18	1.70	48	-1.81	-10.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.28	88	3.74	-1.28
2	10	3.48	78	5.99	2.48
3	18	10.10	85	-4.10	-9.81
4	14	4.11	78	-8.88	-10.27
5	26	4.27	75	12.38	7.88
6	10	3.68	65	-1.27	-7.52
7	18	1.82	40	2.88	-10.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.48	93	7.77	6.88
2	10	8.26	76	4.05	-0.27
3	18	2.96	71	-3.60	-8.11
4	14	2.52	66	-5.05	-8.80
5	26	2.32	50	9.58	-0.70
6	10	1.67	57	2.71	-5.27
7	18	2.23	43	12.88	-0.19

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.78	76	7.81	0.66
2	10	3.46	84	2.88	-4.71
3	18	4.25	87	-2.80	-7.26
4	14	1.75	86	-0.28	-3.66
5	26	3.43	81	10.60	2.66
6	10	3.36	88	4.49	-0.86
7	18	1.77	48	14.82	1.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.66	68	8.27	-1.82
2	10	6.66	64	1.88	-4.16
3	18	5.65	72	-2.66	-7.12
4	14	1.67	66	-3.33	-6.66
5	26	3.76	64	6.13	0.66
6	10	4.27	66	0.22	-4.66
7	18	1.66	66	18.66	-2.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.87	96	9.66	4.16
2	10	8.66	87	3.66	-0.66
3	18	8.36	76	-3.66	-7.27
4	14	2.66	76	1.66	-0.21
5	26	2.66	66	6.66	-2.66
6	10	6.06	66	-0.22	-6.16
7	18	1.66	66	17.26	-0.67



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.83	79	2.77	-0.83
2	10	4.75	66	0.55	-5.21
3	18	4.85	71	-2.86	-7.21
4	14	2.22	79	-1.67	-5.39
5	26	2.58	55	8.26	-0.40
6	10	3.95	67	2.72	-3.18
7	18	1.61	40	16.18	1.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.30	49	2.22	-7.48
2	10	3.81	58	0.83	-6.46
3	18	7.31	77	-3.17	-8.57
4	14	2.18	85	-1.70	-4.84
5	26	2.41	48	8.75	-1.82
6	10	5.21	65	3.66	-2.49
7	18	2.81	58	14.08	4.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.25	84	1.80	-0.82
2	10	3.47	61	0.83	-6.10
3	18	5.97	73	-3.45	-7.05
4	14	4.25	85	-0.47	-3.66
5	26	4.70	62	9.67	2.28
6	10	4.62	77	6.80	2.08
7	18	2.27	66	16.81	8.46

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.40	68	0.88	-8.00
2	10	9.85	80	1.68	-1.48
3	18	5.54	74	-4.59	-8.80
4	14	1.80	81	-7.17	-12.96
5	26	5.28	72	11.72	6.28
6	10	7.48	75	5.85	1.18
7	15	4.80	81	14.00	8.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.47	68	1.38	-8.80
2	10	4.83	76	0.48	-2.27
3	18	5.19	70	-8.67	-11.41
4	14	2.25	80	-5.18	-8.88
5	26	2.10	48	10.61	0.31
6	10	2.22	50	5.45	-4.22
7	15	8.70	60	11.62	3.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.70	66	1.84	-4.08
2	10	4.03	62	-0.77	-8.93
3	18	4.82	62	-7.68	-11.10
4	14	1.84	63	-8.88	-11.88
5	26	2.86	58	9.52	-0.06
6	10	2.70	51	3.10	-5.94
7	15	1.78	42	12.88	0.08



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.88	73	-1.80	-5.97
2	10	4.30	63	-2.99	-9.21
3	18	4.89	84	-7.34	-11.88
4	14	3.38	62	-8.59	-10.38
5	26	1.93	45	4.67	-6.57
6	10	2.83	48	-0.88	-11.05
7	15	1.83	42	10.58	-2.22



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.41	45	-3.80	-14.18
2	10	2.18	58	-3.10	-10.27
3	18	7.77	67	-8.04	-11.26
4	14	2.13	60	-6.54	-10.76
5	26	2.32	42	5.28	-6.83
6	10	4.42	45	1.55	-9.10
7	15	2.42	48	13.28	1.55



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	47	-3.74	-13.48
2	10	5.49	58	-2.88	-10.27
3	18	8.70	68	-4.77	-9.74
4	14	2.47	60	-5.51	-9.78
5	26	3.26	45	7.34	-4.31
6	10	3.88	53	3.55	-4.18
7	15	2.42	60	12.29	4.14

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.00	86	-0.00	-0.00
2	10	6.00	61	-1.00	-0.10
3	18	7.63	72	-2.05	-7.24
4	14	8.00	68	1.34	-8.87
5	26	9.46	47	7.60	-9.06
6	10	9.52	53	4.95	-4.32
7	15	9.66	61	11.00	4.07



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.20	62	1.00	-4.00
2	10	8.70	75	0.40	-8.77
3	18	9.01	79	-0.15	-9.80
4	14	9.30	60	4.00	-8.82
5	26	4.40	62	10.00	0.60
6	10	3.50	51	9.77	0.10
7	15	2.44	60	18.00	5.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.41	86	2.40	-0.87
2	10	8.00	60	2.27	-4.00
3	18	4.91	78	2.71	-0.76
4	14	2.12	64	8.05	-1.10
5	26	2.67	46	14.80	2.76
6	10	3.26	55	14.21	5.43
7	15	2.88	66	14.82	8.62



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.42	79	4.00	1.60
2	10	6.90	80	3.71	0.66
3	18	2.50	86	-3.29	-8.87
4	14	1.57	57	-3.41	-8.10
5	26	1.87	45	17.20	6.20
6	10	1.77	49	19.10	2.44
7	15	1.94	44	18.77	4.03



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.15	42	-8.00	-14.72
2	10	4.44	54	-6.05	-13.76
3	18	6.70	67	-8.57	-12.50
4	14	6.00	60	-2.00	-4.60
5	26	1.63	30	12.01	-6.00
6	10	1.53	38	9.71	-4.05
7	15	1.82	36	10.62	2.25



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.30	74	-10.83	-12.69
2	10	12.65	78	-9.55	-11.72
3	18	2.47	65	-9.13	-13.40
4	14	1.05	82	-9.87	-15.62
5	26	2.12	51	15.82	5.55
6	10	3.27	71	9.66	4.61
7	15	1.00	81	12.77	2.48

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	46	-10.27	-17.21
2	10	2.21	55	-8.84	-16.27
3	18	2.48	54	-9.78	-15.78
4	14	2.13	68	-7.60	-18.02
5	26	2.06	63	6.62	-1.13
6	10	2.40	55	1.05	-7.10
7	15	2.46	48	2.44	-7.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.93	44	-1.11	-11.66
2	10	6.10	47	-3.27	-12.00
3	18	4.78	53	-5.40	-11.75
4	14	2.70	62	-1.00	-9.00
5	26	6.30	73	4.81	0.06
6	10	8.55	65	3.62	-2.71
7	15	2.70	48	8.14	-4.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.01	68	0.41	-1.11
2	10	11.11	64	0.89	-1.66
3	17	8.48	58	-0.71	-7.80
4	14	1.63	64	-6.05	-10.10
5	26	6.70	66	6.90	0.92
6	10	5.71	78	5.43	1.80
7	15	3.50	50	0.00	-1.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.22	68	4.30	-1.11
2	10	10.38	75	1.61	-2.27
3	18	8.08	72	-2.18	-8.72
4	14	2.00	62	-0.00	-7.45
5	26	9.63	86	9.99	7.64
6	10	6.51	73	5.77	1.27
7	15	2.29	48	8.84	-0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.07	60	0.83	-0.55
2	10	4.81	65	2.05	-3.77
3	18	5.41	68	-0.74	-5.82
4	14	2.85	62	3.05	-9.02
5	26	3.50	63	10.00	0.76
6	10	3.91	52	5.94	-3.44
7	15	2.18	40	13.80	-0.00

CAPITA


REGION 1, QTR 1 1950
100 15
RH
BEXT
0 0
JAN
FEB
MAR
30
TEMP
-20


REGION 1, QTR 2 1950
100 15
RH
BEXT
0 0
APR
MAY
JUN
40
TEMP
-10


REGION 1, QTR 3 1950
100 15
RH
BEXT
0 0
JUL
AUG
SEP
50
TEMP
0


REGION 1, QTR 4 1950
100 15
RH
BEXT
0 0
OCT
NOV
DEC
30
TEMP
-20

COPITO


REGION 2, QTR 1 1950
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 2, QTR 2 1950
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 2, QTR 3 1950
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 2, QTR 4 1950
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 3, QTR 1 1950
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 3, QTR 2 1950
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 3, QTR 3 1950
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 3, QTR 4 1950
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


REGION 4, QTR 1 1950
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 4, QTR 2 1950
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 4, QTR 3 1950
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 4, QTR 4 1950
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


REGION 5, QTR 1 1950
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 5, QTR 2 1950
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 5, QTR 3 1950
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 5, QTR 4 1950
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 6, QTR 1 1950
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 6, QTR 2 1950
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 6, QTR 3 1950
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 6, QTR 4 1950
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 7, QTR 1 1950
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 7, QTR 2 1950
100 15
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 7, QTR 3 1950
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 7, QTR 4 1950
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


EUS MEAN, QTR 1 1950
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


EUS MEAN, QTR 2 1950
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


EUS MEAN, QTR 3 1950
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


EUS MEAN, QTR 4 1950
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.67	69	0.19	-0.40
2	10	2.06	66	1.10	-6.77
3	18	4.02	65	3.60	-2.37
4	14	2.28	65	-4.12	-0.88
5	26	3.17	68	10.20	1.29
6	10	2.62	48	10.48	-0.38
7	15	2.86	70	16.06	10.56



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.98	55	4.44	-4.67
2	10	6.42	62	4.86	-2.40
3	18	8.35	62	4.74	1.84
4	14	6.55	70	-5.68	-0.16
5	26	8.56	56	14.46	5.72
6	10	4.72	79	12.52	8.55
7	15	5.01	77	14.70	10.21



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.84	70	8.08	8.74
2	10	7.82	81	8.27	6.27
3	18	8.15	84	5.42	4.53
4	14	6.70	75	-6.06	-10.10
5	26	2.41	68	10.79	11.67
6	10	4.66	74	17.38	12.52
7	15	1.88	47	10.46	-1.84



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.90	77	12.21	8.32
2	10	2.84	70	7.27	2.05
3	18	2.32	75	-0.15	-5.37
4	13	5.23	70	-5.12	-7.37
5	26	1.85	47	17.60	5.81
6	10	1.36	53	11.98	2.08
7	15	1.72	37	14.69	-0.22



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	40	1.20	-10.82
2	10	3.56	58	2.71	-4.83
3	18	5.78	74	1.78	2.48
4	14	4.21	73	-6.68	-9.73
5	26	1.92	43	15.95	3.16
6	10	1.58	45	13.08	1.88
7	15	1.78	40	16.10	3.73



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.53	71	2.22	2.36
2	10	4.15	71	4.60	0.38
3	18	5.78	79	-1.31	-4.98
4	14	2.21	61	-8.82	-14.53
5	26	2.37	58	17.69	9.09
6	10	3.31	56	13.60	4.69
7	15	2.54	69	9.47	3.07

CAPITA

Reproduced from best available copy.

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	12.46	83	-4.02	-8.96
2	10	12.42	88	-9.10	-4.77
3	18	9.84	88	-7.40	-10.51
4	14	2.18	88	-8.48	-11.36
5	26	5.63	90	10.17	9.66
6	10	5.29	77	-0.16	-5.77
7	16	1.88	48	8.81	-6.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.32	84	-8.88	-11.80
2	10	2.43	80	-6.71	-12.48
3	18	4.08	84	-8.11	-15.52
4	14	1.78	57	-9.92	-10.85
5	26	1.72	48	8.60	-7.60
6	10	2.05	45	0.33	-8.58
7	16	1.86	88	8.49	-8.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.26	84	-9.96	-11.84
2	10	0.61	48	-2.27	-11.56
3	18	3.58	80	0.74	-8.10
4	14	0.80	80	0.87	-8.80
5	26	1.81	26	8.21	-8.62
6	10	2.57	48	8.96	-3.96
7	16	1.68	36	12.58	-2.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.36	98	3.84	-0.98
2	10	5.68	51	2.81	-5.21
3	18	5.23	71	2.86	-2.03
4	14	2.74	88	-1.50	-7.53
5	26	2.26	36	12.62	-2.98
6	10	2.31	85	8.21	-1.27
7	16	1.84	62	13.21	-6.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.48	86	5.75	-2.50
2	10	6.81	78	2.66	-1.98
3	18	4.09	78	1.73	-5.19
4	14	2.91	62	4.17	-9.75
5	26	2.91	56	13.26	3.00
6	10	2.92	59	7.38	0.22
7	16	1.84	89	11.84	-2.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.32	63	2.99	-4.38
2	10	3.54	65	1.96	-4.49
3	18	5.47	67	0.92	-4.53
4	14	3.22	64	0.07	-6.18
5	26	3.51	48	12.53	1.65
6	10	4.08	78	7.46	-2.72
7	16	2.62	66	15.42	0.81

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.86	59	1.60	-7.07
2	10	2.28	57	1.05	-6.56
3	18	7.20	75	0.27	-5.70
4	14	6.66	78	0.43	-5.60
5	26	2.67	56	11.70	2.66
6	10	8.78	69	9.77	7.62
7	15	8.08	80	14.85	10.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.15	41	2.69	-0.78
2	10	6.86	66	1.27	-4.82
3	18	15.55	82	1.55	0.27
4	14	5.86	67	0.84	-4.11
5	26	6.80	74	12.86	7.86
6	10	5.08	65	15.86	11.55
7	15	9.48	81	9.07	1.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.88	88	6.94	5.41
2	10	3.76	65	3.71	-2.38
3	18	5.82	82	-0.52	-5.23
4	14	1.69	84	-0.31	-4.74
5	26	2.31	52	18.29	8.46
6	10	2.95	84	7.55	6.72
7	15	1.81	94	13.68	2.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.61	54	0.13	-8.19
2	10	1.61	57	0.60	-7.05
3	18	3.11	70	-0.73	-5.52
4	14	1.98	60	5.91	-4.08
5	26	1.62	38	9.99	-4.46
6	10	2.11	43	7.96	-2.96
7	15	1.65	28	16.88	-1.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.90	58	1.99	-7.08
2	10	2.78	46	5.43	-5.27
3	18	2.67	65	0.91	0.43
4	14	1.94	47	5.03	-5.86
5	26	1.75	35	14.89	-1.25
6	10	1.72	48	14.77	3.88
7	15	2.30	43	17.73	6.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.37	48	8.88	-1.66
2	10	8.26	69	6.21	0.72
3	18	9.74	89	0.93	4.69
4	14	1.69	47	7.77	-4.92
5	26	2.18	53	17.30	7.38
6	10	5.45	78	15.49	11.66
7	15	1.68	54	20.21	2.52

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.10	88	13.36	8.80
2	10	7.76	71	10.60	6.52
3	18	8.08	77	9.85	6.19
4	14	6.05	88	1.52	-4.48
5	26	2.03	56	20.67	10.82
6	10	1.76	66	18.98	12.66
7	15	1.72	87	20.92	9.26



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.43	70	10.66	6.27
2	10	6.11	68	13.52	7.80
3	18	8.86	84	7.86	5.06
4	14	6.01	74	-0.37	-11.86
5	26	1.83	62	21.86	11.61
6	10	1.59	68	18.45	12.05
7	15	1.71	68	14.61	8.82



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	88	9.76	-4.88
2	10	9.88	87	0.86	-7.88
3	18	2.78	85	-8.87	-11.45
4	14	1.88	87	-8.78	-12.08
5	26	1.76	87	13.82	2.81
6	10	1.81	55	5.35	4.77
7	15	1.88	81	8.94	8.06



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	88	-8.46	-18.06
2	10	3.38	46	-6.96	-15.67
3	18	2.97	87	-3.57	-8.85
4	14	2.78	88	0.47	-6.82
5	26	1.72	86	8.87	-1.41
6	10	1.77	82	8.27	-5.88
7	15	1.79	87	11.97	-3.81



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.41	58	-1.08	9.88
2	10	3.68	65	2.85	-3.83
3	18	8.81	76	1.96	-2.25
4	14	3.85	81	-4.82	0.58
5	26	8.88	78	10.67	5.23
6	10	8.27	68	9.58	5.66
7	15	1.77	46	14.77	2.77



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.28	95	8.18	7.49
2	10	3.08	72	5.60	0.83
3	18	2.68	85	-5.92	-10.82
4	14	2.46	88	-8.88	-11.48
5	26	3.81	72	13.13	7.68
6	10	1.81	93	7.88	2.55
7	15	1.68	86	13.61	8.81

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.26	87	2.89	-0.06
2	10	2.78	86	0.72	-7.21
3	18	6.99	70	-0.55	-10.78
4	14	0.48	80	-4.67	-9.88
5	26	2.22	46	8.61	-2.88
6	10	8.71	52	1.55	-7.77
7	15	1.88	96	10.88	-4.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.22	88	-1.11	-10.86
2	10	3.06	66	-1.22	-8.88
3	18	5.42	88	-5.99	-10.78
4	14	0.70	83	-5.12	-9.78
5	26	1.88	96	5.86	-0.66
6	10	2.88	45	4.45	-0.56
7	15	1.86	86	10.88	0.70

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.78	84	-4.88	-12.81
2	10	5.86	76	-3.82	-7.83
3	18	4.08	88	-2.12	-7.21
4	14	3.88	81	-12.18	-12.88
5	26	1.82	41	19.28	-0.27
6	10	2.52	87	12.80	8.88
7	18	1.88	84	14.84	8.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.45	48	-4.85	-13.51
2	10	10.23	83	-4.66	-6.93
3	18	8.35	78	-7.03	-9.09
4	14	2.40	80	-13.88	-11.11
5	26	2.91	50	17.53	6.27
6	10	5.53	78	15.32	7.99
7	15	2.40	60	4.82	-2.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.35	88	3.33	4.99
2	10	2.66	73	-3.27	-7.32
3	18	3.57	65	-9.73	-12.57
4	14	1.58	52	-18.32	-100.00
5	26	2.00	62	17.43	9.87
6	10	7.14	87	3.83	1.58
7	15	4.58	83	3.40	-3.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	48	-10.88	-12.49
2	10	2.78	55	-7.89	-12.77
3	18	2.80	51	-12.29	-18.31
4	14	2.34	52	-13.38	-18.94
5	26	6.73	75	10.25	5.55
6	10	8.75	68	-2.11	4.38
7	14	3.58	81	-5.67	-7.65

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	14.10	76	-10.77	-18.05
2	10	10.20	78	-8.77	-11.91
3	18	12.72	75	-11.07	-15.01
4	14	5.25	88	-10.00	-10.00
5	26	10.90	81	0.06	6.67
6	10	10.17	83	5.38	3.80
7	15	7.81	74	-6.10	-8.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	14.10	88	-0.88	-1.66
2	10	10.66	83	0.80	-0.28
3	18	11.99	73	-11.50	-15.07
4	14	1.88	82	-10.80	-100.00
5	26	6.85	82	10.80	10.56
6	10	7.04	76	-6.43	-5.50
7	15	1.66	66	-8.21	-12.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.10	41	-8.48	-16.88
2	10	2.86	62	-6.80	-10.27
3	18	5.43	58	-14.78	-16.49
4	14	1.87	82	-8.80	-16.02
5	26	2.88	69	0.88	-7.68
6	10	2.10	58	-8.27	-16.88
7	15	1.68	41	-0.66	-12.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.40	46	-8.11	-16.38
2	10	3.15	48	-7.95	-16.30
3	18	3.65	60	-7.55	-13.88
4	14	1.88	60	0.31	-8.82
5	26	2.05	46	1.89	-7.87
6	10	2.38	56	-2.15	-10.06
7	15	1.55	42	5.47	-6.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.06	55	-1.39	-9.02
2	10	3.32	47	-1.71	-11.88
3	18	4.60	70	-1.97	0.56
4	14	2.08	68	-2.41	-7.51
5	26	2.20	41	6.96	-6.09
6	10	2.70	58	3.03	5.55
7	15	1.60	43	11.99	-0.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.88	40	-2.00	-10.13
2	10	6.61	51	1.88	-7.08
3	18	5.98	76	-0.52	4.22
4	14	4.71	71	-2.41	0.09
5	26	2.82	46	13.12	0.40
6	10	3.28	62	7.32	0.22
7	15	1.95	57	15.62	8.51

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.06	48	0.01	-7.00
2	10	8.72	66	5.06	0.00
3	18	7.08	89	2.55	-0.57
4	14	5.66	78	-7.66	-10.80
5	26	2.80	63	14.20	6.42
6	10	2.51	58	10.68	1.08
7	15	2.26	48	17.10	6.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.06	79	0.38	6.00
2	10	10.26	83	5.06	2.00
3	18	9.50	88	-12.77	-15.27
4	14	1.54	94	-11.66	-15.00
5	26	8.66	82	11.42	9.66
6	10	1.83	56	-0.27	-0.44
7	15	1.62	46	6.77	-0.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	80	-11.47	-100.00
2	10	8.48	87	-13.27	-17.50
3	18	8.48	83	-15.12	-15.55
4	14	9.56	86	-8.89	-11.31
5	26	1.00	80	3.66	-0.67
6	10	1.00	63	-1.55	-12.77
7	15	1.00	42	14.00	1.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.25	43	-9.83	-100.00
2	10	3.58	48	-9.27	-15.08
3	18	3.79	59	-10.15	-15.89
4	14	3.01	59	-8.95	-11.97
5	26	4.37	58	5.81	-2.00
6	10	3.39	70	1.30	-2.30
7	15	1.71	47	15.03	2.79



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.15	48	-9.93	-15.82
2	10	2.56	58	-6.60	-13.51
3	18	5.08	88	-2.76	-8.17
4	14	2.29	58	4.68	-5.20
5	26	3.20	65	6.87	0.51
6	10	3.15	71	5.56	0.72
7	15	2.13	55	17.97	7.49



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.42	74	1.68	-6.30
2	10	3.11	64	1.05	-5.36
3	18	5.49	78	5.38	1.05
4	14	5.38	60	7.25	-1.50
5	26	2.56	59	9.61	1.77
6	10	5.05	78	8.77	2.99
7	15	1.77	48	21.21	8.07

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.88	78	0.52	1.00
2	10	6.15	74	5.82	1.10
3	18	10.10	63	4.71	0.70
4	14	4.00	70	-0.00	-10.04
5	26	2.42	46	10.80	0.27
6	10	3.00	66	15.00	0.00
7	15	1.71	44	20.81	0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.03	88	10.00	0.00
2	10	0.00	77	7.00	0.00
3	18	0.30	66	-0.87	-0.21
4	14	2.87	67	-10.00	-10.10
5	26	2.26	44	21.20	0.00
6	10	1.02	66	10.10	11.00
7	15	0.10	74	0.00	0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.00	88	-1.00	-1.00
2	10	0.42	76	-0.10	-0.00
3	18	2.46	72	-4.00	-0.70
4	14	2.00	62	-7.00	-10.01
5	26	2.76	47	21.14	0.00
6	10	3.27	67	10.94	0.10
7	15	4.04	70	0.10	-0.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.20	52	-4.71	-10.19
2	10	2.13	52	-1.72	-10.30
3	18	8.07	73	-0.89	-5.15
4	14	4.48	70	-3.37	-0.68
5	26	3.70	62	13.47	5.89
6	10	4.60	64	15.27	0.21
7	15	3.25	73	3.86	-0.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	48	1.24	-9.02
2	10	2.68	51	3.38	-5.94
3	18	10.55	88	3.39	1.00
4	14	9.50	74	0.39	-4.55
5	26	5.14	72	11.42	6.25
6	10	5.31	88	10.80	8.27
7	15	1.61	57	8.88	0.95



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.12	69	3.48	-1.52
2	10	7.89	62	2.77	1.66
3	18	5.73	83	2.49	-0.09
4	14	4.86	71	3.37	-1.88
5	26	5.29	74	14.50	9.65
6	10	2.22	57	15.21	8.68
7	15	3.14	62	14.50	6.73

CAPITA









REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.32	81	3.74	0.89
2	10	7.36	93	2.71	1.71
3	18	5.07	84	2.24	-0.08
4	14	6.49	71	2.10	-3.29
5	26	3.48	67	16.32	9.58
6	10	3.09	85	10.05	5.58
7	15	2.58	58	13.55	4.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	78	4.30	0.83
2	10	1.79	80	5.94	-1.27
3	18	5.70	76	1.91	-2.31
4	14	8.70	80	1.90	-1.70
5	26	1.80	41	15.48	2.17
6	10	2.50	48	11.82	0.83
7	15	1.73	51	17.43	5.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	53	0.27	-8.47
2	10	1.60	46	2.33	-8.16
3	18	5.99	70	3.73	-1.92
4	14	8.08	79	3.37	-0.03
5	26	2.00	48	15.80	1.71
6	10	2.55	48	14.04	0.33
7	15	4.31	62	16.46	8.62

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.78	81	-2.40	-9.02
2	10	1.69	88	2.21	-10.55
3	18	4.50	57	7.85	-0.40
4	14	5.88	72	7.41	2.68
5	26	2.08	84	15.80	-0.10
6	10	2.71	57	15.95	1.58
7	15	9.16	62	18.29	10.90



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	84	8.18	-7.77
2	10	3.02	48	10.77	-0.98
3	18	4.83	54	10.30	1.13
4	14	8.00	80	8.70	2.86
5	26	2.53	32	10.58	1.82
6	10	3.16	56	19.88	3.88
7	15	2.08	88	18.79	12.86



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	48	8.71	-2.08
2	10	4.78	61	11.18	0.83
3	18	4.30	78	11.87	8.94
4	14	2.77	60	8.88	0.91
5	26	2.72	38	22.83	7.48
6	10	3.58	67	18.88	13.05
7	15	2.22	66	17.78	10.78



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.00	69	8.18	2.09
2	10	6.21	57	8.66	-0.77
3	18	1.78	58	8.10	-1.97
4	14	2.29	62	4.28	-2.09
5	26	1.95	42	21.87	7.60
6	10	2.08	58	18.38	9.10
7	15	1.68	64	20.62	13.26



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.56	83	0.41	-5.55
2	10	3.04	62	2.99	-3.82
3	18	3.58	73	0.95	-5.30
4	14	9.05	82	-0.38	-9.25
5	26	2.41	42	19.14	6.08
6	10	2.47	84	18.99	9.77
7	15	2.03	47	19.95	6.70



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.21	86	-4.89	-6.03
2	10	7.02	64	2.48	0.00
3	18	1.65	56	5.48	-2.59
4	14	1.08	60	-2.14	-8.29
5	26	4.15	63	19.95	11.91
6	10	2.84	53	20.32	10.27
7	15	1.66	48	10.88	7.68

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.87	88	2.77	-6.71
2	10	1.93	54	7.68	-4.06
3	18	3.54	65	2.68	-5.94
4	14	6.38	86	-8.08	-4.60
5	26	2.27	42	22.26	8.33
6	10	2.29	58	19.49	10.27
7	15	2.60	52	22.61	11.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.45	81	-0.80	-7.36
2	10	6.64	81	-0.86	-3.06
3	18	3.81	78	10.19	8.10
4	14	4.10	70	-4.47	-8.00
5	26	2.46	58	20.12	11.36
6	10	2.59	66	21.71	14.44
7	15	2.21	44	18.56	2.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	12.12	84	1.84	1.80
2	10	5.90	66	9.27	1.10
3	17	1.83	52	5.60	-5.30
4	14	1.78	67	-1.70	-8.18
5	26	3.66	73	17.32	11.08
6	10	2.50	74	15.44	8.88
7	15	1.87	41	16.21	1.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	58	5.00	-1.00
2	10	2.54	51	7.05	-2.38
3	18	2.48	58	9.93	-0.12
4	14	2.40	60	6.50	-1.03
5	26	2.20	65	17.49	10.40
6	10	1.87	61	17.77	10.21
7	15	2.00	41	21.10	4.34



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.31	50	7.00	-2.83
2	10	2.64	45	10.00	-0.49
3	18	2.61	60	17.18	3.22
4	14	1.77	58	-1.57	-8.73
5	26	2.50	58	18.26	9.67
6	10	2.00	75	19.71	15.18
7	15	2.35	56	23.03	11.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.68	59	11.30	3.19
2	10	7.22	78	8.38	4.55
3	18	1.95	41	8.20	-4.55
4	14	3.28	62	-3.80	-8.02
5	26	2.16	65	21.61	14.76
6	10	3.38	72	20.66	15.30
7	15	1.79	43	22.03	9.51

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	48	4.88	-7.77
2	10	2.88	47	5.22	-6.18
3	18	1.99	50	4.37	-5.00
4	14	0.72	60	-2.00	-10.11
5	26	1.07	60	11.00	0.17
6	10	2.88	60	11.11	0.00
7	15	1.70	60	14.00	0.00



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	50	-1.88	-8.74
2	10	2.53	57	0.77	-7.81
3	18	2.11	50	-1.88	-8.81
4	14	0.18	50	-7.67	-15.00
5	26	1.07	50	10.00	0.00
6	10	1.88	50	10.00	0.00
7	15	2.88	50	10.00	0.00



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	48	-1.88	-10.00
2	10	1.48	48	1.47	-8.44
3	18	2.70	60	1.87	-3.81
4	14	0.70	60	-2.00	-4.00
5	26	1.81	60	10.00	-0.00
6	10	2.87	60	10.00	1.00
7	15	3.67	60	10.00	10.01

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.18	70	2.77	-0.88
2	10	1.48	53	1.66	-7.05
3	18	2.72	50	1.97	-6.32
4	14	0.36	80	-6.38	-8.28
5	26	2.17	45	13.00	0.17
6	10	3.51	67	12.55	8.33
7	15	2.11	65	12.61	9.50



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	66	8.55	0.44
2	10	1.62	53	8.33	-0.77
3	18	0.15	70	3.08	-2.21
4	14	4.00	72	-8.22	-8.74
5	26	2.91	61	13.60	5.76
6	10	8.94	90	8.52	4.82
7	15	2.15	51	4.73	-4.44



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	66	9.77	0.11
2	10	2.44	65	6.27	0.00
3	18	0.57	67	2.21	0.21
4	14	4.04	72	-6.67	-0.31
5	26	4.24	77	8.06	4.91
6	10	8.71	73	1.21	-2.10
7	15	1.61	94	7.44	-8.19

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.96	66	4.77	2.06
2	10	8.61	64	5.43	2.04
3	18	6.23	67	1.14	-0.06
4	14	1.80	74	-1.70	-6.76
5	26	2.26	68	8.62	-0.60
6	10	3.12	68	2.71	-5.36
7	18	1.86	87	11.88	-0.80



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.82	78	9.10	1.44
2	10	6.70	72	3.77	-0.04
3	18	4.57	80	1.04	-2.03
4	14	1.83	88	-1.80	-4.80
5	26	2.90	80	11.04	1.18
6	10	3.56	88	5.21	-0.44
7	18	1.81	80	10.14	1.81



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.86	84	8.98	-0.11
2	10	6.06	76	4.71	-0.78
3	18	2.06	88	1.28	-5.82
4	14	1.83	88	1.70	-6.67
5	26	1.83	42	18.62	0.48
6	10	2.44	51	9.10	-0.88
7	18	1.78	48	20.32	7.18



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.92	72	5.96	0.44
2	10	3.01	64	4.27	-2.10
3	18	4.18	67	3.38	-2.43
4	14	6.77	78	-1.10	-5.15
5	26	1.03	39	16.08	2.66
6	10	2.92	65	14.38	7.21
7	15	3.05	58	19.95	10.51



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.97	66	3.99	-1.77
2	10	1.82	53	7.05	-1.99
3	18	6.26	82	2.95	0.18
4	14	6.18	72	-5.56	-9.91
5	26	3.47	61	17.06	9.14
6	10	2.88	82	15.33	12.18
7	18	2.15	60	9.32	-0.86



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	63	5.32	-0.09
2	10	2.22	63	6.60	0.11
3	18	8.95	78	-2.92	-6.75
4	14	5.28	58	-6.70	-14.08
5	26	7.50	83	14.81	11.89
6	10	7.48	88	4.49	2.33
7	15	1.58	58	10.10	-5.22

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.79	78	8.77	2.44
2	10	2.35	48	4.16	-6.44
3	18	2.58	56	-2.08	-8.77
4	14	2.81	64	-7.87	-18.93
5	26	1.87	48	19.17	1.16
6	10	1.78	40	8.80	-4.27
7	15	1.60	29	16.68	-4.03



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	47	5.60	-4.00
2	10	2.68	56	5.96	-2.38
3	18	2.77	58	-3.87	-11.04
4	14	1.62	54	-2.37	-9.00
5	26	1.93	51	14.40	9.33
6	10	1.71	48	9.27	-2.33
7	15	1.50	33	16.61	-0.25



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.60	78	-0.60	-4.00
2	10	9.16	64	-0.38	-8.86
3	18	2.33	50	4.55	-5.05
4	14	1.79	62	8.61	-0.87
5	26	1.62	31	12.86	-4.16
6	10	1.57	55	12.68	-2.16
7	15	1.50	32	23.02	4.51



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	61	9.60	-3.77
2	10	2.07	52	10.16	0.66
3	18	4.20	65	10.88	4.19
4	14	8.40	73	0.03	-4.03
5	26	1.56	38	21.30	4.71
6	10	1.56	48	20.77	8.99
7	15	2.06	37	21.30	4.59



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.47	87	6.50	4.43
2	10	2.40	58	8.40	0.44
3	18	2.82	59	-0.30	-7.81
4	14	1.87	53	2.89	-6.50
5	26	1.79	44	10.10	5.51
6	10	1.56	40	10.60	-2.99
7	15	2.26	29	16.10	-2.70



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	44	3.60	-7.44
2	10	2.66	46	3.05	-8.10
3	18	2.03	58	1.32	-8.99
4	14	1.69	56	0.34	-2.46
5	26	1.62	24	16.65	-0.61
6	10	1.85	37	19.10	-1.03
7	15	2.02	54	18.77	1.37

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	44	-0.66	-11.00
2	10	1.58	38	0.60	-11.00
3	18	2.17	48	5.33	-4.50
4	14	2.12	52	13.20	0.36
5	26	1.67	38	14.71	-1.87
6	10	1.70	35	13.38	-1.88
7	15	4.48	87	15.84	8.56



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.29	37	4.10	-8.43
2	10	2.36	34	8.44	-6.40
3	18	3.73	52	12.08	1.81
4	14	4.00	78	8.24	4.40
5	26	1.75	37	17.82	2.80
6	10	2.48	50	15.38	4.22
7	15	4.66	78	17.64	12.78



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.87	41	13.88	0.77
2	10	3.06	48	14.66	3.38
3	18	7.03	81	10.85	9.40
4	14	8.78	76	4.89	0.96
5	26	2.40	61	19.01	11.00
6	10	3.81	61	16.88	13.52
7	15	2.52	54	18.47	7.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.35	58	11.21	2.68
2	10	5.42	88	12.10	10.44
3	18	3.82	88	13.42	11.18
4	14	1.70	85	3.72	-2.53
5	26	2.23	71	21.66	16.02
6	10	1.32	65	20.32	13.49
7	15	1.88	37	12.47	-2.77



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.06	78	8.55	4.55
2	10	6.98	90	13.05	11.55
3	18	2.79	77	4.93	1.04
4	14	2.74	88	0.78	-5.39
5	26	2.11	58	18.58	9.14
6	10	1.37	48	11.18	-0.44
7	15	1.58	26	18.29	-1.62



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.82	61	8.89	5.77
2	10	2.70	56	9.77	0.88
3	18	2.51	65	4.13	-1.94
4	14	2.89	62	3.05	-3.80
5	26	1.63	32	18.62	1.45
6	10	1.43	38	17.77	2.44
7	15	1.65	43	20.38	6.59

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.69	58	11.81	1.56
2	10	2.81	58	12.10	4.86
3	18	3.91	52	3.57	1.11
4	14	1.54	62	2.86	-4.61
5	26	1.60	41	22.45	8.07
6	10	1.96	57	17.55	8.35
7	16	1.79	58	18.51	8.48



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.21	61	6.10	4.88
2	10	2.38	58	7.16	-0.44
3	18	2.45	70	4.34	-0.81
4	14	1.65	60	4.16	-3.18
5	26	2.80	66	16.48	12.38
6	10	2.78	71	11.88	8.27
7	16	1.68	34	15.10	-1.25



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.38	68	7.88	6.38
2	10	3.78	64	5.84	-0.60
3	18	2.41	69	4.31	-0.88
4	14	1.67	44	8.88	-3.40
5	26	1.87	60	13.78	8.60
6	10	2.17	55	8.60	0.11
7	16	1.58	38	17.57	0.47



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	52	8.32	-1.11
2	10	2.28	57	7.55	-0.44
3	18	2.18	58	8.33	0.46
4	14	1.80	44	11.22	-0.87
5	26	1.96	41	15.40	2.08
6	10	1.56	41	14.88	1.60
7	16	1.58	32	22.38	4.08



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.26	58	8.09	1.22
2	10	1.81	58	7.38	-0.33
3	18	1.63	39	13.11	-2.21
4	14	2.60	61	9.91	2.26
5	26	1.88	33	18.67	1.50
6	10	1.81	36	18.96	2.38
7	16	2.61	68	20.10	10.85



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	53	11.44	1.33
2	10	2.36	38	14.32	0.27
3	18	4.13	52	14.28	3.38
4	14	4.24	73	9.04	4.08
5	26	2.17	41	18.86	4.40
6	10	1.82	56	16.77	7.21
7	16	2.01	66	18.51	11.36

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	80	12.80	6.44
2	10	1.56	81	18.33	0.66
3	18	4.38	86	15.62	8.32
4	14	2.60	80	4.70	-0.91
5	26	2.03	58	10.62	9.86
6	10	3.90	78	15.55	10.88
7	15	1.50	48	18.32	6.40



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.50	87	12.80	8.66
2	10	2.09	48	16.56	6.46
3	18	3.44	68	8.44	2.86
4	14	2.55	79	4.20	-0.90
5	26	2.52	66	18.15	10.07
6	10	1.60	43	15.71	2.83
7	15	1.50	32	18.07	1.83



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.27	80	10.00	7.10
2	10	3.22	54	15.60	6.27
3	18	2.88	64	9.03	2.40
4	14	2.60	60	7.29	1.14
5	26	1.94	42	10.68	5.66
6	10	1.59	43	13.38	2.33
7	15	1.04	30	18.60	3.86



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.60	72	12.77	7.60
2	10	5.00	74	11.60	6.80
3	18	3.29	67	8.78	2.71
4	14	1.90	72	5.55	0.75
5	26	2.09	58	17.36	6.89
6	10	1.87	40	14.82	3.60
7	15	2.10	42	20.40	6.29



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.51	63	6.60	5.60
2	10	3.22	66	9.94	3.49
3	18	4.77	68	10.24	3.70
4	14	3.49	77	2.33	-1.34
5	26	1.83	43	22.58	8.88
6	10	2.15	63	18.55	8.77
7	15	1.82	39	17.41	-1.29



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	61	12.33	4.09
2	10	2.85	67	12.32	8.21
3	18	2.37	72	5.52	0.64
4	14	2.30	77	2.29	-1.54
5	26	2.23	67	17.58	7.98
6	10	1.42	49	9.99	-0.49
7	15	1.01	28	19.32	5.60

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	9.62	62	11.77	3.04
2	10	1.81	62	11.38	1.71
3	18	4.22	66	3.94	2.12
4	14	1.54	61	7.86	-0.29
5	26	1.62	38	16.70	2.45
6	10	2.11	64	10.60	3.54
7	15	1.58	28	18.66	-3.61

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.01	58	11.56	3.55
2	10	1.87	64	8.66	1.04
3	18	1.68	64	9.22	2.74
4	14	2.25	51	8.28	-1.68
5	26	1.68	34	19.07	3.26
6	10	1.33	31	19.10	1.27
7	15	1.58	27	26.18	9.70



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.77	61	11.88	4.88
2	10	2.01	53	12.10	2.33
3	18	1.78	58	5.55	-2.00
4	14	1.67	54	1.70	-6.93
5	26	1.63	32	24.78	6.62
6	10	1.75	44	18.43	5.80
7	15	1.85	40	19.85	5.22



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.44	49	11.60	0.68
2	10	2.06	53	8.44	-0.03
3	18	3.23	65	2.24	-3.60
4	14	1.54	41	4.24	-8.32
5	26	2.44	65	17.65	10.90
6	10	1.57	58	11.21	0.39
7	15	1.81	32	15.08	-1.91



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	48	8.33	-2.22
2	10	1.81	54	6.38	-2.71
3	18	2.03	48	5.48	-4.93
4	14	1.68	53	12.45	-4.08
5	26	1.62	38	16.40	2.20
6	10	1.33	35	12.49	-2.66
7	15	1.74	30	18.88	1.11



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.38	48	8.77	2.18
2	10	1.70	41	9.38	3.49
3	18	2.39	42	13.82	0.61
4	14	1.82	44	10.35	-1.54
5	26	1.81	38	19.80	4.31
6	10	1.47	32	19.71	1.99
7	15	1.68	48	24.38	10.59

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.08	61	12.81	4.84
2	10	2.72	62	12.21	4.48
3	18	2.01	49	8.42	-2.08
4	14	1.87	42	8.29	-4.29
5	26	2.71	68	20.59	14.06
6	10	2.81	72	17.77	12.55
7	15	1.84	48	26.10	12.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	58	10.66	-3.55
2	10	1.67	32	11.55	-4.82
3	18	1.66	38	10.75	-2.65
4	14	0.88	68	7.61	0.00
5	26	1.86	48	20.76	7.54
6	10	1.77	48	20.77	7.66
7	15	0.12	62	22.60	14.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	94	11.77	-3.55
2	10	1.50	28	13.44	-4.16
3	18	5.22	52	14.28	5.85
4	14	0.48	60	4.88	0.20
5	26	1.02	44	22.68	8.67
6	10	1.95	55	23.38	13.32
7	15	1.88	58	22.14	15.03

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.78	47	12.88	1.06
2	10	2.48	65	13.60	7.10
3	18	3.17	72	9.10	4.07
4	14	1.54	48	8.56	-5.38
5	26	3.63	67	21.72	15.01
6	10	2.57	79	19.96	16.69
7	15	1.78	51	28.43	8.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.58	46	12.68	0.48
2	10	1.48	87	11.55	-2.56
3	18	1.58	38	11.83	-2.03
4	14	1.03	56	12.89	-1.78
5	26	2.05	52	21.12	10.20
6	10	1.67	39	17.16	2.93
7	15	1.62	45	20.73	8.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	91	10.94	0.09
2	10	2.26	88	13.93	-0.33
3	18	2.65	58	14.15	2.83
4	14	1.68	61	10.80	2.49
5	26	1.82	46	29.17	9.93
6	10	1.43	39	25.77	10.43
7	15	2.08	43	26.81	12.93

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.16	76	10.39	9.00
2	10	4.19	79	14.43	9.55
3	18	3.08	85	18.94	11.72
4	14	1.81	60	13.40	9.40
5	20	1.70	62	26.04	15.20
6	10	1.66	51	26.05	15.10
7	15	1.66	53	24.50	13.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.51	57	14.44	5.00
2	10	1.80	53	16.16	8.66
3	18	2.52	66	12.18	5.00
4	14	2.06	58	18.62	4.67
5	20	1.73	60	27.45	15.76
6	10	2.45	63	29.82	18.06
7	15	1.66	58	24.05	15.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	84	16.00	-0.00
2	10	2.01	80	16.71	2.71
3	18	3.06	53	18.04	9.71
4	14	2.44	63	18.52	11.28
5	20	1.94	61	26.08	13.07
6	10	1.78	54	28.27	18.00
7	15	1.87	60	26.94	14.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	45	17.99	5.00
2	10	2.60	60	14.00	6.60
3	18	1.92	55	25.05	15.07
4	14	1.50	46	25.92	11.10
5	20	2.07	57	23.40	13.06
6	10	1.42	50	27.43	15.39
7	15	1.50	50	27.10	15.29



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.25	69	18.52	11.55
2	10	2.50	60	22.66	13.66
3	18	1.90	62	23.57	15.64
4	14	1.72	57	25.44	14.00
5	20	1.71	56	27.21	17.10
6	10	1.52	50	27.32	15.82
7	15	1.64	58	24.00	14.77



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	35	17.00	-2.00
2	10	1.60	36	16.32	3.32
3	18	2.42	57	23.05	13.99
4	14	2.40	71	19.24	13.40
5	20	1.02	49	27.73	16.76
6	10	1.47	45	28.27	15.10
7	15	1.68	58	23.40	13.50

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	25	18.10	-1.77
2	10	1.07	32	21.71	6.33
3	18	2.25	46	27.12	14.46
4	14	1.75	60	20.62	12.29
5	26	1.92	49	26.08	14.10
6	10	1.51	44	29.09	16.49
7	15	1.66	38	22.32	6.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	30	18.21	-0.77
2	10	1.08	22	24.38	1.06
3	18	2.42	51	25.64	14.31
4	14	1.54	44	21.22	7.66
5	26	1.68	45	26.75	15.33
6	10	1.69	49	25.05	17.27
7	15	1.66	40	25.18	9.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	44	13.99	-1.22
2	10	1.07	26	16.10	-4.82
3	18	2.19	47	21.97	8.50
4	14	1.57	65	21.18	9.87
5	26	1.80	48	20.64	13.58
6	10	1.77	46	27.71	19.79
7	15	1.64	42	20.60	10.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.38	39	12.16	-3.77
2	10	1.00	31	16.80	-2.05
3	18	2.78	55	15.00	5.62
4	14	1.54	62	18.09	8.38
5	26	1.85	43	25.55	11.78
6	10	1.87	48	24.89	11.05
7	15	1.64	38	27.99	11.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	39	16.66	0.00
2	10	1.05	32	16.49	-0.98
3	18	1.78	47	19.47	5.16
4	14	1.69	58	19.26	2.89
5	26	2.11	48	22.60	9.71
6	10	1.89	48	19.62	7.43
7	15	1.56	34	27.01	10.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	49	15.04	3.21
2	10	1.58	28	18.32	0.43
3	18	1.78	53	15.08	3.51
4	14	1.84	63	20.47	1.02
5	26	1.85	48	22.19	7.62
6	10	2.18	59	17.68	8.68
7	15	2.76	58	22.92	10.68

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.58	81	19.88	4.88
2	10	1.68	95	15.62	2.82
3	18	1.81	92	18.25	5.28
4	14	1.94	96	16.84	1.82
5	28	1.64	87	21.85	6.28
6	10	1.58	90	18.52	6.43
7	18	1.64	96	18.07	8.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.28	98	17.55	8.77
2	10	1.88	96	20.82	6.48
3	18	1.84	98	21.84	8.13
4	14	1.57	88	21.38	6.48
5	28	1.68	98	24.58	9.88
6	10	1.81	91	20.98	7.32
7	18	1.82	83	22.77	12.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.58	97	25.63	8.88
2	10	2.11	87	28.71	7.48
3	18	1.98	95	20.35	7.88
4	14	2.48	88	18.34	8.72
5	28	1.71	87	26.87	10.58
6	10	1.58	91	24.68	10.48
7	18	2.15	88	28.28	16.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.20	91	14.89	-1.48
2	10	1.58	96	15.21	0.11
3	18	5.71	83	10.92	7.52
4	14	1.71	98	12.89	2.13
5	28	1.95	98	28.22	13.07
6	10	2.08	97	25.27	15.88
7	18	2.06	98	23.03	13.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	9.78	75	9.88	4.88
2	10	7.33	88	11.77	10.10
3	18	2.98	78	11.28	5.18
4	14	1.57	98	10.81	-0.11
5	28	1.98	98	26.25	17.26
6	10	1.88	82	18.98	11.21
7	18	1.84	88	22.47	11.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.62	78	13.21	8.88
2	10	2.18	88	13.27	8.71
3	18	1.81	97	18.51	5.08
4	14	1.97	98	20.35	4.12
5	28	1.72	98	22.88	10.28
6	10	1.13	91	20.43	2.88
7	18	1.82	88	23.84	11.03

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	33	14.44	-1.44
2	10	1.44	30	15.94	-2.11
3	18	1.60	38	19.60	4.31
4	14	1.64	48	21.22	8.44
5	26	1.60	38	24.50	8.50
6	10	1.38	30	24.44	5.71
7	15	1.81	62	24.58	12.81

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	25	19.88	-0.33
2	10	2.00	28	20.06	0.88
3	18	1.91	32	24.68	8.89
4	14	1.88	57	20.11	10.09
5	26	1.80	38	25.70	9.96
6	10	1.46	31	27.21	8.49
7	15	1.74	55	28.51	16.96



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.40	28	27.88	7.44
2	10	2.97	27	27.68	8.77
3	18	1.90	32	27.48	9.53
4	14	1.88	58	22.89	19.72
5	26	1.75	38	26.42	9.88
6	10	1.73	34	27.59	10.71
7	15	2.49	68	24.62	17.03



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.87	31	29.43	10.10
2	10	2.68	32	28.49	9.71
3	18	1.76	41	28.17	13.38
4	14	1.88	68	19.28	12.93
5	26	1.86	30	28.50	8.97
6	10	1.62	30	29.10	9.88
7	15	2.38	61	24.60	15.98



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.51	77	9.77	8.10
2	10	3.86	67	21.38	11.66
3	18	4.54	62	22.15	13.51
4	14	1.95	67	20.31	13.40
5	26	1.96	48	27.68	12.23
6	10	1.73	29	30.05	10.21
7	15	1.83	57	24.29	14.21



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	53	19.21	9.66
2	10	1.06	53	18.66	8.94
3	18	2.71	49	26.04	14.03
4	14	3.84	69	21.22	13.60
5	26	2.62	51	24.44	12.90
6	10	2.45	34	30.44	12.71
7	15	1.68	53	25.43	13.89

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.25	43	30.21	9.00
2	10	3.02	58	30.60	11.16
3	18	5.38	42	27.77	15.23
4	14	1.85	59	22.60	13.45
5	26	3.83	60	23.30	16.26
6	10	2.23	35	30.56	15.55
7	15	1.60	48	28.20	15.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.69	66	22.88	16.06
2	10	3.68	66	21.82	15.32
3	18	2.23	52	26.15	15.73
4	14	1.77	47	22.59	10.15
5	26	3.05	58	25.46	16.30
6	10	2.21	38	30.16	14.55
7	15	1.84	48	28.56	16.79



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.81	84	24.85	17.98
2	10	3.49	66	23.38	16.32
3	18	1.88	47	25.55	13.52
4	14	1.88	56	18.38	10.27
5	26	2.42	66	26.65	16.61
6	10	1.88	43	29.49	15.46
7	16	1.84	48	28.84	16.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.29	57	25.99	18.55
2	10	3.81	43	26.88	12.60
3	18	4.10	77	18.11	13.02
4	14	1.57	47	19.00	8.50
5	26	2.41	62	30.85	16.08
6	10	1.68	43	29.68	15.03
7	15	1.65	58	28.39	17.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.26	88	19.77	19.77
2	10	3.27	73	17.05	12.21
3	18	1.81	48	17.00	5.84
4	14	1.56	35	23.52	7.09
5	26	2.62	55	27.17	16.48
6	10	1.83	60	20.05	11.77
7	15	1.70	53	24.93	14.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.20	80	10.98	8.77
2	10	1.60	41	17.65	3.48
3	18	1.80	59	21.20	8.81
4	14	1.60	41	24.93	10.38
5	26	1.90	39	23.91	8.49
6	10	1.38	33	22.32	5.21
7	15	1.90	58	25.40	13.73

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.17	55	18.21	6.88
2	10	1.79	36	23.21	8.44
3	18	1.67	41	24.87	10.42
4	14	1.67	57	20.49	10.86
5	28	1.88	58	26.55	10.91
6	10	1.53	35	25.55	8.82
7	18	1.76	64	24.90	18.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.48	47	25.88	11.22
2	10	2.48	37	27.38	11.10
3	18	3.25	68	17.62	11.18
4	14	1.78	41	18.45	8.45
5	28	2.78	61	24.62	15.85
6	10	1.91	58	24.10	16.05
7	18	1.88	48	28.40	18.85

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	8.16	78	18.52	15.93
2	10	8.87	72	17.77	12.16
3	18	2.51	75	14.34	8.80
4	14	1.88	52	20.28	2.14
5	28	1.86	48	26.18	10.83
6	10	1.42	24	24.99	2.88
7	18	2.51	42	29.83	19.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	4.53	85	18.49	10.88
2	10	1.83	68	18.71	10.38
3	18	2.58	72	16.18	10.95
4	14	1.83	48	22.91	7.97
5	28	1.76	38	26.31	9.52
6	10	1.58	42	22.93	7.77
7	18	1.58	42	30.96	14.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.01	69	17.66	11.08
2	10	3.08	70	17.16	11.66
3	18	2.58	57	20.64	11.44
4	14	1.68	49	21.89	10.55
5	28	1.83	43	25.31	11.17
6	10	1.79	40	26.71	11.77
7	18	1.85	47	31.77	18.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.69	70	18.77	13.30
2	10	1.76	48	22.16	10.68
3	18	2.13	48	24.28	12.52
4	14	2.47	58	20.74	11.70
5	28	1.76	37	28.28	12.02
6	10	1.62	42	25.05	10.93
7	18	1.71	48	32.11	19.19

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.20	84	22.66	12.77
2	10	1.67	62	26.71	12.66
3	18	2.57	58	24.19	14.83
4	14	3.01	76	18.12	14.52
5	26	1.84	48	30.86	14.70
6	10	1.91	48	31.21	18.05
7	18	1.58	48	31.62	18.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.81	88	30.10	19.10
2	10	2.43	80	29.21	19.27
3	18	3.25	55	28.79	18.58
4	14	4.90	76	18.34	11.84
5	26	2.07	87	31.20	16.48
6	10	2.28	62	32.84	18.27
7	18	1.75	67	30.77	17.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	3.38	78	20.77	14.84
2	10	3.37	73	22.27	17.10
3	18	2.55	87	27.18	17.21
4	14	3.81	88	18.37	10.18
5	26	2.21	61	32.87	16.56
6	10	1.85	46	33.89	18.16
7	18	1.84	56	27.47	16.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.31	58	19.92	10.44
2	10	3.28	62	25.77	17.98
3	18	2.07	68	22.92	16.09
4	14	1.67	87	11.70	9.58
5	26	2.28	42	32.56	17.62
6	10	2.07	48	30.71	18.06
7	18	1.97	67	21.92	14.92

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	5.08	78	20.88	18.33
2	10	3.31	84	24.96	17.21
3	18	2.18	78	15.82	10.39
4	14	1.54	52	15.90	5.98
5	26	2.11	47	31.22	18.32
6	10	2.74	68	27.72	18.38
7	18	1.95	87	21.88	19.14

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.47	88	17.54	14.88
2	10	1.83	67	19.85	10.27
3	18	2.24	54	17.18	7.83
4	14	1.94	88	17.17	8.69
5	26	2.18	61	26.69	17.92
6	10	2.12	58	24.88	15.71
7	18	1.99	62	25.87	17.56

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	56	22.61	8.66
2	10	1.96	38	22.27	7.10
3	18	2.50	48	20.45	9.19
4	14	2.88	66	18.66	12.01
5	26	2.48	67	27.36	16.01
6	10	2.01	45	27.60	16.48
7	18	1.77	80	27.09	17.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.26	56	18.89	8.77
2	10	1.50	86	21.83	6.22
3	18	3.27	59	21.50	10.67
4	14	3.34	70	18.94	12.88
5	26	2.22	48	28.80	16.48
6	10	2.18	81	28.80	18.05
7	18	1.69	96	28.88	17.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	38	23.44	5.06
2	10	2.40	62	23.71	10.60
3	18	3.97	68	20.82	14.98
4	14	2.62	83	20.81	12.97
5	26	2.68	68	27.83	18.73
6	10	1.79	71	24.82	18.77
7	18	1.56	92	20.14	17.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	47	21.99	10.10
2	10	2.58	57	22.21	12.08
3	18	4.01	68	21.97	15.62
4	14	1.00	48	21.78	10.58
5	26	2.15	68	28.33	18.00
6	10	1.78	87	25.94	16.53
7	18	1.56	93	20.73	17.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.70	41	18.21	5.11
2	10	4.10	81	18.60	12.82
3	18	1.91	51	22.21	11.47
4	14	1.68	45	22.37	6.88
5	26	2.02	58	26.86	17.02
6	10	1.97	48	27.30	15.05
7	18	1.58	58	22.22	10.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	46	17.99	5.77
2	10	1.72	54	17.89	8.38
3	18	1.63	63	23.48	9.93
4	14	1.78	66	21.30	11.24
5	26	1.76	48	26.78	16.60
6	10	1.63	46	27.60	12.77
7	18	1.68	68	27.70	17.32

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	48	20.55	8.80
2	10	1.86	48	22.60	8.06
3	18	2.63	58	22.80	13.30
4	14	1.80	48	22.75	11.18
5	26	2.04	54	27.36	17.21
6	10	4.26	62	25.68	17.43
7	16	1.65	58	28.43	17.06



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	58	22.86	12.55
2	10	3.02	80	14.60	11.38
3	18	3.78	70	20.78	14.90
4	14	1.54	41	25.66	11.08
5	26	2.40	63	26.65	18.67
6	10	1.61	58	26.77	17.49
7	16	1.58	54	20.66	17.82



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.00	62	13.53	10.53
2	10	7.15	67	15.10	13.05
3	18	2.29	53	22.18	11.94
4	14	1.60	57	24.28	14.95
5	26	1.84	48	28.75	18.27
6	10	1.81	45	27.88	14.77
7	15	1.68	64	28.36	17.60



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.63	67	12.69	10.66
2	10	1.62	50	20.69	9.62
3	18	1.74	41	23.73	9.62
4	14	1.63	57	25.11	15.66
5	26	1.97	49	27.73	15.07
6	10	2.11	55	25.60	15.80
7	15	1.64	57	28.81	18.40



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.73	64	20.68	13.43
2	10	1.90	48	23.88	12.19
3	18	2.17	49	25.02	13.20
4	14	1.90	62	23.88	15.94
5	26	2.41	58	26.50	17.45
6	10	2.13	60	26.60	17.71
7	15	1.58	55	28.70	18.70



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	63	23.68	16.44
2	10	1.92	45	26.69	13.77
3	18	2.58	50	27.21	16.04
4	14	1.72	57	29.27	16.10
5	26	2.46	66	26.10	18.66
6	10	1.91	63	25.99	18.60
7	15	1.62	53	30.98	18.92

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.70	60	24.00	18.00
2	10	2.28	46	27.16	14.21
3	18	2.35	47	28.00	18.28
4	14	1.90	64	23.32	18.63
5	26	2.32	66	28.52	18.94
6	10	1.80	54	29.10	18.71
7	15	1.81	52	31.61	18.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.74	52	27.00	17.10
2	10	2.01	47	27.71	16.06
3	18	4.78	63	28.58	18.45
4	14	2.85	67	28.40	18.80
5	26	2.18	62	27.02	18.82
6	10	1.70	63	28.22	20.38
7	15	1.60	58	31.46	18.77

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.31	48	28.00	19.00
2	10	2.45	50	25.00	18.04
3	18	2.15	58	25.14	18.18
4	14	1.88	64	19.40	18.21
5	26	2.06	60	28.50	19.01
6	10	2.38	72	28.18	20.60
7	15	2.97	63	31.05	18.84



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.00	61	25.99	17.77
2	10	2.76	56	25.54	16.16
3	18	2.77	58	22.95	13.88
4	14	1.78	68	20.49	13.92
5	26	2.77	56	30.29	20.59
6	10	3.42	58	30.05	20.27
7	15	4.37	55	31.10	20.40



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	54	23.77	13.88
2	10	3.01	66	23.77	16.93
3	18	3.75	78	21.38	18.78
4	14	2.57	78	18.19	13.52
5	26	2.63	56	31.10	21.19
6	10	4.84	58	30.71	21.38
7	15	3.52	47	31.88	18.25



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.28	50	20.32	18.68
2	10	3.11	73	24.71	19.55
3	18	3.83	64	23.83	18.44
4	14	2.28	68	21.02	14.51
5	26	3.67	52	32.56	21.51
6	10	5.68	51	32.38	20.88
7	15	2.94	48	31.03	17.99

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.78	69	27.77	17.28
2	10	3.76	66	28.48	18.05
3	18	5.08	58	27.50	18.55
4	14	1.67	66	28.29	18.06
5	26	3.78	61	30.20	21.46
6	10	3.48	54	32.60	22.05
7	16	2.76	62	30.66	19.16

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.82	64	28.69	18.66
2	10	1.65	68	28.21	18.27
3	18	2.05	58	25.20	16.71
4	14	2.79	66	25.60	17.06
5	26	2.61	61	32.63	20.62
6	10	3.65	52	32.82	21.27
7	16	3.16	57	30.61	20.66



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.18	84	22.88	0.00
2	10	1.82	62	24.88	11.27
3	18	2.88	65	26.04	18.94
4	14	1.63	67	25.26	16.20
5	26	2.76	63	31.38	20.61
6	10	3.29	61	30.18	21.18
7	16	3.02	60	31.81	19.80



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.48	78	20.55	18.06
2	10	5.19	78	27.93	19.10
3	18	2.47	71	24.58	18.48
4	14	1.98	81	23.20	15.19
5	26	2.63	57	31.36	21.61
6	10	3.03	58	32.21	21.71
7	16	2.68	48	32.25	19.58



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.08	86	20.55	18.06
2	10	2.69	58	25.68	16.77
3	18	3.31	68	23.57	16.90
4	14	1.78	94	18.58	8.78
5	26	2.45	55	32.07	21.57
6	10	2.98	58	30.77	21.06
7	16	2.84	58	31.10	19.81



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.72	78	20.10	15.19
2	10	5.86	78	22.05	17.82
3	18	1.99	52	25.57	12.58
4	14	1.77	55	19.67	10.07
5	26	2.43	60	30.44	21.53
6	10	2.59	62	29.59	21.27
7	16	2.06	52	31.22	18.30

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.35	72	22.10	18.77
2	10	7.00	88	18.80	17.82
3	18	2.52	85	21.10	19.70
4	14	1.64	66	18.81	10.66
5	26	2.30	60	20.73	21.17
6	10	2.75	77	25.44	20.82
7	15	1.76	57	20.44	18.17



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.11	84	18.88	17.21
2	10	2.80	71	21.64	15.88
3	18	1.81	50	23.11	12.08
4	14	1.84	52	21.58	11.10
5	26	2.39	58	30.88	20.66
6	10	1.72	83	28.33	18.54
7	15	1.85	84	27.38	18.62

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	48	25.68	18.10
2	10	1.76	44	26.65	12.38
3	18	1.59	44	25.21	12.15
4	14	1.60	52	22.88	14.12
5	26	2.01	52	27.85	19.67
6	10	1.91	83	26.98	18.80
7	15	2.10	82	28.62	20.03



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	99	28.92	11.10
2	10	1.82	40	27.49	12.66
3	18	3.15	58	25.52	16.94
4	14	1.66	70	22.01	15.98
5	26	2.10	61	28.81	20.62
6	10	3.00	75	28.82	21.77
7	15	2.08	64	31.60	20.62



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.33	53	25.55	15.21
2	10	3.51	72	23.99	18.56
3	18	2.82	71	22.55	16.98
4	14	1.60	64	21.16	11.50
5	26	2.71	63	30.10	22.06
6	10	1.77	61	29.82	21.38
7	15	1.78	54	31.38	20.40



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.23	68	23.32	16.43
2	10	3.19	65	20.88	13.77
3	18	1.57	45	21.78	9.31
4	14	2.80	71	19.87	13.60
5	26	1.69	53	28.74	18.04
6	10	1.52	53	27.49	17.10
7	15	1.95	51	32.14	20.60

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.79	71	18.32	12.77
2	10	1.58	78	24.89	8.54
3	18	1.58	48	25.75	11.18
4	14	1.08	87	24.04	17.17
5	26	1.66	47	27.13	16.62
6	10	1.41	46	27.85	16.58
7	18	1.82	48	32.44	19.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	88	30.10	12.55
2	10	1.86	85	29.37	12.06
3	18	2.11	47	27.37	14.50
4	14	1.85	80	29.08	20.31
5	26	2.20	48	29.80	15.64
6	10	1.48	43	29.60	15.48
7	18	1.78	48	32.85	18.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.41	91	20.68	14.85
2	10	1.81	48	20.21	13.88
3	18	2.58	78	24.85	18.80
4	14	1.78	88	20.70	18.68
5	26	1.85	48	28.26	15.80
6	10	1.81	47	29.88	17.58
7	18	1.88	45	33.07	18.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	48	27.88	15.88
2	10	2.38	53	28.38	17.48
3	18	1.88	61	26.47	18.28
4	14	1.57	57	23.86	14.58
5	26	1.88	47	29.63	16.57
6	10	1.88	51	29.92	18.88
7	18	1.57	48	33.18	19.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.41	88	29.68	19.88
2	10	3.18	66	29.38	19.43
3	18	2.82	58	27.85	18.32
4	14	2.15	71	18.68	13.28
5	26	1.92	48	30.46	17.85
6	10	1.61	51	30.21	18.71
7	18	1.53	47	32.48	19.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.88	84	29.44	18.68
2	10	2.75	61	27.82	19.55
3	18	2.98	71	23.80	17.89
4	14	3.73	73	19.12	13.28
5	26	1.76	48	30.83	18.39
6	10	1.71	47	31.88	19.06
7	18	1.54	47	32.88	19.55

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	6.10	81	23.88	19.02
2	10	4.10	78	25.00	19.62
3	17	2.81	67	25.25	16.53
4	14	3.67	70	80.61	16.00
5	26	1.83	47	32.60	18.65
6	10	1.62	48	32.00	19.99
7	15	1.67	48	32.51	19.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	48	25.98	16.72
2	10	1.66	54	25.38	15.21
3	18	2.68	58	24.55	15.78
4	14	1.78	66	85.80	18.84
5	26	2.31	62	32.17	20.01
6	10	2.31	51	32.22	20.80
7	15	1.58	65	31.44	20.29

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	28.21	14.18
2	10	1.68	42	27.71	13.48
3	18	2.70	51	27.15	16.10
4	14	1.60	68	87.87	18.88
5	26	2.88	56	31.66	21.66
6	10	2.28	54	31.85	21.10
7	15	1.68	64	80.28	19.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.29	41	29.99	15.13
2	10	2.10	39	29.71	14.55
3	18	2.48	49	28.82	17.03
4	14	1.78	63	28.88	18.06
5	26	2.60	57	32.02	22.19
6	10	2.31	54	31.05	20.66
7	15	1.88	53	81.11	19.95



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.34	51	30.39	19.60
2	10	4.52	57	29.21	19.27
3	18	2.53	55	29.16	17.92
4	14	1.68	67	29.78	19.24
5	26	2.47	57	32.03	22.06
6	10	2.27	47	32.61	19.66
7	15	1.63	47	32.77	19.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.78	67	22.32	15.83
2	10	3.78	61	25.71	17.92
3	18	3.06	61	25.86	18.51
4	14	2.30	68	27.17	19.28
5	26	2.48	57	31.98	22.35
6	10	2.98	48	33.50	19.49
7	15	1.66	42	33.51	18.69

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.27	61	83.64	18.41
2	10	0.40	71	29.62	17.88
3	18	2.61	57	28.83	19.28
4	14	1.80	55	26.68	16.76
5	26	3.22	58	31.02	21.07
6	10	2.72	45	35.50	20.10
7	15	1.76	40	34.28	18.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.20	78	81.88	18.58
2	10	3.28	76	22.66	17.71
3	18	1.72	45	25.52	12.83
4	14	1.57	50	27.28	15.76
5	26	2.06	62	30.27	21.65
6	10	2.16	55	31.72	20.52
7	16	1.65	42	34.81	19.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	46	28.88	10.27
2	10	1.50	42	32.71	8.52
3	18	1.57	45	24.05	11.52
4	14	2.25	57	29.00	16.87
5	26	1.67	62	30.55	19.31
6	10	1.63	44	32.38	18.18
7	16	1.76	42	36.11	19.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.29	39	25.94	10.41
2	10	1.63	45	26.10	12.43
3	18	2.20	62	27.58	19.25
4	14	1.79	55	27.25	17.29
5	26	1.91	52	31.06	18.93
6	10	1.75	50	32.08	21.05
7	15	1.71	42	34.97	19.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.63	70	26.21	20.27
2	10	6.48	80	25.55	21.77
3	18	2.78	67	27.27	20.42
4	14	1.54	58	25.63	15.39
5	26	1.78	55	32.62	22.21
6	10	2.01	53	32.89	21.06
7	15	1.82	43	35.00	20.40

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.01	50	27.99	18.09
2	10	2.71	56	27.99	17.60
3	18	2.38	62	25.51	17.57
4	14	1.60	46	27.69	14.01
5	26	1.93	55	32.58	22.17
6	10	1.75	52	31.77	21.99
7	15	1.64	53	31.83	20.73

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	86	27.56	8.88
2	10	2.13	43	28.55	12.00
3	18	2.38	61	27.00	15.88
4	14	1.87	48	28.40	18.94
5	26	2.70	60	30.31	21.40
6	10	2.53	63	29.77	21.43
7	15	1.66	54	31.48	20.84

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	87	28.48	18.81
2	10	2.24	40	28.88	14.10
3	18	2.02	48	28.53	18.88
4	14	2.04	64	28.78	18.25
5	26	2.11	58	30.12	21.00
6	10	1.85	57	30.88	21.27
7	15	1.84	52	31.55	20.38



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	48	30.88	18.84
2	10	2.80	47	30.80	17.71
3	18	2.32	48	30.82	17.77
4	14	2.16	66	30.38	18.88
5	26	2.26	57	30.42	20.62
6	10	2.57	58	31.22	21.88
7	15	1.81	47	32.88	18.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	48	28.21	15.83
2	10	2.79	47	30.66	17.83
3	18	3.01	64	28.17	20.24
4	14	1.80	67	28.87	18.85
5	26	2.18	54	31.51	20.52
6	10	2.21	58	30.88	21.32
7	15	1.68	48	32.70	19.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.20	87	19.89	17.35
2	10	5.36	84	21.88	19.05
3	18	3.08	87	28.87	19.28
4	14	1.88	58	28.44	19.18
5	26	2.34	62	29.65	21.42
6	10	1.95	70	27.55	21.38
7	15	1.81	48	32.85	20.03



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.09	78	21.11	18.84
2	10	3.43	60	26.99	18.49
3	18	2.35	51	27.68	19.60
4	14	2.17	54	29.40	18.92
5	26	2.75	67	28.13	21.19
6	10	1.89	61	29.55	20.99
7	15	1.65	47	33.18	19.55

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.50	58	28.40	18.44
2	10	3.63	48	30.05	17.88
3	18	2.29	48	29.81	17.40
4	14	2.35	58	29.08	18.67
5	26	2.26	68	28.84	21.70
6	10	1.99	51	31.27	19.68
7	15	1.81	50	32.20	20.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.10	68	28.92	20.56
2	10	3.40	53	30.71	18.77
3	18	3.45	58	28.86	18.47
4	14	1.84	46	28.46	15.47
5	26	2.10	62	30.48	21.00
6	10	1.78	50	31.86	20.05
7	15	1.66	48	32.30	19.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.00	78	24.88	18.88
2	10	2.53	61	28.05	16.00
3	18	1.81	48	28.96	14.04
4	14	1.86	52	28.80	17.85
5	26	2.10	67	32.13	22.40
6	10	2.21	51	32.55	21.05
7	16	1.79	48	32.40	19.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	36	29.77	7.99
2	10	1.58	37	29.71	9.06
3	18	1.08	51	27.12	15.95
4	14	1.05	56	28.25	18.46
5	26	2.46	57	30.57	20.59
6	10	1.05	51	32.81	21.27
7	15	1.00	46	33.37	19.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	60	22.44	16.23
2	10	4.11	71	23.05	17.39
3	18	2.01	57	25.21	15.95
4	14	1.60	51	28.11	14.10
5	26	2.08	62	31.08	22.87
6	10	2.33	56	31.10	20.88
7	15	1.98	44	33.55	19.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	52	27.10	10.88
2	10	1.50	45	29.27	9.16
3	18	1.03	46	23.53	9.69
4	14	1.57	50	25.35	16.08
5	26	1.03	55	29.16	19.11
6	10	1.70	42	30.77	16.65
7	15	1.03	40	33.15	13.99

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	40	21.52	8.00
2	10	1.46	41	21.82	7.00
3	18	1.85	40	22.95	10.52
4	14	2.36	62	20.00	17.33
5	26	1.81	62	20.45	17.00
6	10	1.76	44	30.71	18.04
7	15	1.69	40	36.41	18.51



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	50	23.10	8.98
2	10	1.58	57	24.21	8.56
3	18	3.32	75	20.67	18.01
4	14	2.70	60	27.67	17.88
5	26	2.60	60	28.00	18.37
6	10	2.64	60	29.77	20.99
7	15	1.64	50	35.76	18.18



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.50	48	24.10	12.30
2	10	3.70	75	20.30	15.60
3	18	4.27	72	25.80	18.20
4	14	1.66	66	27.40	17.25
5	26	2.42	64	30.66	22.66
6	10	3.25	52	35.00	21.71
7	15	1.88	56	36.41	18.81



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.21	82	18.21	16.77
2	10	4.88	68	24.71	18.44
3	18	2.75	63	27.12	17.53
4	14	1.64	62	28.70	19.70
5	26	2.46	58	31.90	22.29
6	10	2.65	64	30.27	22.44
7	15	1.88	48	33.81	19.92



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.51	80	27.21	18.88
2	10	5.46	62	28.89	20.82
3	18	2.98	62	24.71	16.72
4	14	2.03	64	23.66	19.78
5	26	2.43	58	32.60	23.06
6	10	2.39	61	30.72	22.21
7	15	1.61	48	32.88	18.21



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.69	67	26.68	18.99
2	10	3.69	57	28.39	18.77
3	18	2.44	50	25.50	15.05
4	14	2.71	66	22.77	15.54
5	26	3.44	64	30.85	23.05
6	10	1.77	60	30.77	21.82
7	15	1.88	58	32.03	20.32

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	4.01	84	27.88	17.44
2	10	3.08	81	28.48	17.66
3	18	1.85	58	27.80	16.07
4	14	1.77	66	29.18	19.48
5	26	3.03	68	31.70	22.77
6	10	2.27	55	31.55	21.16
7	15	1.68	62	30.88	19.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	3.88	87	28.99	19.80
2	10	3.48	76	26.71	19.02
3	18	2.11	54	25.85	15.48
4	14	2.20	60	29.38	18.87
5	26	1.86	58	31.86	22.87
6	10	2.16	52	31.38	20.33
7	15	1.84	44	32.68	18.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	3.79	58	28.77	17.28
2	10	3.31	68	28.71	17.27
3	18	3.20	54	27.88	17.03
4	14	1.88	67	28.67	18.08
5	26	2.53	57	31.23	21.46
6	10	2.19	47	32.48	19.55
7	15	1.81	41	33.86	17.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	9.91	83	25.89	17.96
2	10	5.15	57	28.80	19.27
3	18	3.26	68	28.91	18.19
4	14	2.98	71	32.97	18.62
5	26	2.35	62	30.55	22.26
6	10	2.48	47	32.85	19.71
7	15	1.68	37	35.06	17.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	5.08	82	27.10	19.21
2	10	5.05	68	27.89	20.27
3	18	3.07	65	25.55	17.08
4	14	1.57	65	21.80	15.08
5	26	2.25	68	30.72	21.89
6	10	1.89	58	32.72	20.18
7	15	1.60	41	34.18	18.52

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.88	78	23.32	18.77
2	10	4.70	68	27.85	20.09
3	18	1.55	61	23.51	15.42
4	14	1.88	58	29.80	19.63
5	26	1.89	58	32.24	21.85
6	10	2.02	50	31.59	19.93
7	15	1.71	48	33.03	18.21

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.88	67	18.32	18.88
2	10	3.06	60	24.21	16.77
3	18	1.81	58	22.83	13.68
4	14	2.00	56	24.04	14.51
5	26	1.82	53	31.38	20.60
6	10	1.82	49	30.38	18.71
7	15	1.81	38	36.44	17.40

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.99	67	20.77	19.88
2	10	1.52	46	23.83	11.16
3	18	1.93	54	23.60	13.54
4	14	1.98	54	24.58	14.00
5	26	2.12	54	31.34	20.67
6	10	1.87	54	29.05	18.43
7	15	1.84	48	32.98	18.51

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.29	44	23.44	10.44
2	10	1.81	44	25.55	12.98
3	18	2.02	51	24.74	13.78
4	14	1.73	57	25.18	15.75
5	26	1.87	55	30.53	20.44
6	10	1.81	44	30.88	18.88
7	15	1.83	48	32.68	18.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.57	72	21.99	16.68
2	10	3.26	56	26.44	16.66
3	18	3.81	61	25.81	16.98
4	14	2.04	71	22.29	16.54
5	26	2.20	52	31.53	20.10
6	10	1.83	48	32.44	17.16
7	15	1.60	47	32.70	19.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.91	85	21.68	18.77
2	10	4.43	71	26.77	20.10
3	18	1.81	49	23.82	12.64
4	14	1.57	57	20.70	11.50
5	26	2.00	48	33.05	20.67
6	10	1.81	44	32.77	18.82
7	15	2.04	68	29.99	20.55

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	51	24.10	12.03
2	10	1.44	51	22.60	11.55
3	18	1.57	52	21.66	11.29
4	14	1.57	54	21.70	11.82
5	26	1.88	53	30.85	19.00
6	10	1.87	47	29.60	16.82
7	19	2.03	61	29.00	20.38

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.84	58	21.89	12.58
2	10	1.81	48	20.71	8.32
3	18	1.57	42	22.24	8.02
4	14	1.88	87	29.80	14.04
5	26	2.09	66	28.65	18.32
6	10	1.55	57	29.58	15.21
7	15	1.86	56	30.18	16.29

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.92	68	21.10	14.21
2	10	1.68	48	23.32	11.66
3	18	1.87	58	25.85	8.72
4	14	0.74	71	22.88	16.78
5	26	2.08	68	28.26	18.67
6	10	1.78	61	29.52	15.88
7	15	1.86	48	32.07	18.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.58	86	22.21	19.38
2	10	1.65	51	23.82	12.08
3	18	2.12	46	24.59	11.01
4	14	1.44	69	26.18	18.87
5	26	1.88	48	28.43	16.66
6	10	1.85	58	31.11	18.71
7	18	1.58	46	33.11	18.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.52	82	23.46	15.43
2	10	1.52	47	25.60	13.48
3	18	2.12	60	24.53	15.52
4	14	1.88	86	25.78	15.67
5	26	2.17	47	29.37	16.66
6	10	1.85	42	31.86	16.77
7	15	1.58	48	32.40	18.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.48	68	23.21	15.88
2	10	2.68	47	27.10	16.48
3	18	4.39	76	23.96	18.82
4	14	1.54	62	28.15	17.21
5	26	3.22	60	28.39	19.26
6	10	2.43	56	29.80	17.83
7	15	1.66	46	34.96	19.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	6.48	68	25.10	18.88
2	10	2.66	51	27.03	16.66
3	18	3.26	63	27.98	19.81
4	14	1.63	68	26.76	18.56
5	26	3.18	68	28.82	20.80
6	10	3.76	56	29.71	19.06
7	15	1.64	43	34.84	19.66

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.01	52	28.88	18.10
2	10	6.98	41	30.10	15.10
3	18	3.29	63	28.98	20.35
4	14	3.74	78	26.10	20.82
5	26	2.23	56	31.80	20.46
6	10	3.08	81	30.66	21.32
7	15	1.65	46	34.37	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.29	98	20.10	18.10
2	10	6.18	43	31.77	17.43
3	18	3.33	56	31.20	21.78
4	14	2.68	86	27.67	19.83
5	26	2.22	61	30.97	19.26
6	10	1.78	68	34.22	21.80
7	15	1.67	48	34.78	18.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	6.11	88	28.06	18.21
2	10	3.18	47	30.66	17.71
3	18	2.29	57	31.84	22.12
4	14	2.12	76	28.48	19.84
5	26	2.36	48	31.26	18.67
6	10	1.97	48	34.38	21.88
7	15	1.84	38	36.12	18.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.52	78	15.33	11.86
2	10	4.13	78	19.82	15.82
3	18	3.10	78	20.39	16.38
4	14	1.01	77	18.65	13.96
5	26	2.20	51	31.82	20.42
6	10	1.95	51	33.33	21.49
7	15	1.09	38	35.15	18.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.77	89	15.88	12.99
2	10	3.46	82	16.66	14.88
3	18	2.56	71	20.24	15.88
4	14	2.46	78	18.49	15.49
5	26	2.28	56	31.02	20.93
6	10	1.96	59	31.27	20.55
7	15	1.01	48	35.22	18.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.30	87	16.32	14.10
2	10	3.52	72	20.08	15.89
3	18	1.88	58	20.82	12.03
4	14	2.01	67	19.15	12.67
5	26	2.97	56	31.28	20.95
6	10	2.38	58	33.49	19.71
7	15	1.87	48	33.85	19.73

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	46	29.49	10.56
2	10	1.84	41	23.77	9.60
3	18	2.02	49	22.18	10.88
4	14	3.07	78	18.60	19.17
5	26	2.66	64	30.38	19.84
6	10	2.19	48	30.80	18.10
7	15	1.58	44	33.20	18.14



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	48	21.39	10.10
2	10	2.04	38	24.80	9.88
3	18	2.31	51	23.85	12.80
4	14	4.00	78	18.78	14.81
5	26	2.66	55	29.60	19.66
6	10	2.38	47	31.44	18.54
7	15	1.58	50	31.88	19.25

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.92	60	18.00	12.81
2	10	4.58	60	18.10	16.48
3	18	2.13	57	22.55	15.79
4	14	1.80	66	21.10	12.08
5	26	2.30	68	27.81	21.14
6	10	1.89	58	28.38	19.82
7	15	1.83	48	32.58	18.14



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.19	65	22.08	15.21
2	10	4.59	66	19.60	12.27
3	18	1.85	57	17.80	8.14
4	14	1.68	59	20.73	12.29
5	26	1.68	49	20.42	17.49
6	10	1.37	42	28.10	13.71
7	15	1.80	53	30.77	19.73



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	42	19.83	8.32
2	10	1.46	37	20.16	4.77
3	18	1.92	45	20.08	7.92
4	14	1.68	65	22.25	15.11
5	26	1.62	46	26.19	13.22
6	10	1.33	35	28.77	10.27
7	15	1.81	57	29.44	19.59



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	43	23.99	10.77
2	10	1.71	38	24.10	8.77
3	18	1.88	40	24.80	9.25
4	14	4.14	76	19.78	14.55
5	26	1.89	45	26.91	13.77
6	10	1.42	41	29.60	14.55
7	15	1.62	55	30.58	20.07

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	41	25.00	11.06
2	10	2.11	41	26.50	12.32
3	18	3.31	60	25.51	18.50
4	14	2.01	62	22.81	11.70
5	26	1.71	48	20.73	16.55
6	10	5.22	72	25.49	19.49
7	15	1.69	67	20.21	16.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.18	78	22.77	17.52
2	10	3.63	83	24.08	17.06
3	18	1.67	48	27.55	15.45
4	14	1.54	67	26.84	16.79
5	26	2.13	60	28.87	20.16
6	10	1.67	54	29.35	19.21
7	15	1.58	64	30.51	20.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	48	29.88	17.86
2	10	3.08	48	28.77	16.88
3	18	1.67	48	29.77	17.88
4	14	1.86	71	18.80	12.38
5	26	1.90	64	30.42	19.88
6	10	1.82	58	30.80	20.27
7	15	2.84	64	28.18	20.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	57	26.59	18.68
2	10	3.08	59	28.77	19.08
3	18	2.52	64	20.70	13.23
4	14	1.58	47	18.48	7.37
5	26	1.81	67	29.62	19.00
6	10	2.91	79	24.27	18.36
7	15	2.96	62	24.16	15.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.97	68	26.99	18.77
2	10	2.61	72	23.27	17.71
3	18	1.67	48	22.36	9.56
4	14	1.54	43	19.76	6.26
5	26	3.03	67	27.69	20.31
6	10	2.48	62	24.43	16.10
7	15	3.26	68	25.66	15.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	68	29.77	17.93
2	10	1.66	49	23.32	11.19
3	18	1.81	51	19.47	8.58
4	14	1.54	55	15.07	5.84
5	26	2.15	63	26.36	18.52
6	10	1.49	48	25.71	12.82
7	15	2.08	58	25.51	15.36

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	83	24.10	19.99
2	10	2.10	67	23.88	11.82
3	18	1.58	48	18.17	8.58
4	14	1.54	40	19.55	5.55
5	28	2.26	64	25.89	18.20
6	10	1.35	48	25.18	13.21
7	15	1.80	65	21.92	12.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	48	22.52	10.88
2	10	2.10	45	21.71	9.16
3	18	1.58	43	20.75	7.95
4	14	1.57	41	21.58	7.48
5	28	2.97	68	26.86	17.87
6	10	1.58	52	23.27	12.68
7	15	1.55	45	24.63	11.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	52	20.39	10.32
2	10	2.15	47	21.71	9.88
3	18	1.81	45	22.21	9.71
4	14	1.76	46	23.80	10.51
5	26	3.02	62	24.33	16.12
6	10	1.51	46	25.05	11.99
7	15	1.52	36	26.38	9.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	40	29.99	9.43
2	10	2.28	43	24.60	10.04
3	18	1.63	44	24.30	11.87
4	14	1.57	50	22.23	11.02
5	25	2.21	53	26.55	15.92
6	10	1.57	41	26.99	12.50
7	15	1.54	34	28.19	10.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	58	22.93	13.92
2	10	3.03	43	26.60	12.77
3	18	1.91	43	26.13	12.31
4	14	1.90	53	22.77	12.10
5	26	2.35	52	26.17	17.21
6	10	1.77	51	26.99	15.49
7	15	1.75	49	28.66	13.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.19	68	23.88	18.55
2	10	2.78	42	27.99	13.66
3	18	2.19	55	28.01	15.98
4	14	1.68	69	11.38	5.82
5	26	2.13	53	28.96	18.00
6	10	2.27	63	28.77	18.38
7	15	1.79	58	27.95	17.25

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.79	61	26.10	16.77
2	10	3.06	55	26.10	16.48
3	18	5.57	73	18.15	11.15
4	14	1.67	59	14.26	6.92
5	26	2.18	61	28.60	20.16
6	10	3.85	66	29.50	24.50
7	15	1.62	64	23.25	19.55

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	71	20.44	16.77
2	10	1.48	61	20.55	8.88
3	18	1.57	45	19.44	7.00
4	14	1.71	67	12.88	6.48
5	26	1.65	57	28.61	18.00
6	10	1.75	58	26.38	15.85
7	15	1.68	57	26.21	18.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	88	10.88	8.88
2	10	1.85	48	10.88	8.04
3	18	2.47	84	18.52	11.41
4	14	2.23	88	10.88	4.88
5	25	1.75	55	20.88	18.12
6	10	2.24	73	25.05	18.27
7	15	1.87	58	20.10	18.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.32	78	18.10	13.77
2	10	5.44	83	18.21	15.27
3	18	2.38	66	17.65	10.73
4	14	2.37	72	12.37	7.16
5	26	1.85	61	28.81	18.87
6	10	1.98	78	25.21	20.10
7	15	2.18	82	23.58	19.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	92	13.77	-2.00
2	10	1.43	38	16.77	2.33
3	18	4.01	76	20.58	15.45
4	14	2.92	66	18.88	11.06
5	23	1.96	58	27.23	18.43
6	10	1.73	63	27.71	19.99
7	15	1.97	59	29.10	18.53



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	68	18.55	12.10
2	10	3.11	51	21.66	15.93
3	18	1.59	42	15.58	2.49
4	14	1.66	49	9.78	-1.96
5	26	2.65	69	27.11	20.76
6	10	2.17	68	24.82	18.93
7	15	1.80	56	25.55	18.14

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	58	18.99	2.30
2	10	1.54	44	14.82	2.43
3	18	1.57	46	13.47	0.52
4	14	1.57	46	10.89	-1.42
5	26	1.58	53	26.27	15.12
6	10	1.37	43	21.27	6.10
7	15	1.81	57	22.77	13.79

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.18	48	13.10	-1.85
2	10	1.50	40	12.82	-0.44
3	18	1.70	43	14.85	2.15
4	14	1.71	55	15.71	8.70
5	26	1.71	54	21.36	11.14
6	10	1.39	40	21.80	7.71
7	15	1.77	53	25.68	15.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	48	10.88	-0.10
2	10	2.33	61	12.71	2.86
3	18	3.11	60	17.98	9.56
4	14	1.88	56	22.88	12.88
5	26	1.92	65	23.77	13.48
6	10	1.60	53	25.10	14.99
7	15	1.80	50	26.68	17.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	50	15.55	5.32
2	10	3.75	54	19.93	10.38
3	18	2.02	61	24.55	16.44
4	14	1.93	52	28.14	14.83
5	26	2.01	57	26.05	16.40
6	10	1.57	51	27.05	16.10
7	15	1.59	45	30.22	16.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.74	63	16.88	13.44
2	10	4.78	66	22.77	15.93
3	18	2.19	55	26.66	16.87
4	14	2.61	56	24.51	14.83
5	26	2.01	59	27.55	18.50
6	10	1.19	49	28.71	17.05
7	15	1.59	40	30.59	14.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.89	69	15.88	12.89
2	10	5.32	59	25.66	16.44
3	18	2.13	53	27.74	17.08
4	14	1.68	64	21.48	15.89
5	26	1.95	52	29.20	17.24
6	10	1.81	45	29.68	16.21
7	15	1.74	41	31.51	15.95

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.67	84	18.21	16.11
2	10	2.58	63	24.55	16.48
3	18	2.57	55	26.36	16.01
4	14	2.24	73	17.81	12.97
5	26	2.37	58	28.61	17.21
6	10	1.81	48	29.96	17.77
7	15	1.56	48	29.92	16.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.21	78	22.10	17.10
2	10	2.18	47	28.83	16.32
3	18	2.60	80	24.98	18.35
4	14	2.03	77	11.18	7.21
5	26	1.66	43	31.55	16.88
6	10	1.81	54	30.82	20.38
7	15	1.58	55	29.14	18.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.13	77	18.88	12.10
2	10	2.32	67	19.88	10.55
3	18	4.70	80	14.10	10.84
4	14	3.28	80	8.80	5.95
5	26	2.10	46	31.62	17.80
6	10	2.01	58	30.49	18.53
7	15	2.53	60	24.25	15.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.67	82	10.11	8.77
2	10	5.65	92	11.94	10.82
3	18	2.67	78	10.78	7.35
4	14	1.56	59	10.39	2.61
5	26	2.21	55	29.33	18.01
6	10	1.60	68	18.88	12.06
7	15	1.62	51	18.77	8.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.35	89	16.99	11.10
2	10	1.52	51	13.43	3.43
3	18	1.65	53	9.78	0.59
4	14	1.58	52	14.29	4.55
5	26	1.65	47	22.13	10.29
6	10	1.48	47	14.96	3.98
7	15	1.52	39	21.18	5.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	49	19.88	2.77
2	10	1.77	49	12.66	2.05
3	18	2.00	58	13.78	4.59
4	14	1.60	49	13.78	2.61
5	26	2.09	52	19.93	8.53
6	10	1.60	38	18.49	2.10
7	15	1.52	30	24.38	5.32

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	55	19.10	4.22
2	10	1.58	50	14.06	3.83
3	18	2.88	48	14.58	5.87
4	14	1.70	44	20.74	7.89
5	26	2.50	55	17.68	7.77
6	10	1.70	38	18.10	2.77
7	15	1.86	33	24.51	6.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	65	11.44	5.10
2	10	8.28	84	9.32	6.71
3	18	2.13	48	10.29	5.17
4	14	1.81	55	19.48	8.75
5	26	2.20	50	18.58	8.76
6	10	2.07	35	18.99	3.10
7	15	1.57	38	25.14	8.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	48	12.55	0.77
2	10	1.60	55	13.27	4.33
3	18	2.58	44	19.31	8.83
4	14	1.68	50	21.18	10.79
5	26	2.11	42	21.12	7.08
6	10	2.11	34	20.49	4.43
7	15	1.85	40	25.49	9.95

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.19	48	10.77	-2.48
2	10	1.64	37	13.66	-0.72
3	18	2.79	42	19.59	6.26
4	14	1.82	52	19.20	8.92
5	26	2.48	51	21.21	10.42
6	10	2.29	34	22.21	5.77
7	15	1.67	41	25.97	10.33



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	48	10.21	2.77
2	10	1.75	45	17.63	5.05
3	18	2.59	42	20.67	7.27
4	14	1.74	50	19.32	7.85
5	26	1.68	57	23.11	13.97
6	10	1.85	42	22.32	9.55
7	15	2.31	49	25.58	13.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	58	18.44	10.10
2	10	2.14	56	20.10	10.09
3	18	2.15	43	22.80	9.49
4	14	1.68	51	20.35	9.58
5	26	1.92	68	24.20	15.70
6	10	1.58	40	24.60	10.21
7	15	1.74	45	27.03	14.03

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.42	58	21.33	11.06
2	10	3.38	48	22.10	10.82
3	18	2.28	45	22.74	9.98
4	14	1.68	66	6.68	0.91
5	26	2.05	68	24.10	16.70
6	9	1.65	41	25.79	11.41
7	15	1.79	48	28.10	14.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.82	66	18.21	12.82
2	10	2.42	52	22.77	12.05
3	18	2.88	54	21.07	10.45
4	14	2.36	67	7.05	1.07
5	26	2.16	67	24.63	16.20
6	10	1.52	45	25.99	12.06
7	15	1.87	54	28.61	16.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.21	72	16.46	11.21
2	10	1.66	61	21.55	10.82
3	18	3.11	60	19.50	10.45
4	14	0.40	77	0.30	2.83
5	26	2.20	65	23.80	19.46
6	10	1.93	35	28.05	11.10
7	15	1.66	57	24.14	14.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	58	17.56	8.10
2	10	4.45	73	18.89	9.10
3	18	1.83	55	9.71	1.10
4	14	1.69	68	6.22	0.69
5	26	3.16	68	23.26	19.37
6	10	1.99	50	20.55	7.38
7	15	1.87	56	19.81	10.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	47	11.60	0.55
2	10	1.48	46	12.82	1.11
3	18	2.93	58	12.18	3.48
4	14	5.41	73	8.87	4.89
5	26	2.95	68	21.59	16.37
6	10	2.30	51	22.63	11.66
7	15	1.98	47	26.16	13.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	48	14.88	3.10
2	10	3.57	68	16.05	8.10
3	18	2.57	52	21.69	10.98
4	14	4.46	78	9.52	4.91
5	26	3.78	71	22.21	16.47
6	10	5.45	76	21.10	16.32
7	15	1.71	47	27.08	14.77

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.10	67	14.88	8.99
2	10	3.08	84	18.18	11.27
3	18	2.74	74	17.77	13.02
4	14	1.80	88	8.82	0.43
5	26	2.86	68	23.37	17.16
6	10	1.85	84	24.55	17.21
7	15	1.76	85	22.19	16.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.08	80	19.10	11.21
2	10	3.76	66	18.60	12.43
3	18	5.25	83	14.00	10.76
4	14	2.21	88	0.81	2.02
5	26	2.16	64	24.03	16.64
6	10	1.74	86	25.99	17.55
7	15	2.18	70	18.50	11.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.71	70	17.66	13.99
2	10	5.23	82	18.66	15.60
3	18	5.44	75	9.28	4.84
4	14	1.80	81	13.26	2.89
5	26	2.08	67	24.80	18.31
6	10	1.38	58	16.66	8.55
7	15	1.73	57	18.18	9.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	57	14.33	5.55
2	10	1.52	58	13.32	5.21
3	18	1.98	47	15.87	4.51
4	14	1.42	58	13.32	4.81
5	26	1.65	50	23.36	11.81
6	10	1.52	43	19.71	5.43
7	15	3.76	66	20.18	13.40

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	59	18.32	1.33
2	10	3.09	48	17.99	9.05
3	18	2.70	52	17.90	7.43
4	14	3.10	76	5.03	0.61
5	26	1.99	48	23.43	11.39
6	10	1.73	55	23.32	13.38
7	15	2.32	70	23.62	17.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	49	15.21	4.88
2	10	2.58	58	14.71	5.05
3	18	4.37	78	7.89	3.78
4	14	2.15	69	4.44	-2.33
5	26	2.03	54	25.08	14.64
6	10	3.32	78	20.32	15.32
7	15	2.31	75	19.84	14.84

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.20	80	5.88	2.83
2	10	8.85	83	8.77	6.05
3	18	1.88	56	9.50	1.57
4	14	1.96	52	10.63	0.88
5	26	2.76	70	23.43	17.36
6	10	1.87	73	18.10	13.10
7	15	2.25	70	17.51	11.77

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	49	7.88	-4.21
2	10	1.52	44	9.38	-2.27
3	18	1.86	52	10.62	1.57
4	14	1.89	62	13.05	5.50
5	26	1.67	46	20.38	8.35
6	10	1.76	60	16.27	8.49
7	15	2.20	66	21.51	15.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	66	10.92	1.00
2	10	2.00	50	13.71	2.04
3	18	2.81	60	14.05	5.88
4	14	5.20	74	5.15	0.83
5	26	3.10	68	21.12	14.76
6	10	2.20	68	21.52	14.71
7	15	2.25	67	25.80	18.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.41	69	15.93	10.10
2	10	3.70	63	14.96	7.44
3	18	1.85	58	4.25	-3.35
4	14	1.58	61	-0.71	-7.23
5	26	2.85	68	24.60	17.29
6	10	3.46	63	18.96	13.38
7	15	3.30	78	15.81	11.44

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.52	94	1.88	0.88
2	10	4.09	85	2.71	0.49
3	18	3.07	56	4.65	-3.60
4	14	1.80	55	-3.84	-11.70
5	26	2.98	78	18.30	14.11
6	10	3.61	83	8.43	5.77
7	15	3.13	77	7.88	3.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.88	78	2.44	-1.33
2	10	7.59	83	2.60	0.00
3	18	5.65	68	-2.59	-7.99
4	14	1.78	49	-6.58	-14.89
5	26	8.76	87	14.33	11.81
6	10	8.73	89	4.88	3.33
7	15	1.94	59	4.21	-3.40

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.31	90	11.00	10.21
2	10	8.03	86	0.92	-0.08
3	18	5.28	82	-5.97	-10.33
4	14	4.94	81	-2.85	-9.75
5	26	1.78	58	0.10	-1.06
6	10	1.56	46	1.68	-7.94
7	15	1.58	43	0.85	-2.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	64	0.38	-2.99
2	10	3.26	58	4.38	-0.71
3	18	2.14	58	-4.10	-11.25
4	14	2.08	61	-7.05	-13.20
5	26	1.68	42	12.04	0.17
6	10	1.43	42	6.81	-5.68
7	15	1.56	41	15.81	0.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.38	48	4.99	-0.86
2	10	2.32	48	2.22	-7.82
3	18	2.23	46	-1.16	-11.28
4	14	1.78	60	-5.80	-10.47
5	26	1.76	41	15.30	1.80
6	10	1.80	43	10.99	-1.05
7	15	6.21	78	19.81	8.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	42	2.10	-9.55
2	10	1.75	51	2.11	-7.05
3	18	12.27	98	-0.73	-3.20
4	14	2.06	62	-0.87	-7.41
5	26	3.07	68	15.46	8.95
6	10	5.02	80	11.42	8.80
7	15	1.61	53	0.63	-0.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	8.82	97	9.77	9.55
2	10	6.23	91	11.32	8.83
3	18	8.11	89	-0.27	-2.95
4	14	1.98	89	0.59	-6.42
5	26	2.09	62	15.03	7.49
6	10	3.10	85	2.49	-3.71
7	15	1.52	38	12.86	-1.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.84	88	10.10	9.32
2	10	2.48	68	4.05	-2.21
3	18	2.14	66	0.26	-5.52
4	14	1.87	53	7.37	-1.82
5	26	1.72	48	10.01	-1.70
6	10	1.70	42	8.21	-5.71
7	15	1.68	34	15.88	0.49

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	40	8.88	-5.00
2	10	1.77	45	7.38	-3.82
3	18	E.95	55	8.10	-1.29
4	14	1.84	48	10.47	-0.31
5	26	1.92	38	14.84	0.30
6	10	1.58	55	12.82	-2.05
7	15	1.82	48	19.10	6.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.42	44	13.55	-0.93
2	10	3.40	45	13.71	0.05
3	18	3.29	53	13.32	2.09
4	14	2.12	50	13.70	1.22
5	26	2.10	40	18.03	4.67
6	10	1.77	51	18.45	-0.77
7	15	2.08	55	20.10	10.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	54	9.88	0.98
2	10	1.91	48	11.21	0.55
3	18	2.98	55	11.66	2.74
4	14	2.23	68	13.62	6.08
5	26	1.96	38	20.08	6.68
6	10	1.77	35	18.88	2.88
7	18	3.75	64	20.78	13.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	91	7.88	-1.88
2	10	1.87	47	10.85	-0.83
3	18	5.35	73	11.01	5.89
4	14	2.94	82	13.13	5.03
5	26	2.18	45	19.31	7.19
6	10	2.81	53	15.88	5.93
7	15	1.73	57	22.55	13.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	87	12.92	8.99
2	10	2.48	66	14.49	8.21
3	18	3.80	68	15.36	11.83
4	14	2.97	78	8.60	4.28
5	26	3.73	68	21.49	14.86
6	10	1.72	60	21.77	13.18
7	15	1.71	48	23.92	11.25

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.97	78	17.48	13.88
2	10	2.55	82	15.98	12.83
3	18	1.98	52	10.75	1.28
4	14	2.93	64	4.12	-2.81
5	26	2.18	69	23.62	17.51
6	10	1.84	58	13.10	9.82
7	15	2.05	41	21.21	8.44

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.40	44	17.44	5.21
2	10	3.79	48	15.71	4.10
3	18	1.74	50	8.42	-1.66
4	14	1.00	87	0.51	-5.27
5	26	3.03	74	21.25	16.25
6	10	2.08	58	18.99	9.68
7	15	1.88	53	21.95	11.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	8.04	82	8.88	5.88
2	10	10.11	84	8.44	7.80
3	18	4.28	78	1.44	-2.15
4	14	3.52	71	-0.38	-7.81
5	26	2.81	78	20.80	16.66
6	10	2.15	72	8.99	4.44
7	15	1.88	48	10.87	-1.11



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.87	68	5.88	1.18
2	10	3.02	70	4.77	-1.05
3	18	3.52	68	-0.84	-5.92
4	14	1.81	68	-4.87	-11.88
5	26	1.88	52	10.88	0.88
6	10	2.13	57	2.77	-4.99
7	15	1.56	58	4.88	-8.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.05	58	0.66	-7.66
2	10	1.91	58	1.16	-6.66
3	18	3.68	62	-3.35	-9.78
4	14	1.60	52	-0.27	-9.98
5	26	2.17	42	6.72	-5.55
6	10	1.50	50	1.11	-8.38
7	15	1.58	37	8.58	-7.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.57	59	-1.99	-9.77
2	10	2.39	57	-1.21	-8.89
3	18	3.12	57	-1.86	-9.48
4	14	1.77	48	1.38	-8.48
5	26	1.63	38	6.36	-7.13
6	10	1.60	39	3.55	-9.38
7	15	1.77	37	10.03	-6.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.48	52	-2.98	-11.77
2	10	3.35	56	-1.60	-9.60
3	18	2.40	59	0.89	-7.65
4	14	1.79	48	0.02	-8.91
5	26	1.67	38	8.11	-5.48
6	10	1.91	38	5.21	-7.77
7	15	2.61	40	13.40	-0.48

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	48	1.11	-8.10
2	10	3.08	46	2.10	-8.48
3	18	2.98	46	0.61	-6.19
4	14	3.01	57	5.51	-2.77
5	26	2.00	36	11.83	-9.97
6	10	1.95	35	12.16	-5.18
7	15	2.38	62	18.51	10.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	92	5.10	-0.00
2	10	3.38	55	5.00	-2.48
3	18	6.81	68	6.84	5.05
4	14	5.16	87	-3.25	-7.85
5	26	2.17	41	17.04	3.24
6	10	2.01	55	16.38	8.60
7	15	1.66	82	21.52	19.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.87	98	13.66	8.86
2	10	3.66	71	8.48	3.33
3	18	6.84	81	1.41	-1.88
4	14	2.30	88	-4.60	-7.03
5	26	2.18	84	20.70	10.88
6	10	1.95	69	17.48	11.52
7	15	3.80	68	18.87	11.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.93	79	4.88	1.44
2	10	2.62	71	4.89	0.00
3	18	2.03	58	-1.97	-8.05
4	14	1.75	57	-4.79	-11.05
5	26	2.38	65	20.03	13.05
6	10	6.56	68	12.05	9.38
7	15	5.18	77	14.25	9.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	38	1.33	-11.33
2	10	1.72	48	2.77	-7.16
3	18	7.26	75	-0.21	-6.19
4	14	8.28	79	0.43	-3.05
5	26	3.53	67	13.90	7.49
6	10	7.41	81	15.68	9.82
7	15	2.72	62	16.38	8.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.85	84	3.77	1.21
2	10	4.32	76	3.66	-0.33
3	18	3.23	71	0.92	-3.69
4	14	1.80	62	0.91	-8.14
5	26	2.05	68	18.13	11.27
6	10	1.93	67	12.21	8.33
7	15	2.81	67	13.10	8.73

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	95	-8.77	-11.66
2	10	1.62	91	-2.38	-11.66
3	18	2.38	82	-0.05	-8.35
4	14	2.15	88	4.01	-5.37
5	26	1.85	83	11.86	2.62
6	10	5.06	75	5.62	-0.22
7	15	1.84	81	11.84	5.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	95	-8.52	-11.56
2	10	3.16	91	-0.81	-8.60
3	18	3.18	86	4.80	-0.82
4	14	1.88	88	7.88	-0.18
5	26	2.87	82	10.46	8.22
6	10	3.95	86	7.49	1.11
7	15	1.74	88	10.89	6.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.58	88	4.44	-2.88
2	10	8.51	56	5.38	-2.71
3	18	4.02	84	8.78	2.26
4	14	1.89	85	9.75	0.98
5	26	2.42	48	13.80	2.87
6	10	5.19	58	11.80	2.43
7	15	1.77	81	15.64	5.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.27	95	8.10	-2.21
2	10	5.82	91	9.44	-0.38
3	18	5.71	88	11.29	4.59
4	14	4.48	87	8.52	2.08
5	26	2.60	48	16.84	3.63
6	10	3.83	51	13.83	3.32
7	15	2.75	82	18.51	8.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.45	89	8.55	1.85
2	10	3.48	59	10.83	2.96
3	18	3.92	80	12.03	4.47
4	14	3.91	71	8.46	2.59
5	26	3.06	45	17.11	4.69
6	10	2.02	48	15.21	3.55
7	15	3.79	84	18.86	10.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	57	8.77	-1.44
2	10	4.62	57	10.93	2.82
3	18	4.59	59	13.78	5.55
4	14	5.20	78	10.39	6.50
5	26	2.65	48	19.76	8.03
6	10	2.84	59	16.49	8.21
7	15	2.43	61	22.03	12.89

CAPITA

Reproduced from
best available copy.



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	58	6.00	-0.44
2	10	2.95	64	9.55	2.82
3	18	5.26	72	15.15	9.59
4	14	3.48	65	8.88	1.78
5	26	3.85	64	18.52	12.04
6	10	2.84	65	19.88	12.77
7	15	2.25	48	18.88	7.25

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.09	74	8.44	5.18
2	10	3.12	76	13.10	8.94
3	18	3.23	81	10.02	2.25
4	14	1.81	80	4.88	-2.79
5	26	3.21	77	18.58	16.28
6	10	1.33	59	16.99	8.80
7	15	3.19	51	17.77	6.74



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.24	80	12.21	10.88
2	10	7.31	90	13.10	11.98
3	18	4.23	70	7.74	2.48
4	14	5.88	78	5.07	1.38
5	26	3.00	73	18.87	14.09
6	10	2.54	69	15.38	8.27
7	15	2.54	94	20.85	9.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.82	85	13.21	10.77
2	10	4.14	66	15.05	8.71
3	18	3.59	69	13.21	7.52
4	14	4.47	73	8.38	1.48
5	26	2.77	65	21.59	14.48
6	10	3.05	64	21.21	13.55
7	15	2.08	44	20.58	8.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.98	84	11.86	9.21
2	10	3.79	75	16.05	11.49
3	18	1.85	59	12.12	3.67
4	14	2.57	72	1.90	-3.01
5	26	2.08	68	23.86	17.68
6	10	1.76	65	21.44	14.27
7	15	2.05	43	14.69	1.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	41	13.22	0.22
2	10	1.64	47	12.32	1.27
3	18	2.59	69	4.34	-0.92
4	14	3.82	74	-2.81	-8.94
5	26	2.10	69	22.83	16.66
6	10	3.68	79	17.43	13.49
7	15	3.03	71	10.14	4.70

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.70	84	4.21	0.44
2	10	8.55	87	6.43	6.46
3	18	2.55	78	1.32	-2.18
4	14	1.88	82	-5.88	-8.81
5	26	2.36	87	22.17	15.48
6	10	5.15	86	8.80	6.10
7	15	1.86	82	8.87	-1.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.96	87	2.00	-0.00
2	10	2.16	56	3.00	-4.55
3	18	1.06	80	1.07	-0.01
4	14	0.82	86	1.38	-4.44
5	26	1.00	55	14.22	5.16
6	10	2.76	88	4.27	-0.69
7	15	1.76	58	5.86	-2.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.53	80	-0.11	-0.00
2	10	3.26	58	1.00	-5.55
3	18	5.07	78	0.60	-5.39
4	14	2.40	85	-4.58	-8.79
5	26	3.80	65	11.25	4.80
6	10	1.87	57	7.52	-0.81
7	16	1.53	48	10.84	-1.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.57	51	2.55	-6.00
2	10	2.50	58	0.50	-6.77
3	18	3.73	65	-4.21	-9.90
4	14	2.73	72	-3.61	-8.57
5	26	1.68	41	10.50	-2.41
6	10	2.05	51	7.14	-2.60
7	15	1.91	36	15.77	-0.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	45	-8.55	-16.52
2	10	3.09	47	-3.60	-13.77
3	18	2.14	53	-6.53	-12.85
4	14	3.48	61	-7.91	-10.82
5	26	1.66	37	11.07	-2.41
6	10	1.97	49	7.93	-2.22
7	15	2.19	68	15.32	9.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	46	-4.77	-14.66
2	10	4.93	59	-3.82	-10.77
3	18	14.85	87	-6.86	-8.68
4	14	4.41	67	-11.88	-14.65
5	26	5.46	71	12.21	6.66
6	10	8.31	68	12.21	10.43
7	15	2.26	62	12.70	5.33

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.48	67	-7.81	-12.06
2	10	6.48	58	-3.88	-11.36
3	18	8.13	66	-12.11	-12.77
4	14	1.67	52	-15.79	-100.00
5	26	2.61	68	5.68	0.02
6	10	2.18	53	-9.05	-11.38
7	15	1.66	47	0.80	-8.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	62	-12.59	-17.77
2	10	1.71	51	-8.84	-16.54
3	18	3.57	60	-15.37	-18.11
4	14	1.70	56	-14.13	-18.84
5	26	1.65	41	1.82	-5.80
6	10	1.81	38	-4.21	-16.90
7	15	1.77	48	5.09	-4.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	51	-8.21	-18.98
2	10	3.21	48	-8.88	-16.24
3	18	8.97	65	-8.65	-14.25
4	14	8.88	79	-10.51	-11.58
5	26	2.14	43	7.10	-8.63
6	10	1.81	40	4.52	-8.05
7	15	4.98	71	13.81	5.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	13.84	88	-5.77	-7.22
2	10	13.96	90	-0.89	-2.33
3	18	4.62	73	-6.10	-10.21
4	14	1.73	61	-14.80	-12.77
5	26	5.25	83	11.10	8.16
6	10	2.07	58	5.72	-2.18
7	15	1.66	49	8.88	-1.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	48	-8.88	-18.10
2	10	1.66	55	-6.83	-13.39
3	18	5.89	68	-7.58	-12.31
4	14	7.22	74	-8.83	-11.76
5	26	2.12	51	7.81	-2.38
6	10	2.97	54	2.71	-8.10
7	15	3.61	84	12.10	4.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.54	89	-8.55	-13.47
2	10	10.63	77	-5.16	-7.03
3	18	12.08	91	-0.43	-1.66
4	14	10.23	79	-10.12	-10.55
5	26	9.26	87	8.63	6.51
6	10	7.66	96	7.49	8.68
7	15	9.50	89	11.85	9.95

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.07	90	6.80	7.98
2	10	8.70	90	7.16	5.60
3	18	5.72	78	-0.81	-8.25
4	14	4.59	67	-13.62	-15.10
5	25	2.31	72	10.23	12.98
6	10	1.98	57	5.11	-2.55
7	14	1.66	90	2.86	-0.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.98	84	1.68	-0.77
2	10	6.08	53	-5.27	-11.71
3	18	2.26	62	-9.34	-13.50
4	14	2.24	85	-7.09	-7.89
5	26	1.76	42	10.09	-2.96
6	10	1.67	45	4.82	-7.18
7	15	1.76	26	11.88	-6.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	90	-1.44	-10.88
2	10	2.68	52	0.16	-8.48
3	18	4.02	84	-1.28	-7.51
4	14	1.84	66	-10.98	-15.88
5	26	2.08	46	13.75	1.43
6	10	1.76	43	10.88	-1.49
7	15	1.87	47	14.88	9.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.52	57	0.77	-7.77
2	10	2.95	58	1.85	-6.48
3	18	4.71	84	-7.66	-10.98
4	14	2.58	68	-11.38	-14.09
5	26	2.76	48	15.33	3.82
6	10	3.12	43	11.44	0.77
7	15	3.25	60	13.03	5.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	59	-3.10	-10.10
2	10	7.28	69	-1.55	-5.71
3	18	10.51	90	-1.01	-2.71
4	14	2.77	71	-7.05	-11.98
5	26	2.60	66	14.93	8.45
6	10	4.78	78	12.88	8.60
7	15	1.93	69	16.14	10.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.98	73	-1.77	-5.77
2	10	3.20	68	-0.27	-5.38
3	18	2.79	77	-3.94	-7.37
4	14	1.73	85	-10.65	-14.47
5	26	3.77	49	14.88	10.91
6	10	4.83	80	4.03	1.61
7	15	2.05	54	7.88	-1.21

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	48	-4.49	-12.77
2	10	1.85	53	-4.38	-12.99
3	18	2.57	69	-6.80	-11.78
4	14	2.54	67	-10.46	-12.77
5	26	1.88	48	7.71	-2.00
6	10	1.98	48	5.05	-6.88
7	15	1.84	49	7.62	-4.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	44	-8.88	-18.38
2	10	4.08	60	-4.83	-11.71
3	18	3.19	63	-0.57	-6.69
4	14	1.97	67	-5.26	-9.72
5	26	2.11	44	0.38	-2.17
6	10	2.05	41	7.99	-4.49
7	15	1.84	48	15.96	3.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.77	88	-1.89	-8.84
2	10	2.84	65	2.71	-3.10
3	18	4.71	81	4.49	1.54
4	14	2.08	71	1.82	-8.33
5	26	3.66	65	14.76	7.75
6	10	2.64	79	12.77	9.18
7	16	1.81	48	21.32	8.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.70	86	5.32	3.21
2	10	12.70	95	4.38	3.71
3	18	4.65	87	4.85	2.02
4	14	4.84	99	0.35	-2.73
5	26	3.52	71	10.18	13.54
6	10	1.03	69	19.71	13.71
7	15	2.01	48	23.33	10.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.33	71	3.77	-0.09
2	10	3.91	81	4.38	1.33
3	18	3.52	89	10.85	9.01
4	14	10.29	91	-1.71	-2.94
5	26	4.58	73	10.07	13.82
6	10	1.46	65	22.38	15.43
7	15	2.00	54	23.55	13.07

CAPITA


REGION 1, QTR 1 1951
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 1, QTR 2 1951
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 1, QTR 3 1951
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 1, QTR 4 1951
100 15
30
RH
BEXT
TEMP
0 0
OCT
NOV
DEC


REGION 2, QTR 1 1951
REGION 2, QTR 2 1951
REGION 2, QTR 3 1951
REGION 2, QTR 4 1951
100
15
0
30
40
50
-20
-10
RH
BEXT
TEMP
JAN
FEB
MAR
APR
MAY
JUN
JUL
AUG
SEP
OCT
NOV
DEC

CAPITA


REGION 3, QTR 1 1951
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 3, QTR 2 1951
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 3, QTR 3 1951
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 3, QTR 4 1951
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITA


REGION 4, QTR 1 1951
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 4, QTR 2 1951
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 4, QTR 3 1951
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 4, QTR 4 1951
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITO


REGION 5, QTR 1 1951
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 5, QTR 2 1951
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 5, QTR 3 1951
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 5, QTR 4 1951
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CRPITO


REGION 6, QTR 1 1951
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 6, QTR 2 1951
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 6, QTR 3 1951
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 6, QTR 4 1951
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 7, QTR 1 1951
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 7, QTR 2 1951
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 7, QTR 3 1951
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 7, QTR 4 1951
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITO


EUS MEAN, QTR 1 1951
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


EUS MEAN, QTR 2 1951
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


EUS MEAN, QTR 3 1951
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


EUS MEAN, QTR 4 1951
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CORITO



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.92	80	0.99	0.77
2	10	0.86	81	0.88	7.32
3	18	5.17	77	-0.25	-2.81
4	19	1.60	81	-12.92	-11.11
5	26	3.30	67	20.43	16.70
6	10	1.91	71	21.06	10.40
7	15	1.00	69	12.10	5.90



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	94	0.99	-4.77
2	10	8.71	77	3.27	-0.30
3	18	5.20	80	-3.38	-6.71
4	14	2.74	80	-8.50	-12.07
5	26	3.24	64	21.04	10.60
6	10	4.04	80	13.40	11.10
7	15	4.07	82	7.90	4.22



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.72	80	-2.22	-0.10
2	10	1.06	80	0.01	-0.05
3	18	2.70	82	-2.00	-0.94
4	14	0.00	80	-0.00	-10.00
5	26	1.04	80	17.00	0.77
6	10	2.90	70	0.00	4.40
7	15	7.00	80	4.10	0.01



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	55	-2.22	-10.21
2	10	3.25	61	0.88	-5.82
3	18	9.78	73	-1.38	-4.85
4	14	3.08	72	-3.80	-8.17
5	26	3.52	62	12.73	5.51
6	10	5.05	83	11.10	8.21
7	15	1.91	88	8.44	2.55



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.02	92	-1.11	-1.99
2	10	3.12	73	2.27	-2.27
3	18	4.29	80	-1.57	-4.85
4	14	4.30	74	-8.08	-9.99
5	26	2.79	65	14.80	7.96
6	10	2.69	78	5.38	1.55
7	15	2.24	88	8.77	2.33



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	70	-2.88	-7.88
2	10	2.44	65	-0.88	-8.66
3	18	4.43	81	-2.03	-4.87
4	14	2.02	69	-7.45	-12.21
5	26	3.92	65	0.86	2.07
6	10	2.88	68	2.80	-2.77
7	15	1.83	50	6.70	-5.88

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.49	70	-8.95	-12.89
2	10	2.82	66	-3.10	-10.09
3	18	4.05	75	-2.15	-5.82
4	14	1.98	70	-3.26	-7.09
5	26	1.91	46	0.65	-3.26
6	10	3.01	85	4.90	-2.10
7	15	1.60	48	11.96	0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.48	81	-2.88	-12.46
2	10	2.50	68	-1.96	-12.10
3	18	7.87	81	2.37	-0.78
4	14	5.46	75	-1.09	-4.61
5	26	3.66	62	10.62	0.68
6	10	2.41	86	11.69	5.71
7	15	2.02	55	18.38	8.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.27	88	-8.98	-8.77
2	10	8.85	75	-0.18	-4.06
3	18	8.15	81	0.88	-2.71
4	14	2.87	70	-6.59	-9.96
5	26	8.01	62	17.67	10.12
6	10	5.65	78	14.85	10.52
7	15	2.22	83	14.88	8.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	10.89	81	-2.77	-5.88
2	10	9.92	88	0.10	-2.27
3	18	3.09	78	-1.57	-5.58
4	14	2.29	88	-5.87	-10.09
5	26	3.78	55	10.59	1.51
6	10	2.90	82	1.83	-5.10
7	15	1.59	90	8.29	-3.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.20	84	-1.88	-10.30
2	10	1.86	67	-1.16	-8.77
3	18	3.41	70	0.03	-4.77
4	14	1.09	69	2.02	-5.43
5	26	1.89	48	9.78	-2.00
6	10	2.21	52	5.00	-3.68
7	15	1.87	45	11.92	-0.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.41	93	1.77	-0.09
2	10	6.26	56	4.83	-3.43
3	18	6.01	69	2.88	-2.31
4	14	6.31	78	-4.78	-8.61
5	26	2.60	49	13.35	2.82
6	10	2.78	80	10.77	3.33
7	15	1.94	55	17.29	8.19

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.87	87	8.00	-3.00
2	10	4.06	61	6.10	-1.00
3	18	14.72	94	4.18	3.39
4	14	4.81	73	0.55	-4.00
5	20	2.72	55	18.04	6.81
6	10	2.42	73	18.18	11.52
7	15	1.84	80	21.14	13.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	8.06	87	-0.00	-2.00
2	10	13.07	87	4.00	2.00
3	18	10.91	91	7.80	6.44
4	14	9.87	77	6.18	1.88
5	20	2.38	67	20.16	11.86
6	10	1.97	70	18.48	14.05
7	15	2.50	66	20.79	11.82



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	12.02	86	4.00	3.00
2	10	9.21	85	8.38	6.00
3	18	1.79	85	6.83	0.21
4	14	2.12	68	0.87	-0.10
5	20	2.04	62	20.00	13.24
6	10	3.38	65	18.48	10.88
7	15	3.17	60	18.00	10.44



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.96	52	3.44	0.44
2	10	2.02	62	4.10	-2.66
3	18	4.88	75	4.47	0.40
4	14	7.35	80	1.82	-1.59
5	20	1.78	48	20.05	7.73
6	10	3.47	63	19.21	12.18
7	15	1.77	81	21.92	13.19



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.88	68	-0.55	-0.21
2	10	5.73	79	3.94	0.61
3	18	4.22	82	13.29	10.38
4	14	1.63	62	-1.78	-7.56
5	20	2.47	57	18.43	9.48
6	10	1.72	75	18.77	14.05
7	15	1.88	59	20.99	12.21

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.96	51	4.00	-4.55
2	10	2.13	49	4.55	-5.66
3	18	2.01	58	2.80	-4.53
4	14	2.12	56	0.89	-7.85
5	20	1.65	43	18.75	6.18
6	10	1.59	45	19.27	1.55
7	15	2.43	62	18.58	10.88

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	47	0.00	-10.00
2	10	2.26	53	2.55	-6.00
3	18	3.49	63	4.02	1.05
4	14	6.01	76	1.06	-1.92
5	26	2.06	46	15.01	8.16
6	10	2.40	80	14.60	8.77
7	15	1.72	61	22.70	11.10



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.00	80	0.77	6.46
2	10	2.76	75	5.63	1.30
3	18	3.50	69	-1.05	-0.09
4	14	1.00	61	-4.10	-10.04
5	26	1.06	64	10.06	0.06
6	10	1.41	51	13.21	5.10
7	15	1.71	62	10.06	0.77



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	44	-6.00	-10.00
2	10	1.50	46	-3.55	-10.20
3	18	2.24	60	-2.00	-7.00
4	14	10.00	66	-6.10	-0.07
5	26	1.67	36	14.05	-0.00
6	10	1.75	51	9.77	-0.00
7	15	2.07	67	10.00	11.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.39	54	-7.21	-19.46
2	10	10.61	83	-1.88	-4.49
3	18	7.70	68	0.00	-1.97
4	14	8.29	69	-10.05	-12.50
5	26	7.44	82	19.50	10.00
6	10	2.45	81	11.38	8.05
7	15	1.89	40	19.79	0.92



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.00	50	5.55	-1.09
2	10	3.07	68	1.66	-5.93
3	18	3.71	67	-7.83	-12.31
4	14	2.70	57	-14.28	-14.44
5	26	1.50	41	12.02	-1.57
6	10	1.47	48	9.27	-7.93
7	15	1.71	37	8.29	-8.07



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.97	60	-7.40	-12.77
2	10	3.02	55	-4.60	-12.55
3	18	2.91	62	-9.20	-12.00
4	14	3.33	66	-8.40	-14.00
5	26	1.00	42	10.33	-2.92
6	10	1.72	48	5.00	-5.40
7	15	1.04	44	14.05	2.92

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	89	-5.83	-10.24
2	10	5.01	56	-2.10	-9.82
3	18	5.86	72	2.95	-1.84
4	14	2.75	80	-1.42	-5.70
5	26	2.22	94	10.56	6.42
6	10	1.91	58	12.38	4.05
7	15	1.06	66	22.21	11.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.08	82	8.88	8.21
2	10	10.56	85	8.66	6.96
3	18	15.29	91	5.86	4.59
4	14	9.80	76	-0.11	-5.78
5	26	9.80	76	19.85	14.82
6	10	2.70	78	15.60	13.27
7	15	1.81	84	20.38	18.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.81	79	7.21	3.88
2	10	6.96	81	8.05	4.64
3	18	7.87	89	-0.02	-2.49
4	14	9.86	87	-0.68	-9.08
5	26	2.45	78	21.08	16.95
6	10	5.84	87	15.88	11.77
7	15	5.48	84	19.63	8.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.46	85	1.68	-0.88
2	10	6.09	82	-0.83	-3.49
3	18	3.91	88	-8.17	-11.14
4	14	2.91	83	-6.80	-10.13
5	26	3.06	83	13.26	10.03
6	10	3.58	79	5.77	2.96
7	15	1.09	90	13.80	-0.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	95	-10.21	-16.83
2	10	1.61	51	-9.60	-16.66
3	18	3.81	58	-11.35	-15.94
4	14	1.82	57	-7.82	-9.71
5	26	2.40	49	4.55	-5.51
6	10	2.11	51	-1.77	-10.55
7	15	1.82	57	13.84	-1.33



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	37	-10.99	-100.00
2	10	3.27	53	-7.32	-16.71
3	18	2.82	58	-8.10	-13.45
4	14	1.92	57	0.11	-7.81
5	26	1.70	45	9.35	-7.81
6	10	2.15	41	1.46	-10.27
7	15	1.78	45	14.29	2.56

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.02	82	-4.00	-12.00
2	10	8.62	48	-0.60	-8.00
3	18	9.09	54	4.77	-3.78
4	14	1.60	82	0.20	-1.10
5	26	2.00	40	0.04	-9.62
6	10	2.50	45	11.21	-0.50
7	15	1.77	62	10.00	0.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.04	40	8.60	-4.00
2	10	5.70	64	7.05	0.44
3	18	5.31	85	7.43	5.00
4	14	1.77	80	4.40	-1.42
5	26	2.30	41	16.06	2.04
6	10	2.13	52	14.82	4.99
7	15	2.28	64	10.44	10.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.20	70	7.77	2.44
2	10	5.76	76	7.43	3.60
3	18	8.15	81	4.81	1.07
4	14	2.22	80	4.24	-1.42
5	26	2.76	85	16.17	8.81
6	10	4.37	78	12.94	8.99
7	15	3.10	80	15.14	5.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	86	4.44	-1.44
2	10	2.34	67	7.32	1.60
3	18	14.03	95	5.24	4.88
4	14	7.59	81	2.14	-0.91
5	26	3.78	75	16.87	12.08
6	10	4.13	83	13.80	10.68
7	15	5.34	54	15.55	4.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.07	94	4.77	3.88
2	10	6.74	90	8.05	6.55
3	18	4.86	87	2.48	0.52
4	14	1.80	85	2.10	-4.04
5	26	4.19	67	18.58	11.81
6	10	4.28	78	10.88	8.49
7	15	1.82	98	12.10	-2.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.95	71	8.10	1.10
2	10	2.15	66	4.93	-1.10
3	18	3.43	72	1.32	-3.14
4	14	3.25	77	-0.71	-4.47
5	26	2.09	61	12.00	4.63
6	10	1.97	58	8.55	-1.05
7	15	1.55	29	15.77	-3.93

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	44	2.22	-6.99
2	10	1.62	48	2.77	-7.16
3	18	7.81	79	-0.85	-4.07
4	14	1.00	78	-1.09	-5.87
5	26	2.08	48	12.64	0.53
6	10	2.84	81	8.43	0.98
7	15	1.44	98	12.51	-0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.09	82	-0.55	-3.11
2	10	1.62	57	1.05	-6.55
3	18	3.48	71	-0.15	-4.77
4	14	1.00	88	4.86	-3.09
5	26	1.91	48	10.03	-0.91
6	10	2.18	50	8.05	-5.00
7	15	1.59	24	18.62	-4.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.09	93	0.55	-7.55
2	10	2.82	54	4.21	-4.21
3	18	5.51	70	4.10	-1.36
4	14	1.57	88	0.15	-8.34
5	26	1.82	36	14.78	-0.70
6	10	1.48	52	16.16	-0.44
7	15	1.62	53	16.88	0.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.19	97	1.99	-0.55
2	10	1.54	48	2.55	-7.66
3	18	1.80	59	2.88	-4.28
4	14	1.67	52	6.29	-5.03
5	26	1.67	41	15.29	1.68
6	10	1.93	40	12.18	-0.88
7	15	1.67	98	19.87	9.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	81	2.88	-0.44
2	10	1.58	45	2.55	-8.60
3	18	2.00	54	0.51	-0.15
4	14	1.54	51	8.01	-2.41
5	26	1.62	31	17.85	0.21
6	10	1.48	46	18.83	8.83
7	15	1.66	51	20.14	8.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.41	88	9.99	1.09
2	10	3.40	61	5.68	-1.93
3	18	2.19	61	0.88	-8.01
4	14	2.87	98	5.81	-0.52
5	26	1.67	36	19.28	1.83
6	10	1.37	55	14.55	-1.55
7	15	1.71	88	18.61	8.58

CAPITA



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.14	61	-6.44	-18.74
2	10	1.00	80	-1.00	-10.77
3	18	2.90	55	5.67	-2.85
4	14	2.10	65	8.89	-0.87
5	26	1.83	94	16.12	-0.81
6	10	2.07	58	12.18	2.77
7	15	1.80	60	10.00	0.09



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.91	47	-6.44	-18.00
2	10	1.46	89	-6.18	-16.17
3	18	3.05	85	0.67	-5.27
4	14	6.05	89	1.78	0.10
5	26	2.23	48	17.80	8.80
6	10	3.34	72	14.80	8.55
7	15	1.80	42	10.00	0.74



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	47	-6.77	-18.77
2	10	1.48	43	-2.80	-13.86
3	18	3.15	61	-2.00	-8.98
4	14	6.60	62	-2.02	-4.67
5	26	3.02	68	14.20	7.84
6	10	2.83	61	10.45	7.82
7	15	2.81	60	16.82	9.61



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	45	-1.99	-12.55
2	10	1.47	33	0.33	-13.00
3	18	3.01	58	-0.64	-8.05
4	14	3.45	77	-1.98	-5.99
5	26	3.33	64	11.40	4.03
6	10	3.58	71	10.94	8.10
7	15	4.38	82	7.81	4.99



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	47	0.44	-9.77
2	10	2.53	44	2.38	-8.71
3	18	4.60	58	1.29	-8.35
4	14	4.01	78	-2.14	-5.49
5	26	8.24	83	11.38	8.35
6	10	7.98	87	7.10	4.94
7	15	2.27	82	7.84	0.63



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.57	87	-0.77	-2.55
2	10	8.29	92	1.55	0.50
3	18	3.05	60	1.54	-5.92
4	14	3.15	70	-0.87	-5.90
5	26	4.11	71	10.38	4.09
6	10	3.98	78	4.21	-0.88
7	15	1.80	48	12.51	1.11

CAPITA



FEB. 18 1952

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
7	[illegible]	1.77	[illegible]	17.77	[illegible]



FEB. 19 1952

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
7	[illegible]	1.77	[illegible]	[illegible]	[illegible]



FEB. 20 1952

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
3	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
4	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
5	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
6	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
7	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]



FEB. 21 1952

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.38	89	-0.55	-2.99
2	10	4.33	78	1.82	-2.10
3	18	3.27	71	-2.00	-8.57
4	14	1.60	81	-5.78	-11.75
5	26	1.69	35	15.27	-1.04
6	10	1.32	32	10.88	-5.55
7	15	1.59	42	14.77	1.33



FEB. 22 1952

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.71	72	-1.94	-5.99
2	10	2.17	61	0.99	-5.44
3	18	2.72	83	-0.09	-8.47
4	14	5.09	73	-3.88	-7.28
5	26	2.05	40	12.19	-1.21
6	10	2.09	51	7.10	-2.38
7	15	3.80	69	15.55	8.33



FEB. 23 1952

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.49	64	-1.59	-7.49
2	10	2.87	57	1.68	-6.16
3	18	8.25	89	1.50	-3.87
4	14	4.07	77	-2.93	-6.50
5	26	3.25	62	11.96	4.58
6	10	3.83	75	0.33	4.05
7	15	5.88	78	11.79	7.58

CAPITA









REGION	n STNS	HEAT	RH %	TEMPERATURE C	DEWPOINT C
1	5	7.60	71	0.99	-3.39
2	10	2.68	58	3.93	-4.27
3	18	3.42	66	4.58	-2.55
4	14	1.78	59	5.21	-3.37
5	26	2.21	92	10.70	-1.78
6	10	1.73	97	12.32	-2.21
7	19	1.66	87	17.25	-2.49



REGION	n STNS	HEAT	RH %	TEMPERATURE C	DEWPOINT C
1	5	2.09	55	1.22	-9.10
2	10	1.98	83	3.27	-5.66
3	18	6.05	66	6.57	-0.29
4	14	2.46	73	-0.75	-5.11
5	26	2.11	97	14.49	1.23
6	10	1.58	99	15.55	4.15
7	19	1.68	98	20.43	9.58



REGION	n STNS	HEAT	RH %	TEMPERATURE C	DEWPOINT C
1	5	1.79	95	1.99	-0.22
2	10	1.88	97	3.16	-7.21
3	18	5.05	87	1.32	-9.13
4	14	2.21	71	-3.05	-7.61
5	26	2.28	50	10.99	2.64
6	10	2.55	53	17.49	8.09
7	19	3.41	43	18.25	8.07

CAPITA


Bave= 2.74
MAR. 1 1952


Bave= 4.98
MAR. 2 1952


Bave= 8.81
MAR. 3 1952


NUMBER OF STATIONS 88
ADJUSTED STATIONS 9
Bave= 3.92
MAR. 4 1952


NUMBER OF STATIONS 88
ADJUSTED STATIONS 1
Bave= 2.12
MAR. 5 1952


NUMBER OF STATIONS 88
ADJUSTED STATIONS 0
Bave= 2.33
MAR. 6 1952

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.77	80	0.00	-4.00
2	10	2.70	80	-0.00	-6.10
3	18	2.29	50	0.30	-7.00
4	14	5.17	75	-1.00	-0.00
5	26	2.07	48	12.00	-0.07
6	10	2.09	50	10.05	-5.00
7	15	1.80	41	10.00	2.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.77	80	0.00	-4.00
2	10	3.10	85	0.00	-6.10
3	18	4.30	99	1.07	-9.00
4	14	6.00	80	0.07	-0.00
5	26	2.13	41	11.00	-1.17
6	10	1.80	52	12.27	-9.00
7	15	1.75	40	10.14	0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.77	81	0.00	-3.00
2	10	3.00	85	3.00	-4.00
3	18	5.01	70	0.90	0.00
4	14	6.00	70	2.77	-1.00
5	26	2.00	42	10.36	2.00
6	10	1.80	52	10.94	1.00
7	15	6.00	70	10.00	10.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.81	53	3.90	-4.00
2	10	2.46	60	7.05	-0.16
3	18	11.35	83	8.15	5.00
4	14	2.57	75	1.90	-2.14
5	26	2.00	62	17.71	10.00
6	10	5.25	87	14.33	12.10
7	15	3.83	80	15.47	5.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	8.30	90	5.32	3.77
2	10	6.40	92	9.32	8.21
3	18	2.10	84	3.00	-2.43
4	14	1.83	84	0.07	-5.15
5	26	1.00	52	10.50	9.20
6	10	1.90	68	11.10	4.03
7	15	1.80	48	15.77	4.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.91	48	5.10	-5.00
2	10	1.60	45	6.05	-5.21
3	18	2.30	58	6.63	-1.11
4	14	8.33	77	3.05	-0.07
5	26	1.00	48	10.41	0.25
6	10	1.93	50	15.00	5.21
7	15	9.84	33	10.50	1.33

CAPITA



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.22	49	8.22	-0.89
2	10	0.23	66	2.05	-6.32
3	18	5.52	79	4.37	0.92
4	14	0.12	72	0.09	-4.58
5	26	2.48	53	22.11	11.80
6	10	0.49	28	19.05	-0.99
7	15	4.09	89	17.09	-0.14

REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.24	68	0.06	-0.96
2	10	1.98	82	0.55	-0.71
3	18	0.19	80	0.98	-0.98
4	14	0.57	79	-0.78	-6.75
5	26	2.06	46	16.06	9.71
6	10	2.78	58	10.35	1.58
7	15	2.08	67	10.21	4.21



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.00	66	-1.10	-12.10
2	10	1.80	51	0.09	-8.55
3	18	1.81	52	1.52	-7.97
4	14	0.20	66	-0.08	-6.70
5	26	0.08	52	19.00	2.84
6	10	0.22	58	7.18	-1.05
7	15	0.51	66	15.60	1.22



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	0.03	60	-3.80	-11.10
2	10	0.15	62	-2.30	-9.05
3	18	0.28	69	0.90	-5.09
4	14	0.10	60	1.62	-5.35
5	26	1.81	37	9.93	-0.56
6	10	1.58	38	7.71	-5.27
7	15	1.77	64	15.07	2.58



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	0.29	58	4.55	-3.43
2	10	1.05	59	2.27	-5.27
3	18	1.38	58	5.05	-3.68
4	14	2.07	63	6.78	0.00
5	26	1.61	32	13.77	-2.06
6	10	2.18	33	12.10	-3.60
7	15	3.05	66	10.14	3.18



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.20	49	5.90	-6.10
2	10	1.09	49	6.77	-3.08
3	18	6.02	79	5.85	1.04
4	14	7.29	86	2.57	0.19
5	26	2.73	45	15.95	3.07
6	10	3.99	87	10.46	8.49
7	15	3.57	42	18.36	1.82

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	69	2.95	-0.10
2	10	7.06	80	2.80	0.77
3	18	9.99	82	6.19	3.29
4	14	2.04	79	4.00	-0.29
5	26	2.62	61	10.00	0.04
6	10	1.57	48	10.00	0.71
7	15	0.00	20	20.00	1.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	74	0.00	1.81
2	10	0.19	80	10.00	2.00
3	18	0.63	88	19.00	5.00
4	14	0.00	83	5.10	-1.00
5	26	1.72	87	24.16	7.77
6	10	1.77	55	29.00	0.00
7	15	1.00	44	22.51	0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.00	70	7.00	0.77
2	10	7.00	80	12.00	0.77
3	18	0.00	80	10.01	0.00
4	14	0.00	74	-1.10	-0.00
5	26	0.72	60	26.16	12.61
6	10	0.00	67	22.00	10.00
7	15	0.00	50	21.92	11.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	58	7.99	0.00
2	10	5.14	82	5.16	2.38
3	18	8.19	90	5.55	4.07
4	14	11.04	83	-5.11	-7.53
5	26	2.43	63	23.15	15.65
6	10	1.89	78	19.88	15.88
7	15	3.23	41	8.99	-4.35



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.71	89	1.99	0.33
2	10	4.78	88	5.18	3.32
3	18	3.05	85	0.58	-5.48
4	13	2.40	80	-5.34	-12.04
5	26	3.18	73	20.12	14.80
6	10	1.57	53	9.49	0.22
7	15	1.63	38	7.21	-7.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.77	88	3.10	0.88
2	10	3.08	65	5.88	-0.44
3	18	1.99	55	2.34	-8.07
4	14	2.03	59	-1.70	-9.04
5	26	5.10	79	13.58	8.50
6	10	1.90	58	8.16	-0.50
7	15	1.57	24	14.77	-5.70

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.86	48	8.89	-6.45
2	10	1.88	45	8.88	-2.77
3	18	2.36	45	8.87	-6.88
4	14	1.75	80	0.51	-8.39
5	26	2.20	53	15.28	5.06
6	10	1.48	52	15.18	-1.11
7	16	1.70	48	15.16	1.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.85	41	11.77	-1.77
2	10	2.06	43	19.18	0.72
3	18	2.51	57	9.78	-4.51
4	14	1.78	81	1.76	-8.18
5	26	2.48	56	16.66	8.06
6	10	1.52	56	18.18	0.22
7	16	1.66	61	17.88	6.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.89	48	8.88	-1.44
2	10	1.88	48	8.10	-4.88
3	18	2.75	58	4.18	-4.06
4	14	1.57	87	0.18	-4.00
5	26	1.88	41	10.86	4.50
6	10	2.08	48	14.99	0.18
7	16	2.09	87	19.86	6.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.88	48	8.32	0.35
2	10	2.50	43	8.86	-5.33
3	18	2.52	48	8.53	-5.82
4	14	1.71	88	7.85	1.27
5	26	2.33	48	16.81	5.23
6	10	1.86	38	13.89	-0.18
7	16	1.81	48	16.77	6.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.93	48	8.21	-5.99
2	10	2.38	95	5.99	-4.21
3	18	3.77	53	8.31	-1.07
4	14	1.85	48	12.81	1.07
5	26	1.91	38	18.73	3.78
6	10	1.55	51	16.56	1.49
7	16	1.81	51	20.52	9.59



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.89	88	4.10	0.88
2	10	1.67	38	0.65	-7.43
3	18	3.19	48	15.45	5.42
4	14	2.52	84	13.78	8.28
5	26	1.85	38	20.81	5.14
6	10	1.87	33	21.55	3.71
7	16	1.88	61	21.99	12.68

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.80	90	7.99	-0.89
2	10	2.50	43	14.95	1.71
3	10	5.11	71	14.84	9.20
4	14	8.71	76	9.90	4.16
5	26	2.65	68	18.77	10.10
6	10	1.95	88	19.84	12.71
7	15	2.12	87	29.88	12.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.49	88	8.10	8.22
2	10	6.02	72	15.09	10.40
3	10	8.28	83	19.20	8.13
4	14	1.87	84	9.12	-0.81
5	26	2.69	70	21.38	15.37
6	10	1.88	82	20.85	13.38
7	15	2.08	40	82.88	7.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	8.47	82	9.88	2.77
2	10	8.48	65	13.85	8.77
3	10	1.58	88	7.88	-1.55
4	14	1.88	47	8.88	-6.48
5	26	1.85	41	21.82	7.34
6	10	1.58	58	17.10	8.88
7	15	1.81	28	23.28	8.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.85	58	9.88	0.85
2	10	1.45	48	9.82	-0.55
3	10	2.32	48	8.36	-3.08
4	14	2.08	58	4.38	0.28
5	26	1.58	31	18.81	1.82
6	10	1.37	28	18.27	0.48
7	15	2.12	58	20.25	8.55

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.52	40	12.68	-0.08
2	10	2.40	46	13.32	1.83
3	10	7.05	80	5.16	1.84
4	14	1.80	68	4.12	-2.25
5	26	2.19	48	21.81	8.58
6	10	1.72	65	15.94	8.05
7	15	2.84	38	18.72	1.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	4.19	78	8.89	4.77
2	10	8.91	91	12.93	11.49
3	10	4.31	77	3.78	-0.09
4	14	1.87	88	4.59	-2.81
5	26	1.82	52	18.41	8.87
6	10	2.19	65	8.82	8.44
7	15	1.93	53	17.80	8.18

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.29	67	0.60	1.00
2	10	2.21	66	8.32	0.27
3	18	3.35	67	5.54	-2.55
4	14	1.67	40	7.40	-2.79
5	26	1.69	80	19.19	-0.44
6	10	1.56	49	9.30	-0.83
7	15	1.55	90	21.21	2.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	51	0.90	-0.00
2	10	2.07	60	5.16	-0.27
3	18	2.24	50	7.10	-3.14
4	14	1.05	30	18.30	0.43
5	26	1.63	96	16.39	-0.30
6	10	1.44	37	14.66	0.27
7	15	1.50	94	25.20	7.44

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	58	7.77	0.22
2	10	2.02	63	8.60	1.60
3	18	1.99	45	12.00	0.43
4	14	2.15	84	14.40	5.44
5	26	1.70	36	18.22	2.02
6	10	1.05	39	20.60	5.94
7	15	1.03	43	25.61	11.50



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	51	9.55	-0.11
2	10	2.23	50	12.30	2.10
3	18	2.66	43	18.20	5.39
4	14	5.55	60	1.30	-4.50
5	26	1.40	39	20.67	6.15
6	10	1.99	41	24.30	10.27
7	15	8.10	80	15.50	0.22



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	58	13.21	2.00
2	10	2.10	46	18.43	4.32
3	18	2.43	72	5.07	0.81
4	14	1.54	59	2.10	-0.74
5	26	1.97	40	22.62	0.41
6	10	2.31	61	18.10	9.77
7	15	1.89	50	11.20	0.50



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	98	0.55	-5.55
2	10	1.69	44	6.99	-4.60
3	18	1.82	54	4.59	-3.05
4	14	1.03	60	4.00	-2.25
5	26	1.03	42	22.70	0.69
6	10	1.08	58	18.21	0.71
7	15	3.47	78	13.62	0.07

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	29	9.01	-9.77
2	10	1.95	45	8.80	-4.36
3	18	0.97	69	5.89	3.34
4	14	0.76	82	4.26	1.36
5	26	1.90	48	22.80	10.78
6	10	2.25	48	23.94	11.86
7	15	2.09	82	18.82	10.55

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.08	48	9.88	-5.88
2	10	2.66	75	8.60	4.27
3	18	5.83	86	9.99	7.88
4	14	2.92	91	8.28	-1.18
5	26	3.02	71	21.26	15.35
6	10	2.38	58	19.45	11.48
7	15	1.81	87	18.18	9.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.06	88	8.77	7.21
2	10	5.78	83	13.71	10.93
3	18	5.58	85	5.05	2.48
4	14	1.80	48	10.87	-1.31
5	26	1.86	63	20.52	10.27
6	10	1.87	86	8.95	2.98
7	15	1.58	98	17.88	9.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.98	71	7.68	2.77
2	10	4.05	81	7.88	4.38
3	18	2.98	59	8.32	-0.28
4	14	1.82	92	14.28	2.92
5	26	1.86	58	14.85	4.58
6	10	2.25	82	9.89	2.38
7	15	1.52	98	20.83	9.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.29	29	15.09	-6.93
2	10	1.88	31	14.93	-2.27
3	17	1.89	51	15.81	-1.47
4	14	1.69	98	15.89	0.75
5	26	1.78	43	15.38	2.75
6	10	1.92	41	15.27	2.05
7	15	1.86	48	21.40	7.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.22	95	15.77	-0.49
2	10	2.16	52	18.88	1.77
3	18	1.83	28	19.82	1.32
4	14	1.88	63	15.89	8.61
5	26	1.65	32	21.29	3.50
6	10	1.87	51	20.05	2.16
7	15	1.55	48	20.40	8.88

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.90	90	10.94	1.11
2	10	1.79	29	21.80	2.05
3	18	1.75	37	20.55	4.87
4	14	2.09	89	10.20	7.41
5	26	1.88	20	24.46	4.84
6	10	1.95	32	22.95	5.10
7	15	1.82	80	20.14	11.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.97	86	21.44	6.77
2	10	2.21	40	21.82	7.27
3	18	1.93	52	23.26	5.73
4	14	1.70	48	20.00	0.40
5	26	1.87	30	26.04	6.70
6	10	1.72	29	25.05	5.00
7	15	2.60	70	20.90	14.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	21	21.77	-1.90
2	10	1.78	27	24.05	4.05
3	18	1.62	57	24.59	9.80
4	14	1.60	87	20.60	17.40
5	26	1.92	33	27.21	8.75
6	10	1.91	56	25.00	8.62
7	15	2.00	70	20.35	16.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	27	15.77	-3.33
2	10	1.50	22	20.27	-2.33
3	18	2.05	48	24.10	10.26
4	14	2.20	79	15.90	10.83
5	26	1.92	35	27.60	10.80
6	10	1.85	38	26.18	10.32
7	15	2.50	89	22.58	15.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.54	99	17.88	8.38
2	10	2.63	42	24.16	10.21
3	18	3.08	66	21.91	15.25
4	14	2.38	63	12.45	6.52
5	26	2.16	37	28.37	11.87
6	10	1.73	42	26.88	12.80
7	15	1.90	71	19.95	19.95

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	97	17.21	2.99
2	10	1.52	58	14.88	4.27
3	18	3.54	76	8.28	3.42
4	14	1.78	69	12.85	2.10
5	26	1.80	43	27.77	12.82
6	10	2.41	63	23.18	15.10
7	15	2.31	68	18.95	11.51

CAPITA

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	22	14.55	-8.99
2	10	1.50	33	14.66	-1.66
3	18	3.30	59	11.72	9.02
4	14	1.84	30	18.02	1.18
5	26	2.04	71	20.30	14.66
6	10	4.43	81	18.60	15.18
7	15	1.85	55	20.00	10.00



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.10	50	10.99	2.10
2	10	5.08	81	9.77	6.33
3	18	2.91	44	18.90	9.23
4	14	1.54	20	20.74	1.02
5	26	3.00	73	20.06	16.23
6	10	3.12	68	18.82	12.71
7	15	1.62	47	18.92	7.47



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	64	12.00	5.00
2	10	3.10	66	14.05	6.00
3	18	2.05	31	19.71	1.88
4	14	1.54	27	24.47	8.02
5	26	6.14	83	17.06	13.94
6	10	3.71	67	17.10	10.30
7	15	1.80	32	22.40	4.02



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	50	17.21	6.55
2	10	2.96	60	16.03	6.71
3	18	1.67	28	22.05	9.28
4	14	1.54	28	28.42	8.49
5	26	4.60	74	17.65	12.34
6	10	2.02	48	19.99	7.05
7	15	1.55	47	24.62	4.25



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.91	65	10.99	8.32
2	10	3.20	67	16.10	8.66
3	18	2.00	34	23.60	8.32
4	14	1.63	27	27.41	8.82
5	26	3.43	57	20.84	10.02
6	10	1.56	30	25.66	8.55
7	15	1.55	36	24.40	7.92



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	73	13.33	8.44
2	10	1.66	60	17.71	9.66
3	18	2.05	33	23.88	8.47
4	14	1.80	31	28.39	7.29
5	26	2.13	51	22.17	10.44
6	10	1.56	29	28.10	8.88
7	15	1.57	48	23.95	11.51

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.29	25	14.89	-5.33
2	10	1.48	26	18.89	-2.48
3	18	2.33	50	24.57	5.48
4	14	1.75	46	25.55	8.82
5	28	1.67	36	25.83	9.08
6	10	1.50	35	28.77	9.10
7	15	1.80	46	28.47	13.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	37	11.99	-8.88
2	10	1.56	29	15.38	-5.60
3	18	2.20	29	26.19	8.78
4	14	1.76	49	24.40	10.31
5	28	1.87	30	26.78	7.11
6	10	1.82	28	28.88	8.88
7	15	1.84	50	25.14	13.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	90	19.99	-3.38
2	10	1.58	28	15.32	-4.16
3	18	1.92	56	20.48	4.78
4	14	2.08	57	28.08	10.03
5	28	1.89	86	28.13	10.85
6	10	1.86	29	29.71	8.43
7	15	1.87	47	28.92	13.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	33	12.10	-3.08
2	10	1.55	28	15.27	-3.71
3	18	2.01	31	20.61	2.68
4	14	1.65	35	29.01	10.74
5	26	1.87	37	25.74	9.39
6	10	1.56	32	27.65	9.38
7	15	1.80	42	28.23	13.92

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.40	44	13.21	0.00
2	10	1.63	24	10.66	-2.10
3	18	1.78	34	27.55	10.98
4	14	2.20	34	28.95	11.14
5	26	1.73	36	27.21	10.27
6	10	1.42	32	28.77	10.32
7	15	1.88	38	29.89	13.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.18	91	14.55	-2.92
2	10	1.58	38	13.77	-0.66
3	18	3.39	40	28.45	12.95
4	14	1.57	33	22.85	5.79
5	26	1.86	37	28.88	11.29
6	10	1.47	29	31.55	11.32
7	15	1.85	39	30.44	12.07

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	55	12.96	2.44
2	10	2.38	48	19.27	8.16
3	18	1.85	56	21.78	6.90
4	14	1.56	55	19.89	9.88
5	26	1.92	39	30.40	14.03
6	10	1.79	51	31.27	11.99
7	15	1.68	54	29.66	12.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.26	81	11.46	9.00
2	10	1.54	90	13.82	-0.10
3	18	1.90	49	14.05	3.23
4	14	2.13	87	18.60	10.18
5	26	1.74	53	20.09	9.63
6	10	1.81	56	20.05	12.52
7	15	1.59	87	20.50	12.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	42	17.30	2.66
2	10	1.71	86	16.40	2.30
3	18	2.48	70	13.76	8.42
4	14	1.83	85	19.00	8.94
5	26	2.09	48	26.34	14.52
6	10	1.70	41	29.99	15.09
7	15	1.85	43	29.77	14.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	34	20.21	2.98
2	10	1.62	28	20.77	1.38
3	18	6.47	70	14.78	8.73
4	14	2.03	88	15.32	8.02
5	26	2.03	46	27.73	14.59
6	10	2.04	48	28.83	16.32
7	15	1.85	58	22.38	10.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	32	19.99	2.33
2	10	3.46	43	20.82	7.30
3	19	3.87	69	14.50	8.82
4	14	1.57	43	10.27	-0.39
5	26	2.24	57	27.29	17.53
6	10	2.78	78	20.21	15.21
7	15	1.75	51	21.21	10.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.35	80	10.68	7.92
2	10	5.49	81	14.27	10.62
3	18	1.77	59	13.13	3.51
4	14	1.80	49	11.78	-0.11
5	26	2.41	71	22.20	16.25
6	10	1.69	50	16.44	5.88
7	15	1.58	51	21.51	9.38

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	88	14.68	8.21
2	10	2.42	73	8.82	4.08
3	18	2.25	88	10.84	6.79
4	14	1.58	96	10.22	8.69
5	26	1.68	98	10.98	9.01
6	10	1.52	95	10.30	9.00
7	16	1.54	97	25.58	8.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	95	15.96	8.21
2	10	1.77	83	11.80	6.00
3	18	1.61	99	10.41	8.03
4	14	1.67	91	20.98	9.13
5	26	1.67	98	20.93	8.25
6	10	1.35	98	20.05	6.43
7	16	1.94	81	28.88	7.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	51	19.68	2.88
2	10	1.62	58	18.58	5.82
3	18	1.65	68	19.68	5.48
4	14	1.71	58	20.58	8.08
5	26	1.88	98	25.84	5.27
6	10	1.58	55	29.21	8.62
7	16	1.81	82	28.88	8.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	88	11.88	8.18
2	10	2.15	78	16.88	11.88
3	18	1.88	53	18.78	8.78
4	14	1.81	48	17.17	5.51
5	26	1.65	48	27.58	12.01
6	10	1.82	62	27.77	13.55
7	16	1.58	58	28.88	12.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.42	57	12.55	2.88
2	10	1.88	38	16.32	1.10
3	18	2.87	61	13.80	5.38
4	14	1.98	62	12.85	5.07
5	26	1.88	93	28.87	13.67
6	10	1.48	55	27.21	16.38
7	16	1.58	48	28.51	16.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	51	14.52	4.38
2	10	1.67	48	16.33	4.66
3	18	3.57	65	13.97	7.48
4	14	1.87	52	14.00	6.18
5	26	1.88	58	25.98	15.98
6	10	1.88	59	27.10	18.18
7	16	2.27	71	22.98	18.58

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.29	85	19.99	8.88
2	10	1.82	49	18.99	6.38
3	18	2.28	59	15.82	8.32
4	14	1.99	49	19.79	9.78
5	26	2.05	60	26.27	17.55
6	10	1.87	71	23.88	17.77
7	19	1.97	79	18.77	15.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.22	55	20.00	6.00
2	10	1.79	41	20.27	6.66
3	18	4.01	61	15.95	7.74
4	14	1.79	47	18.76	6.96
5	26	2.91	48	29.45	17.26
6	10	3.50	78	22.05	17.60
7	19	1.75	80	19.94	11.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.06	55	18.77	7.89
2	10	5.25	91	11.71	10.33
3	18	4.80	78	14.50	9.85
4	14	1.83	49	19.92	8.50
5	26	4.22	73	24.11	18.41
6	10	4.00	77	19.99	15.55
7	18	1.80	43	24.90	10.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.25	79	19.88	15.21
2	10	3.13	68	15.83	10.21
3	18	2.23	51	19.80	8.76
4	14	1.87	60	19.78	11.18
5	26	1.78	48	25.21	16.58
6	10	2.15	47	23.21	11.27
7	19	2.01	61	27.88	19.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.97	68	19.96	7.99
2	10	1.68	37	22.21	8.49
3	18	4.41	67	19.25	12.43
4	14	2.51	65	19.97	12.97
5	26	1.98	48	27.95	14.26
6	10	1.77	50	27.08	15.81
7	19	1.57	59	29.21	15.59

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.90	97	21.00	8.49
2	10	1.58	57	21.95	8.43
3	18	2.03	62	22.71	15.79
4	14	1.83	60	19.75	11.58
5	26	2.05	47	29.71	16.34
6	10	1.58	55	29.43	16.16
7	19	2.49	69	24.93	15.73

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	91	25.10	8.90
2	10	2.00	61	18.77	9.66
3	18	4.97	77	21.29	15.87
4	14	2.00	59	19.95	11.20
5	28	2.55	60	26.27	17.55
6	10	1.81	79	23.88	19.88
7	15	1.85	59	25.09	15.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.24	86	15.77	13.92
2	10	5.03	80	16.00	15.16
3	18	3.19	77	18.85	14.85
4	14	1.83	97	24.24	9.05
5	28	2.22	66	26.40	19.50
6	10	1.89	70	23.18	18.99
7	15	1.86	48	28.84	13.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.24	89	15.00	12.90
2	10	3.60	60	20.40	12.30
3	18	1.82	48	22.40	10.11
4	14	1.83	46	24.12	10.55
5	28	1.70	58	26.38	17.53
6	10	1.93	49	25.38	13.88
7	15	1.83	45	27.82	14.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	41	18.32	5.10
2	10	1.75	36	23.21	7.10
3	18	1.79	44	24.98	11.88
4	14	1.80	51	17.21	8.48
5	26	1.87	45	27.10	14.07
6	10	1.44	41	27.71	13.16
7	15	2.21	68	24.83	17.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	33	22.43	5.21
2	10	2.85	43	24.49	10.94
3	18	1.92	54	17.89	8.32
4	14	1.54	44	14.24	2.03
5	26	1.98	45	28.52	15.08
6	10	1.93	54	28.66	16.80
7	15	1.86	67	21.92	15.14

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.48	70	19.21	13.55
2	10	2.92	57	20.49	11.77
3	18	1.83	49	18.13	3.78
4	14	1.54	43	18.64	5.39
5	26	2.76	64	25.10	17.36
6	10	2.98	69	20.27	13.77
7	15	1.92	53	23.47	12.99

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	41	19.00	8.00
2	10	1.60	46	18.71	6.10
3	18	1.57	50	20.67	8.13
4	14	1.60	61	18.17	9.99
5	26	1.31	76	22.62	17.00
6	10	1.58	55	24.69	15.16
7	15	1.58	60	26.60	14.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	6.77	66	20.10	12.00
2	9	6.30	70	20.36	10.10
3	18	2.37	55	22.58	12.39
4	14	1.56	48	19.10	7.03
5	26	3.20	60	24.02	18.37
6	10	1.52	53	26.02	18.32
7	15	1.56	51	28.20	16.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	4.00	62	18.66	10.00
2	10	6.50	61	19.63	16.30
3	18	1.72	58	21.13	9.99
4	14	1.56	48	22.69	8.33
5	26	1.87	66	28.30	18.11
6	10	1.40	46	27.99	15.18
7	15	1.58	52	27.77	16.59

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	49	23.00	11.90
2	10	1.60	36	23.71	7.66
3	18	1.78	42	23.79	10.21
4	14	1.60	54	25.07	14.83
5	26	1.77	47	27.06	15.49
6	10	1.65	40	27.82	12.71
7	15	1.59	49	29.10	18.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	41	24.00	10.93
2	10	1.66	37	26.10	10.44
3	18	1.87	57	23.31	14.89
4	14	1.57	47	22.25	10.39
5	26	1.86	47	28.82	16.09
6	10	1.61	41	29.55	14.88
7	15	1.56	47	29.40	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.01	64	25.21	14.60
2	10	2.06	63	22.00	15.16
3	18	1.93	52	20.79	10.81
4	14	1.57	54	24.32	14.10
5	26	1.88	47	30.68	18.02
6	10	2.01	45	30.83	17.55
7	15	1.74	48	30.21	18.98

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.06	81	29.77	15.88
2	10	2.08	51	29.83	13.18
3	18	1.92	49	29.59	13.11
4	14	1.70	48	28.20	15.80
5	28	2.08	50	29.78	18.17
6	10	1.85	43	31.96	12.88
7	18	1.72	57	28.77	18.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.09	51	24.99	13.55
2	10	2.30	46	27.21	15.16
3	18	1.78	48	30.73	18.73
4	14	1.60	57	30.83	15.12
5	28	1.78	48	31.19	18.86
6	10	1.94	46	31.89	10.80
7	15	1.83	58	28.16	17.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.56	50	20.77	11.44
2	10	1.50	48	24.05	11.60
3	18	1.59	48	28.85	13.80
4	14	1.80	45	30.38	17.05
5	28	1.88	47	32.28	18.07
6	10	1.75	42	32.72	15.48
7	18	1.81	54	29.58	18.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	28	24.88	9.88
2	10	1.52	33	26.65	9.99
3	18	1.88	48	30.78	18.35
4	14	1.72	51	25.31	14.18
5	26	1.65	48	32.26	18.05
6	10	1.85	42	33.11	18.71
7	15	1.58	53	30.25	18.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.72	53	27.88	17.21
2	10	3.38	50	26.06	15.83
3	18	1.72	48	29.90	12.58
4	14	1.80	56	25.71	9.51
5	26	1.91	50	32.95	20.33
6	10	1.48	51	33.96	20.18
7	15	2.06	50	30.98	19.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.26	41	24.88	10.77
2	10	1.89	37	26.60	10.39
3	18	1.57	39	27.09	9.37
4	14	1.69	41	28.05	13.28
5	26	1.77	58	30.25	20.70
6	10	1.52	59	29.77	20.03
7	15	1.68	58	30.81	20.14

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.97	82	10.00	0.21
2	10	1.48	48	17.00	6.71
3	18	1.65	48	21.41	10.38
4	14	1.70	51	20.45	10.00
5	28	1.61	43	30.66	16.46
6	10	1.48	44	31.66	18.05
7	15	1.76	58	30.40	21.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	61	19.00	12.22
2	10	1.54	30	22.21	8.05
3	18	3.22	66	22.81	18.13
4	14	1.70	51	30.00	19.47
5	28	1.80	61	28.52	17.00
6	10	1.48	57	30.05	20.30
7	15	1.66	68	31.07	20.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	92	25.30	7.21
2	10	1.64	20	25.40	8.10
3	18	2.92	61	27.05	18.53
4	14	1.57	88	29.00	19.46
5	28	2.01	51	28.02	18.68
6	10	1.50	55	30.09	19.09
7	15	1.80	60	31.06	19.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.42	90	27.21	11.21
2	10	1.05	30	27.06	12.21
3	18	2.07	66	27.49	20.38
4	14	1.69	59	29.52	18.06
5	28	1.08	53	30.81	19.56
6	10	1.50	46	33.30	19.30
7	15	1.75	48	32.50	20.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.10	58	28.21	17.10
2	10	1.09	42	30.66	16.27
3	18	2.78	58	31.17	21.41
4	14	1.57	48	33.91	17.87
5	28	1.99	56	31.51	21.51
6	10	1.48	48	34.39	20.10
7	15	1.69	48	33.09	19.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.19	99	24.10	8.44
2	10	1.73	46	26.40	13.32
3	18	2.20	68	32.71	20.81
4	14	1.67	48	25.25	11.62
5	28	2.08	67	31.25	21.42
6	10	1.72	45	34.28	20.49
7	15	1.78	45	32.58	17.61

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	9.27	84	28.88	18.77
2	10	2.85	94	31.88	21.06
3	18	1.92	50	27.21	15.45
4	14	1.54	27	28.88	7.85
5	26	2.08	57	32.00	22.29
6	10	1.81	52	32.77	21.05
7	15	1.98	48	32.33	18.65



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.20	90	26.00	11.32
2	10	1.62	96	27.05	0.00
3	18	1.81	97	29.75	15.48
4	14	1.08	49	25.07	11.94
5	26	1.68	66	32.87	18.92
6	10	1.87	45	32.96	18.93
7	15	1.81	40	33.87	17.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.88	88	24.10	15.88
2	10	3.48	88	23.32	13.27
3	18	1.57	44	24.05	10.70
4	14	1.34	38	23.88	8.58
5	26	1.88	46	33.27	19.38
6	8	1.68	41	34.19	18.57
7	18	1.88	48	33.80	18.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.18	81	19.88	2.10
2	10	1.58	32	21.71	5.32
3	18	3.27	81	19.90	10.08
4	14	1.88	88	22.73	15.27
5	26	1.78	51	30.21	18.37
6	10	1.58	48	33.55	18.55
7	15	1.68	45	32.88	18.37



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.18	39	21.88	5.93
2	10	1.48	67	19.16	10.10
3	18	2.88	68	23.17	18.80
4	14	1.80	69	22.09	15.48
5	26	2.13	63	29.27	21.25
6	10	2.01	63	30.49	22.38
7	15	2.15	49	32.80	19.29

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.98	48	21.77	8.88
2	10	5.71	82	18.85	14.72
3	18	5.43	73	24.88	19.53
4	14	1.88	88	23.58	17.37
5	26	3.63	62	30.81	21.83
6	10	1.88	57	31.83	21.08
7	15	1.58	49	32.11	19.29

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	42	24.55	10.10
2	10	5.81	74	19.49	15.27
3	18	2.84	80	27.15	20.55
4	14	1.57	55	29.52	18.02
5	26	3.45	80	30.81	21.46
6	10	1.42	50	33.11	21.32
7	15	1.58	44	32.82	19.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.72	55	27.99	17.88
2	10	4.00	80	20.10	16.55
3	18	1.72	58	32.09	21.59
4	14	1.69	55	29.98	18.80
5	28	1.76	58	32.65	21.76
6	10	1.36	49	33.55	21.05
7	15	1.53	46	32.85	19.49



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.58	62	27.77	19.66
2	10	2.21	47	33.55	20.83
3	18	1.89	49	33.27	21.09
4	14	1.80	58	26.88	17.53
5	28	1.65	47	35.06	22.02
6	10	1.58	48	34.38	21.46
7	15	1.80	47	32.81	19.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.50	57	32.09	22.32
2	10	2.07	49	25.61	21.18
3	18	1.87	57	31.81	20.05
4	14	1.86	58	29.19	19.59
5	26	1.58	45	35.85	21.85
6	10	1.48	58	34.72	20.82
7	15	1.78	48	32.11	18.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	47	24.88	15.46
2	10	2.07	51	29.88	18.98
3	18	2.35	62	28.05	19.71
4	14	2.79	71	24.58	18.24
5	26	1.77	48	34.68	22.08
6	10	1.52	43	38.05	20.68
7	15	1.53	48	31.81	19.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	47	24.95	11.88
2	10	2.22	48	26.99	15.16
3	18	1.98	58	31.75	19.07
4	14	2.81	53	29.88	17.89
5	26	2.33	53	33.65	22.53
6	10	1.57	41	35.94	20.38
7	15	1.58	50	31.87	19.10

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	3.09	80	30.77	25.89
2	10	3.23	89	25.10	20.80
3	18	1.93	81	33.38	21.66
4	14	2.00	50	29.68	18.30
5	26	2.58	57	32.07	22.32
6	10	1.71	47	34.11	21.05
7	15	1.57	51	31.46	19.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.20	43	22.63	8.55
2	10	1.48	43	25.96	12.10
3	18	3.47	82	27.25	18.97
4	14	1.90	58	28.17	18.80
5	26	2.48	58	31.53	20.87
6	10	1.48	53	33.05	21.80
7	15	1.57	48	31.80	19.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.20	56	25.80	9.00
2	10	1.48	30	27.21	8.18
3	18	2.20	53	28.92	17.76
4	14	1.71	57	29.58	19.53
5	26	1.80	52	27.01	16.87
6	10	1.65	47	32.77	19.99
7	15	1.58	48	31.44	18.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.29	75	29.00	23.00
2	10	1.55	27	28.66	7.72
3	18	2.27	53	31.96	20.42
4	14	1.89	61	27.81	19.29
5	26	1.65	52	28.05	16.75
6	10	1.70	52	30.77	19.02
7	15	1.52	45	29.18	19.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.41	62	30.21	18.19
2	10	2.45	54	28.71	18.16
3	18	2.28	71	25.25	20.87
4	14	1.59	41	25.28	11.38
5	26	2.25	53	29.25	18.35
6	10	1.98	47	31.10	18.66
7	15	1.68	49	31.25	19.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.84	59	29.10	20.43
2	10	2.18	58	29.43	19.05
3	18	1.58	43	27.77	15.10
4	14	1.57	39	30.19	13.45
5	26	1.62	50	30.63	18.52
6	10	1.53	52	30.38	19.05
7	15	1.84	48	32.88	19.40

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	96	20.00	12.00
2	10	1.50	96	20.10	11.82
3	18	1.59	58	29.95	19.00
4	14	1.57	64	30.15	18.30
5	20	1.60	48	30.57	18.50
6	10	1.52	49	30.00	18.30
7	15	1.58	47	32.00	18.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	27	31.10	0.00
2	10	1.44	31	31.21	12.05
3	18	1.51	48	30.55	15.42
4	14	1.00	48	30.15	17.05
5	20	2.20	58	29.96	19.82
6	10	1.30	45	31.10	17.00
7	15	1.59	44	32.69	18.79



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	52	32.30	19.55
2	10	1.60	36	31.27	13.55
3	18	1.81	48	32.15	19.00
4	14	1.89	84	19.08	11.58
5	20	2.01	69	28.52	20.48
6	10	1.35	48	31.72	18.55
7	15	1.81	48	32.89	18.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.41	45	28.21	15.10
2	10	2.01	80	26.80	18.65
3	18	2.63	88	23.89	18.13
4	14	1.58	45	29.52	18.15
5	20	2.20	68	28.28	21.10
6	10	1.48	55	30.06	20.27
7	15	1.85	69	29.62	18.59

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.29	90	28.99	19.00
2	10	2.03	82	23.71	20.27
3	18	2.71	56	22.15	11.70
4	14	1.57	39	27.69	11.90
5	20	1.93	65	28.77	21.29
6	10	1.59	52	25.09	16.71
7	15	1.81	46	28.25	16.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.67	86	19.96	17.55
2	10	2.86	69	22.99	16.09
3	18	1.84	42	25.82	12.55
4	14	1.57	40	29.00	13.40
5	20	1.86	52	28.05	16.91
6	10	1.41	48	28.99	12.16
7	15	1.84	43	30.92	18.10

CAPITA

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.03	67	23.00	17.44
2	10	1.86	46	26.00	16.10
3	18	1.70	49	29.03	19.05
4	14	1.94	48	28.26	16.92
5	26	1.00	49	29.78	17.62
6	10	1.42	50	29.03	19.00
7	15	1.50	44	30.00	17.66

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	45	28.00	18.92
2	10	1.81	46	31.56	15.94
3	18	1.77	42	31.63	18.90
4	14	1.65	53	27.00	16.82
5	26	1.70	48	30.86	18.70
6	10	1.52	56	32.05	15.10
7	15	1.62	52	31.22	20.00

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	56	30.86	19.00
2	10	2.00	48	32.00	17.27
3	18	1.88	42	31.47	18.04
4	14	1.95	60	29.00	18.82
5	26	2.04	53	30.30	19.03
6	10	1.80	41	33.33	18.05
7	15	1.58	40	31.00	18.99



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	41	35.78	18.08
2	10	2.58	40	33.94	18.05
3	18	2.43	61	28.17	19.25
4	14	1.80	69	19.44	12.93
5	26	2.02	52	30.95	19.58
6	10	1.48	43	33.16	18.71
7	15	1.91	57	29.98	19.94



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.42	43	33.22	18.88
2	10	2.39	52	31.55	20.32
3	18	1.72	60	24.78	17.83
4	14	1.89	50	23.84	12.61
5	26	2.00	55	31.95	21.06
6	10	1.50	50	31.68	19.66
7	15	2.12	60	29.44	20.10



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	40	31.55	18.10
2	10	2.61	54	29.49	18.09
3	18	2.68	66	26.91	20.02
4	14	1.57	58	28.01	18.96
5	26	1.91	54	31.58	21.08
6	10	1.65	58	30.55	20.99
7	15	1.84	59	29.40	20.18

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	95	29.21	12.10
2	10	1.75	47	29.88	16.98
3	18	2.01	68	27.82	20.05
4	14	1.85	85	28.82	19.40
5	26	2.23	61	30.98	21.68
6	10	1.48	53	31.77	20.93
7	14	1.88	82	30.87	21.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.88	48	32.88	20.92
2	10	2.78	52	31.05	20.10
3	18	2.43	69	29.90	21.58
4	14	1.57	84	28.10	20.58
5	26	2.05	52	32.71	21.68
6	10	1.53	52	32.96	21.18
7	18	1.72	84	28.95	21.34



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.32	58	30.21	18.77
2	10	1.87	66	28.48	21.32
3	18	2.17	68	28.96	22.40
4	14	1.58	88	29.80	20.23
5	28	1.78	52	32.79	21.51
6	10	1.48	51	32.22	20.58
7	18	1.86	81	29.92	21.29

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	42	29.80	14.08
2	10	1.83	47	31.48	18.02
3	18	1.98	61	30.92	22.38
4	14	1.58	99	29.28	18.88
5	26	1.71	51	32.87	20.47
6	10	1.48	48	33.22	20.98
7	15	1.78	98	31.87	20.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.17	87	84.44	17.21
2	10	2.98	63	31.05	22.99
3	18	1.58	94	32.58	21.72
4	14	1.57	48	30.38	18.21
5	26	1.73	48	34.46	21.57
6	10	1.38	48	34.38	20.38
7	18	1.51	51	31.50	19.92

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.47	47	31.44	18.68
2	10	1.58	46	32.48	19.10
3	18	1.78	51	32.84	21.25
4	14	1.52	80	29.52	17.73
5	26	1.88	47	34.98	21.85
6	10	1.84	45	34.38	20.27
7	15	1.88	51	31.70	20.10

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	90	24.99	17.99
2	10	2.79	50	33.11	21.27
3	18	1.81	48	29.07	18.90
4	14	1.54	44	24.51	11.30
5	26	1.78	41	35.62	20.29
6	10	1.62	38	38.50	15.94
7	16	1.57	47	32.11	18.29

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	40	27.43	12.32
2	10	1.50	45	26.27	12.43
3	18	1.87	48	24.58	12.88
4	14	1.54	42	29.48	14.07
5	26	1.74	42	33.78	18.06
6	10	1.46	35	34.33	18.55
7	16	1.55	43	33.26	18.84



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	50	27.21	9.21
2	10	1.50	38	28.98	11.40
3	18	1.65	43	28.45	14.81
4	14	1.57	43	31.40	18.80
5	26	1.61	40	31.60	19.40
6	10	1.65	31	34.61	14.80
7	16	1.55	36	34.39	17.40

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.29	38	30.55	14.44
2	10	1.93	47	29.99	17.44
3	18	1.98	47	31.51	18.34
4	14	1.54	37	31.22	14.51
5	26	2.50	56	31.40	21.19
6	10	1.85	37	34.27	18.43
7	15	1.84	41	33.33	17.25

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.79	60	28.99	19.33
2	10	3.33	50	28.99	19.82
3	18	1.79	45	31.51	18.32
4	14	1.54	41	33.73	17.93
5	26	1.81	51	33.01	21.21
6	10	1.77	31	38.94	16.77
7	15	1.80	39	33.33	18.99

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.73	61	31.99	18.99
2	10	2.16	61	29.44	17.77
3	18	1.87	58	30.98	20.55
4	14	1.54	40	24.24	12.45
5	26	1.81	43	34.93	18.81
6	10	2.09	38	38.22	17.77
7	15	1.58	40	33.88	17.77

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.82	48	28.77	15.10
2	10	1.67	47	26.32	14.27
3	18	1.58	51	25.42	12.48
4	14	1.70	58	23.52	13.78
5	26	1.77	45	34.59	20.25
6	10	2.27	38	36.55	19.38
7	15	1.98	49	33.86	18.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	48	28.44	12.77
2	10	1.80	48	26.89	14.88
3	18	1.88	51	28.41	15.02
4	14	1.58	48	25.67	10.80
5	26	2.12	52	32.22	20.76
6	10	2.01	53	31.85	20.27
7	15	1.77	48	32.62	18.79

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.02	56	27.88	17.55
2	10	8.23	48	26.88	14.88
3	18	1.58	44	24.87	10.92
4	14	1.88	44	27.41	13.52
5	26	1.99	58	30.72	21.28
6	10	8.07	66	27.88	20.10
7	15	1.81	62	31.77	19.79

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	58	28.32	18.88
2	10	1.62	38	25.88	10.82
3	18	1.83	40	26.10	11.38
4	14	1.63	47	28.20	15.08
5	26	2.55	58	28.52	20.93
6	10	1.70	51	31.22	19.71
7	15	1.70	52	33.55	19.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.98	88	24.89	17.22
2	10	5.18	85	24.27	16.55
3	18	2.00	43	28.15	15.96
4	14	1.77	57	26.10	18.58
5	26	2.92	73	26.59	21.01
6	10	2.57	53	30.21	19.10
7	15	1.58	42	35.29	18.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	48	27.88	15.88
2	10	2.57	47	28.71	16.38
3	18	2.28	47	29.62	16.57
4	14	1.83	48	24.88	17.45
5	26	1.98	58	30.28	20.23
6	10	1.79	41	33.94	16.88
7	15	1.81	43	33.57	19.09

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.08	51	27.02	15.00
2	10	3.10	57	28.16	18.80
3	18	1.94	83	29.92	18.92
4	14	1.64	80	31.70	18.70
5	26	1.71	87	30.06	21.00
6	10	2.06	51	32.27	20.00
7	15	1.78	48	30.61	18.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	4.00	80	26.01	20.01
2	10	3.12	84	27.10	18.40
3	18	1.70	90	29.29	19.94
4	14	1.60	90	28.40	19.00
5	26	2.60	81	30.30	21.74
6	10	1.50	90	28.32	20.27
7	15	1.60	44	29.07	18.00

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	4.11	71	28.99	17.10
2	10	6.46	74	29.71	18.96
3	18	2.01	81	29.02	14.29
4	14	1.80	80	24.80	19.20
5	26	2.07	86	29.27	23.20
6	10	2.00	89	28.21	18.21
7	15	1.80	44	30.01	18.10

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.05	53	28.10	15.55
2	10	2.41	50	28.93	15.86
3	18	1.90	48	28.86	14.31
4	14	1.94	82	25.39	17.17
5	26	3.01	78	27.80	21.61
6	10	2.53	78	25.39	19.44
7	15	1.81	47	33.20	20.10



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.25	57	24.60	15.55
2	10	5.81	73	23.99	18.43
3	18	5.01	47	29.30	18.79
4	14	2.87	71	23.20	17.45
5	26	3.14	78	28.30	22.00
6	10	1.42	55	30.05	19.94
7	15	1.88	44	32.61	18.99



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.89	44	28.39	13.10
2	10	3.15	61	25.54	17.10
3	18	2.52	85	25.82	18.80
4	14	1.64	40	23.04	12.41
5	26	2.11	85	29.42	22.11
6	10	2.21	73	28.71	21.44
7	15	1.89	40	32.48	19.82

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.00	81	19.00	19.10
2	10	2.00	77	24.00	20.00
3	18	1.77	51	25.39	14.97
4	14	1.54	66	24.69	16.79
5	26	1.58	60	30.29	21.57
6	10	2.07	55	29.00	19.50
7	15	1.58	48	32.00	18.04

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.00	56	20.49	17.00
2	10	2.02	47	20.32	15.00
3	18	3.04	72	22.76	18.90
4	14	1.73	67	18.78	10.59
5	26	2.40	55	31.17	21.02
6	10	1.42	52	31.60	20.32
7	15	1.54	45	38.56	19.66



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.19	75	24.96	18.06
2	10	5.98	77	24.30	19.00
3	18	3.03	69	23.45	15.78
4	14	1.57	49	24.31	10.59
5	26	1.87	58	31.60	22.15
6	10	1.77	67	29.49	22.93
7	15	1.81	62	30.10	21.82

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	59	27.59	17.00
2	10	2.10	51	26.56	15.71
3	18	1.82	47	25.95	13.79
4	14	1.87	57	27.53	17.77
5	26	1.98	55	31.96	21.78
6	10	1.73	55	31.33	21.10
7	15	1.70	49	33.03	20.55



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	49	20.99	13.77
2	10	1.64	42	27.27	13.32
3	18	2.62	63	27.49	19.78
4	14	1.57	59	30.63	19.79
5	26	2.30	58	30.98	20.80
6	10	1.69	56	32.46	22.18
7	15	1.54	49	34.07	19.25



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	40	20.99	14.32
2	10	2.60	50	29.05	17.66
3	18	2.53	68	27.49	20.90
4	14	1.54	57	28.70	17.45
5	26	2.10	62	30.38	22.21
6	10	1.57	58	31.96	22.60
7	15	1.55	45	34.37	20.25

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.58	77	24.39	19.99
2	10	1.55	82	25.05	21.82
3	18	1.95	86	26.30	19.74
4	14	1.94	53	25.07	16.24
5	26	2.02	69	31.34	23.34
6	10	1.52	59	33.94	22.49
7	15	1.54	48	35.04	20.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	68	27.21	18.46
2	10	1.72	56	25.93	16.16
3	18	1.89	54	27.08	16.72
4	14	1.63	60	26.87	16.50
5	26	1.73	58	31.53	21.63
6	10	1.52	50	33.95	21.27
7	15	1.58	48	36.07	19.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	40	24.88	10.58
2	10	2.10	58	23.32	13.43
3	18	1.78	58	25.14	15.08
4	14	1.83	55	26.76	16.02
5	26	2.03	52	32.28	20.93
6	10	1.95	52	32.18	20.88
7	15	1.58	45	34.87	19.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	38	24.88	8.38
2	10	1.16	43	24.83	11.55
3	18	1.00	47	26.28	13.98
4	14	1.88	58	28.00	18.78
5	26	2.28	60	29.16	20.38
6	10	1.61	52	33.16	19.83
7	15	1.78	48	35.81	19.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	46	28.21	12.99
2	10	1.06	46	26.82	13.38
3	18	2.83	58	26.91	17.06
4	14	1.73	60	28.92	17.68
5	26	2.28	60	29.95	21.08
6	10	2.11	56	31.99	21.48
7	15	1.89	49	34.28	19.92

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	58	23.88	16.21
2	10	3.68	77	23.05	18.55
3	18	3.04	71	25.05	19.91
4	14	1.83	58	29.58	17.17
5	26	2.02	59	31.00	21.98
6	10	2.01	65	29.72	21.99
7	15	1.93	47	33.33	19.00

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.45	82	21.49	19.00
2	10	1.65	58	21.40	10.77
3	18	1.57	59	20.27	10.70
4	14	1.57	50	23.26	12.17
5	26	1.49	58	30.01	20.72
6	10	2.33	63	28.59	21.18
7	15	1.64	51	31.68	18.79

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	42	19.21	8.10
2	10	1.42	33	21.21	4.10
3	18	1.57	44	21.35	8.73
4	14	1.71	52	24.67	14.08
5	26	1.88	58	26.04	18.91
6	10	2.05	50	28.55	18.80
7	15	1.74	47	32.26	18.55

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	37	22.10	8.77
2	10	1.64	33	23.60	8.55
3	18	1.78	40	24.00	9.53
4	14	1.63	51	25.71	14.07
5	26	2.01	56	25.28	14.95
6	10	1.84	52	28.88	15.77
7	15	1.57	42	32.74	17.95

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	33	25.99	8.55
2	10	1.67	38	25.66	10.32
3	18	1.72	38	27.00	10.64
4	14	2.57	59	24.89	15.43
5	26	2.17	47	27.17	14.20
6	10	1.81	45	28.60	14.98
7	15	1.59	44	33.03	18.47

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.87	43	30.32	18.21
2	10	2.00	44	29.16	15.44
3	18	2.52	43	28.54	14.19
4	14	1.78	58	27.05	17.73
5	26	1.70	46	27.75	14.40
6	10	1.42	58	23.49	12.71
7	15	1.62	48	32.40	18.40

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.09	47	31.88	18.77
2	10	2.00	44	31.85	17.32
3	18	2.38	59	30.70	15.24
4	14	2.19	60	29.00	20.11
5	26	2.33	55	27.13	16.89
6	10	1.58	54	28.54	11.38
7	15	1.62	44	31.98	17.69

CAPITA



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	46	31.00	17.00
2	10	3.22	58	28.21	18.33
3	18	2.40	42	30.39	18.13
4	14	1.78	62	24.71	18.50
5	26	2.10	63	27.06	18.71
6	10	2.29	53	28.93	15.27
7	15	1.80	42	31.70	18.79



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.95	84	30.46	20.11
2	10	1.95	53	29.40	18.40
3	18	3.07	59	27.74	18.40
4	14	2.50	60	23.92	17.06
5	26	2.10	66	28.77	21.36
6	10	2.13	57	26.80	18.77
7	15	1.79	37	31.79	16.02



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	82	21.60	19.00
2	10	3.33	64	26.00	18.10
3	18	3.90	57	28.02	19.25
4	14	2.85	66	24.95	17.02
5	26	1.02	66	29.63	22.21
6	10	1.47	58	28.88	19.49
7	15	1.83	85	32.77	18.14

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.29	53	21.55	11.44
2	10	3.16	71	23.55	17.02
3	18	2.53	88	26.75	20.08
4	14	1.77	52	23.09	12.21
5	26	3.05	72	28.35	22.48
6	10	1.64	60	28.99	20.18
7	15	1.58	37	34.49	17.10



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.27	79	22.44	18.55
2	10	4.04	82	24.30	20.60
3	18	2.95	88	25.36	17.88
4	14	1.57	57	18.30	7.89
5	26	1.58	55	31.36	21.27
6	10	1.88	52	31.83	20.68
7	15	1.83	45	32.59	17.92



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	80	28.77	19.77
2	10	2.40	60	28.21	21.82
3	18	2.31	61	18.45	10.49
4	14	1.64	48	17.17	4.89
5	26	1.76	60	30.33	21.44
6	10	1.39	65	24.05	18.93
7	15	1.58	41	27.40	12.09

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.09	66	21.77	14.99
2	10	1.62	68	22.98	13.96
3	18	1.81	55	17.55	7.89
4	14	1.56	76	23.17	8.46
5	28	1.57	68	20.81	14.68
6	10	1.33	39	22.99	8.21
7	16	1.69	96	20.50	11.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	65	22.80	10.55
2	10	1.52	66	22.62	9.04
3	18	1.58	66	22.37	10.08
4	14	1.57	68	20.76	12.65
5	28	1.71	61	20.06	14.06
6	10	1.34	61	24.60	10.38
7	16	1.58	86	20.66	11.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	66	25.52	12.95
2	10	2.07	58	26.96	14.27
3	18	2.28	45	25.35	12.57
4	14	1.85	68	26.58	18.06
5	28	2.10	56	26.06	15.76
6	10	1.81	68	26.77	14.27
7	16	1.82	86	30.10	12.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.53	78	25.49	19.98
2	10	2.79	62	25.10	16.98
3	18	2.25	57	24.22	15.58
4	14	1.98	82	20.45	12.59
5	28	2.11	53	27.80	18.21
6	10	1.98	60	27.99	19.21
7	16	1.62	93	90.44	11.79



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	62	17.10	9.21
2	10	1.96	68	18.43	7.21
3	18	2.02	57	20.21	11.53
4	14	2.01	98	24.20	18.19
5	28	2.45	58	27.11	17.60
6	10	2.41	68	27.85	15.27
7	16	1.81	96	30.88	19.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	49	18.55	5.68
2	10	1.64	43	21.10	7.98
3	18	2.12	48	24.87	12.81
4	14	1.76	49	28.96	14.24
5	28	2.90	61	25.28	17.15
6	10	2.30	45	29.93	18.99
7	15	1.79	97	30.55	19.77

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.29	58	31.62	10.58
2	10	2.19	46	32.69	8.83
3	18	3.48	49	28.75	15.53
4	14	1.78	43	28.18	14.75
5	26	2.08	58	26.87	16.08
6	10	3.01	58	28.27	16.77
7	19	2.11	58	28.22	16.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.48	66	29.81	14.96
2	10	4.83	46	27.88	14.55
3	18	2.90	61	30.61	15.98
4	14	1.91	48	30.29	16.87
5	26	1.74	62	26.66	16.05
6	10	2.08	65	28.49	16.10
7	18	2.21	66	27.58	18.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.82	58	28.48	17.38
2	10	4.76	46	30.27	16.77
3	18	3.98	55	31.45	16.40
4	14	2.08	46	29.06	15.87
5	26	2.37	67	26.81	18.52
6	10	1.35	58	29.45	12.98
7	19	1.84	64	27.66	17.03

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.27	65	24.33	17.33
2	10	3.18	65	31.16	17.71
3	18	2.96	36	31.97	15.08
4	14	2.07	41	29.98	14.78
5	26	2.08	67	28.28	21.08
6	10	1.41	53	29.82	18.36
7	19	1.81	67	28.92	18.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	57	27.68	17.90
2	10	3.07	38	32.96	16.16
3	18	1.68	46	31.38	17.95
4	14	1.88	50	27.17	15.38
5	26	1.78	56	30.70	20.57
6	10	1.98	68	28.05	20.82
7	19	2.06	48	29.88	18.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	81	17.21	9.43
2	10	3.70	58	26.32	17.16
3	17	2.52	72	25.42	19.88
4	14	1.94	48	19.88	8.82
5	26	2.16	53	30.68	19.88
6	10	2.19	70	27.27	21.05
7	19	2.09	83	22.98	18.58

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	67	15.77	9.68
2	10	4.15	88	19.82	17.77
3	18	1.61	39	23.29	8.95
4	14	1.94	38	22.57	8.58
5	20	2.78	66	27.36	20.12
6	10	2.08	68	25.49	18.89
7	15	1.78	63	29.44	18.08

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	45	25.39	9.00
2	11	1.68	43	23.02	8.78
3	18	1.64	38	24.00	7.88
4	14	1.57	35	20.42	8.07
5	20	2.14	48	28.54	18.34
6	10	1.48	45	27.48	16.10
7	15	1.74	47	31.18	17.02



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	45	22.44	10.10
2	11	1.53	40	22.77	8.48
3	18	1.91	49	24.90	13.42
4	14	1.57	47	23.09	10.50
5	20	1.84	46	20.52	15.00
6	10	1.72	50	28.32	16.71
7	15	1.82	52	29.08	18.18



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.19	59	22.89	14.92
2	11	4.02	68	23.73	17.16
3	18	2.77	75	19.82	14.07
4	14	1.94	48	19.94	7.01
5	20	2.02	57	29.14	18.37
6	10	2.47	70	25.21	19.16
7	15	2.07	53	29.44	17.10



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.81	80	21.00	19.60
2	11	2.60	78	18.50	15.60
3	18	1.61	51	17.61	8.97
4	14	1.77	51	18.14	5.02
5	20	2.25	76	20.02	21.27
6	10	2.29	61	24.93	16.88
7	15	1.92	44	28.58	15.03



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	54	22.44	12.60
2	11	1.55	45	20.85	8.50
3	18	1.65	48	18.28	6.50
4	14	1.60	52	18.82	6.10
5	20	1.78	58	27.15	18.17
6	10	2.03	56	24.99	15.98
7	15	1.71	50	29.14	18.04

CAPITA

REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.26	48	20.55	8.49
2	11	2.07	58	18.88	8.98
3	18	1.83	43	18.14	5.18
4	14	1.69	40	17.57	8.42
5	26	2.54	70	25.12	19.07
6	10	1.58	53	24.21	13.48
7	15	1.67	54	26.70	16.89



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.20	45	19.21	8.88
2	11	2.38	51	18.02	7.62
3	18	1.74	52	17.61	7.08
4	14	1.54	48	18.58	6.75
5	26	5.23	78	22.56	18.17
6	10	1.79	51	23.32	11.88
7	15	1.63	57	25.79	14.21



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.88	78	14.54	11.10
2	11	2.62	58	17.97	9.08
3	18	1.59	49	18.97	8.13
4	14	1.56	41	18.98	4.85
5	26	1.78	55	24.37	14.50
6	10	1.44	43	22.45	9.18
7	15	2.31	48	23.49	11.51



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.41	66	17.55	11.19
2	11	2.71	53	18.78	8.98
3	18	1.59	41	19.34	5.79
4	14	1.54	37	22.85	7.05
5	26	2.37	55	24.41	14.93
6	10	1.57	42	23.71	10.18
7	15	1.71	48	25.10	12.29



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.03	57	19.52	10.77
2	11	3.92	48	20.80	8.07
3	18	2.05	39	22.71	7.95
4	14	1.77	35	24.71	7.85
5	26	2.61	58	24.37	15.10
6	10	1.72	45	24.49	11.43
7	15	1.54	41	26.32	11.58

REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.66	64	20.21	12.77
2	11	3.26	56	20.70	11.30
3	18	1.73	48	19.30	7.77
4	14	1.57	38	22.77	8.66
5	26	2.25	55	25.72	15.57
6	10	1.85	39	26.10	10.77
7	15	1.64	34	28.47	10.88

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.10	62	15.99	9.10
2	11	1.71	66	17.26	6.78
3	18	1.75	39	21.06	8.20
4	14	1.67	29	27.85	7.69
5	26	1.76	46	25.97	12.53
6	10	1.53	38	27.10	11.49
7	15	1.69	50	29.21	0.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.29	48	20.10	7.35
2	11	2.07	36	23.79	7.67
3	18	1.78	36	27.48	9.07
4	14	1.94	32	28.62	8.36
5	26	1.83	48	26.62	14.26
6	10	1.57	37	28.32	12.05
7	15	1.84	31	29.98	9.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.97	41	27.49	13.55
2	11	2.83	48	24.84	13.22
3	18	1.98	49	28.58	15.17
4	14	1.87	39	25.82	8.04
5	26	2.23	54	26.38	18.25
6	10	1.79	48	28.39	15.48
7	15	1.71	37	29.39	12.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	58	20.09	11.21
2	11	2.67	58	21.75	11.86
3	18	2.28	47	25.11	12.71
4	14	1.68	42	28.23	8.08
5	26	1.96	48	28.88	16.48
6	10	2.01	38	29.84	13.38
7	15	1.78	33	29.45	13.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.34	52	20.21	10.10
2	11	3.22	51	23.83	12.42
3	18	2.15	38	26.86	10.85
4	14	1.54	36	19.32	1.94
5	26	2.35	47	28.90	16.18
6	10	2.31	38	29.84	13.10
7	15	1.75	35	29.92	12.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.52	85	17.55	14.99
2	11	5.62	77	18.27	14.19
3	18	1.59	52	12.71	-2.80
4	14	1.58	99	13.28	-0.59
5	26	2.16	49	28.77	16.39
6	10	1.83	97	24.38	8.60
7	15	1.85	91	27.01	8.85

CAPITA

Reproduced from
best available copy.



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	88	10.77	9.10
2	11	1.53	86	10.45	1.71
3	18	1.57	41	15.28	0.00
4	14	1.71	51	10.89	0.99
5	28	1.57	43	21.06	7.77
6	10	1.58	96	19.10	2.38
7	16	1.71	94	20.56	8.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.60	86	14.77	-0.77
2	11	1.58	90	10.76	1.01
3	18	1.76	31	17.77	0.00
4	14	1.57	51	10.08	-7.21
5	28	1.68	42	29.15	8.73
6	10	1.48	28	24.96	4.82
7	16	1.76	56	20.30	11.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.89	81	18.88	10.88
2	11	2.50	69	15.00	8.53
3	18	2.01	43	9.68	-9.14
4	14	1.57	59	5.94	-8.48
5	28	1.89	48	25.59	13.60
6	10	2.48	48	22.06	9.21
7	16	1.86	58	25.82	8.95



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.45	87	18.89	12.99
2	11	3.71	68	15.89	9.33
3	18	2.38	48	7.86	-3.05
4	14	1.79	87	6.76	-0.19
5	28	1.71	58	26.72	15.58
6	10	2.58	85	18.39	9.32
7	16	1.89	68	17.77	8.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.14	92	13.89	12.06
2	11	2.13	68	12.11	6.33
3	18	1.78	93	9.47	-2.00
4	14	1.76	95	10.47	-4.59
5	28	1.92	65	20.89	14.03
6	10	1.62	87	13.46	2.91
7	15	1.59	94	15.10	-1.22

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	96	12.08	8.77
2	11	1.85	91	13.68	8.78
3	18	1.98	38	12.77	-1.26
4	14	1.94	25	17.81	-4.08
5	28	2.76	78	18.85	12.18
6	10	3.29	58	15.55	6.05
7	16	1.58	27	18.29	-1.19

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.85	48	19.68	2.98
2	11	2.58	58	14.59	3.78
3	18	2.28	43	15.84	2.91
4	14	1.67	28	17.45	-2.39
5	26	5.68	80	16.89	13.22
6	10	8.43	76	13.83	9.10
7	15	1.68	28	20.14	0.59

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.82	48	11.55	0.22
2	11	1.73	58	12.52	2.06
3	18	1.99	50	13.52	2.80
4	14	1.55	32	17.79	-0.06
5	26	6.92	76	17.36	12.41
6	10	5.06	72	13.80	8.43
7	15	1.56	24	23.55	1.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.26	48	12.52	1.99
2	11	2.00	62	12.91	5.24
3	18	3.42	45	10.81	4.50
4	14	1.87	36	10.98	0.99
5	26	2.98	70	18.20	12.47
6	10	3.83	66	10.85	7.06
7	15	1.72	28	25.39	5.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.26	48	15.98	2.33
2	11	2.58	58	16.30	5.75
3	18	2.91	43	15.13	5.85
4	14	1.83	29	17.68	0.87
5	26	2.43	63	20.80	12.05
6	10	2.18	49	20.96	9.82
7	15	1.88	29	28.81	4.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.30	57	16.10	8.33
2	11	3.61	52	20.26	9.89
3	18	2.36	37	20.18	4.60
4	14	1.57	31	26.36	3.88
5	26	1.88	73	26.50	13.73
6	10	1.73	42	24.16	10.43
7	15	1.74	36	27.96	10.73

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.43	38	21.88	5.77
2	11	2.27	46	20.70	8.63
3	18	2.02	58	14.22	8.01
4	14	1.68	26	8.50	-0.06
5	26	1.92	62	26.53	16.78
6	10	1.89	43	25.85	11.55
7	15	1.85	49	25.68	10.79

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.65	64	18.77	8.44
2	11	3.88	64	18.73	11.68
3	18	2.18	56	10.52	1.14
4	14	1.65	41	8.44	-3.78
5	26	2.90	67	24.85	18.09
6	10	2.07	58	15.94	10.77
7	15	1.84	40	18.58	4.59

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.51	40	16.32	2.80
2	11	1.88	38	15.55	1.81
3	18	1.69	34	10.88	-4.74
4	14	1.69	38	10.27	-4.78
5	26	2.16	56	23.49	13.54
6	10	1.92	46	18.89	6.44
7	15	1.74	33	20.88	3.40



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.20	41	12.98	-1.11
2	11	3.29	42	12.82	0.05
3	18	2.67	52	10.64	0.18
4	14	1.57	42	8.82	-5.11
5	26	2.38	52	22.28	11.42
6	10	1.93	35	21.10	4.94
7	15	1.74	33	24.12	6.22



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	41	11.77	-1.11
2	11	2.71	48	13.12	2.47
3	18	2.17	45	10.70	-1.04
4	14	1.63	34	17.82	1.03
5	26	2.52	52	23.88	12.06
6	10	1.88	38	20.21	5.10
7	15	1.81	31	21.79	3.47



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	51	12.10	2.22
2	11	2.25	50	12.52	2.11
3	18	1.58	39	12.95	-0.73
4	14	1.57	38	14.47	-0.99
5	26	2.37	48	22.62	9.37
6	10	1.65	31	20.88	3.32
7	15	1.65	25	24.03	2.73



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.33	60	3.95	-7.10
2	11	2.26	67	2.42	-6.76
3	18	2.63	48	4.19	-7.37
4	14	1.54	38	8.88	-7.08
5	26	1.71	43	18.95	3.07
6	10	1.33	27	12.38	-6.27
7	15	1.60	28	23.14	2.33

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	81	8.46	-8.82
2	11	1.51	91	9.18	-7.08
3	18	1.70	35	8.65	-6.13
4	14	1.87	89	12.67	-4.40
5	26	1.86	46	12.77	0.06
6	10	1.35	26	12.10	-7.66
7	16	1.87	39	10.96	-0.89

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.42	98	10.98	0.00
2	11	2.68	32	15.18	-1.78
3	18	1.83	22	14.62	-7.15
4	14	1.89	96	17.96	-0.98
5	26	1.81	57	18.98	1.11
6	10	3.30	25	18.27	-4.55
7	16	2.81	26	18.40	-0.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.87	98	10.68	-0.06
2	11	2.76	30	17.08	-1.05
3	18	2.45	50	18.08	0.27
4	14	2.07	90	18.12	1.20
5	26	2.63	56	22.18	2.67
6	10	3.51	23	19.69	-2.72
7	16	2.68	27	21.06	1.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.95	91	15.88	1.14
2	11	2.18	39	18.58	1.98
3	18	2.32	29	20.11	1.51
4	14	1.04	29	22.37	2.21
5	26	6.26	38	23.96	6.97
6	10	6.77	22	22.18	-0.19
7	16	2.95	25	29.55	2.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	97	7.99	-2.77
2	11	1.42	91	9.18	-1.27
3	18	2.68	98	17.83	1.84
4	14	1.95	92	19.38	1.78
5	26	6.58	95	23.13	5.66
6	10	5.26	23	23.96	1.49
7	16	2.84	26	25.32	3.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.29	97	10.95	-3.92
2	11	2.48	38	12.21	-2.52
3	18	5.22	98	21.19	2.95
4	14	2.95	98	19.38	2.48
5	26	3.60	97	20.63	8.35
6	10	7.23	26	24.18	3.58
7	16	2.91	35	28.31	5.77

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	8.40	40	10.00	0.00
2	11	8.40	46	17.07	6.00
3	18	5.01	31	10.20	0.52
4	14	1.89	84	8.04	-0.94
5	26	9.71	47	20.00	10.27
6	10	8.29	30	24.21	5.21
7	15	9.04	27	20.00	4.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	8.40	00	14.40	0.00
2	11	6.70	62	8.07	0.55
3	18	2.24	57	9.45	-4.50
4	14	1.94	39	4.20	-0.00
5	26	6.88	40	10.61	4.07
6	10	4.53	28	11.38	-0.77
7	15	9.19	24	17.40	-0.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.90	50	9.77	-4.77
2	11	1.00	51	3.00	-5.00
3	18	1.81	42	5.00	-0.00
4	14	1.71	29	11.00	-0.00
5	26	6.62	38	12.04	-2.04
6	10	4.57	32	9.00	-0.55
7	15	4.00	26	17.00	-3.40



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.99	43	9.43	-2.55
2	11	2.30	31	11.81	-4.69
3	18	4.18	25	14.47	-5.70
4	14	2.21	20	18.32	-9.51
5	26	7.40	32	16.87	-0.31
6	10	9.19	28	14.53	-4.68
7	15	5.15	37	22.20	8.10



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	8.21	32	15.77	-1.77
2	11	15.43	26	15.75	-3.63
3	18	10.21	33	17.50	1.14
4	14	2.38	29	18.29	0.08
5	26	5.12	34	22.15	4.40
6	10	7.54	34	19.49	2.50
7	15	2.68	43	24.70	10.51



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.26	37	18.21	3.21
2	11	9.92	36	16.43	3.68
3	18	8.58	57	19.90	4.40
4	14	2.50	40	16.22	5.15
5	26	6.81	39	23.24	8.37
6	10	7.35	41	21.88	8.05
7	15	2.18	45	25.47	11.81

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	6.02	87	10.98	4.21
2	11	15.89	48	17.77	8.91
3	18	8.81	57	17.27	8.29
4	14	1.87	46	11.18	-0.71
5	28	5.98	65	29.92	10.50
6	10	6.29	42	23.94	10.27
7	15	1.04	44	29.68	10.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	19.27	78	12.98	9.98
2	11	8.07	71	11.30	8.15
3	18	1.75	47	7.98	-2.77
4	14	1.96	81	10.91	-0.80
5	28	6.17	47	24.50	12.06
6	10	8.93	51	17.35	7.27
7	15	2.41	42	18.88	6.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.20	88	8.77	-0.89
2	11	1.67	48	7.62	-6.36
3	18	2.18	38	11.18	-5.19
4	14	1.88	29	18.62	-6.88
5	28	2.03	39	16.16	1.58
6	10	2.42	31	13.96	-5.55
7	15	6.31	40	16.92	0.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.49	41	8.21	-6.10
2	11	3.17	37	10.95	-9.17
3	18	4.29	30	15.61	-2.00
4	14	2.07	32	12.69	-6.14
5	28	2.56	28	19.56	0.18
6	10	7.78	20	18.55	-6.99
7	15	5.42	49	18.16	8.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.62	58	10.88	0.77
2	11	2.20	43	10.35	-1.95
3	18	1.92	52	8.13	-3.29
4	14	1.58	49	5.88	-6.02
5	28	8.21	31	19.93	0.76
6	10	7.88	28	18.80	-3.16
7	15	8.08	48	19.55	7.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.77	57	8.32	-1.88
2	11	3.50	60	4.86	-2.47
3	18	2.10	48	8.06	-4.59
4	14	1.66	92	8.72	8.06
5	28	3.48	29	15.76	-3.95
6	10	5.71	27	12.98	-6.16
7	15	5.98	40	20.16	8.38

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.81	95	9.77	-4.88
2	11	2.25	49	7.08	-6.94
3	18	5.76	41	10.49	-2.57
4	14	4.78	45	8.08	-4.29
5	26	6.22	31	17.26	-0.78
6	10	11.48	27	15.77	-5.27
7	15	4.12	69	22.77	12.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	8.21	84	8.21	-0.00
2	11	8.59	75	7.26	0.07
3	18	8.81	87	7.15	0.58
4	14	1.57	58	2.87	-4.08
5	26	3.71	42	20.98	7.07
6	10	11.68	81	19.62	5.77
7	15	5.08	81	14.99	11.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	11.21	87	9.99	1.00
2	11	6.10	68	6.81	1.31
3	18	1.84	58	3.95	-2.85
4	14	1.79	49	0.88	-0.90
5	26	7.50	80	18.05	14.36
6	10	8.45	82	11.38	8.52
7	15	2.48	81	8.98	1.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.11	89	3.33	-1.77
2	11	2.99	53	0.00	-3.02
3	18	2.58	67	7.55	-2.03
4	14	1.73	98	10.47	-3.08
5	26	7.72	88	14.78	11.10
6	10	5.05	78	9.49	5.99
7	15	1.87	97	19.86	1.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.78	96	3.99	-0.99
2	11	1.68	81	6.15	-0.10
3	18	3.22	51	9.15	-0.01
4	14	1.98	92	14.76	-2.77
5	26	2.62	58	15.93	5.03
6	10	2.15	42	13.35	0.81
7	15	1.87	96	10.81	2.29

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	41	4.66	-7.77
2	11	2.69	41	0.03	-3.43
3	18	3.38	58	14.87	0.89
4	14	1.81	96	10.47	-0.03
5	26	2.95	46	18.37	6.32
6	10	2.65	58	16.88	1.94
7	15	2.20	41	19.51	4.95

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	0.48	41	10.81	-2.96
2	11	6.43	45	14.39	2.26
3	18	3.54	49	15.12	2.71
4	14	1.81	42	12.87	-0.89
5	26	2.75	67	19.58	10.58
6	10	2.52	56	17.55	8.10
7	15	1.84	47	21.92	8.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	0.95	88	12.88	8.86
2	11	7.46	78	12.26	8.82
3	18	4.79	59	18.10	8.78
4	14	3.87	45	19.96	0.85
5	26	6.02	67	20.22	13.52
6	10	2.96	65	19.96	12.55
7	15	1.86	48	24.86	12.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	0.77	98	8.10	7.21
2	11	6.79	88	14.66	8.68
3	18	5.98	87	18.11	11.80
4	14	4.77	84	18.61	8.07
5	26	8.81	55	21.89	12.08
6	10	2.15	58	23.21	12.05
7	15	2.29	67	25.46	19.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.10	78	4.99	1.10
2	11	11.88	88	9.28	7.46
3	18	5.38	78	18.56	12.98
4	14	5.26	61	13.82	8.58
5	26	3.83	51	22.32	11.21
6	10	1.87	47	22.82	10.39
7	15	1.88	58	22.58	12.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.89	59	8.10	-2.46
2	11	5.62	78	11.25	5.85
3	18	2.89	69	14.76	8.58
4	14	1.92	79	5.51	1.02
5	26	3.08	67	20.57	11.28
6	10	2.09	60	20.96	12.08
7	15	1.92	59	18.88	8.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.08	48	9.93	-2.55
2	11	3.68	66	11.86	5.65
3	18	4.78	78	7.61	3.16
4	14	1.57	68	2.88	-4.28
5	26	9.60	78	19.35	15.23
6	10	4.58	82	12.80	8.55
7	15	1.52	61	15.98	8.11

CAPITA



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	3.01	77	8.10	4.10
2	11	4.64	81	11.71	10.45
3	18	2.14	61	5.01	-1.30
4	14	1.87	50	8.84	-9.84
5	26	3.60	63	16.29	18.82
6	10	2.53	59	8.71	1.00
7	15	1.69	69	12.68	-5.10



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.88	87	10.88	4.88
2	11	5.12	86	13.02	10.65
3	18	2.43	59	7.21	-0.43
4	14	1.88	58	6.18	-3.17
5	26	3.84	67	12.51	5.83
6	10	4.87	57	7.10	-1.88
7	15	1.88	50	15.82	-1.81

REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	5.22	69	8.77	6.88
2	11	8.05	84	12.97	10.24
3	18	3.80	78	7.21	2.85
4	14	2.61	50	8.84	-3.80
5	26	2.87	56	12.98	3.18
6	10	5.33	58	8.32	-0.72
7	15	2.10	60	15.88	5.88



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.51	73	11.43	7.88
2	11	4.90	76	8.68	4.69
3	18	2.21	71	8.18	0.08
4	14	1.91	81	1.55	-5.43
5	26	1.90	45	16.79	3.86
6	10	2.23	42	13.99	0.08
7	15	4.79	73	12.08	8.44



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	81	11.55	3.88
2	11	1.86	59	9.74	2.01
3	18	5.23	70	7.34	2.08
4	14	5.25	78	0.55	-2.97
5	26	1.86	48	17.94	6.64
6	10	2.51	47	14.71	3.10
7	15	4.90	87	11.88	9.82



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	85	8.77	2.55
2	11	2.61	63	9.84	3.07
3	18	7.90	79	10.87	8.80
4	14	9.29	87	-0.87	-2.77
5	26	2.21	62	18.15	10.67
6	10	2.55	68	18.77	10.83
7	15	2.58	61	12.44	4.48

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.93	78	8.49	4.88
2	11	3.12	78	13.07	9.47
3	18	1.88	85	2.85	-5.14
4	14	4.61	79	-0.76	-10.70
5	26	2.98	88	10.37	19.11
6	10	1.33	54	9.18	0.22
7	18	1.52	48	8.89	-4.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.44	98	12.69	1.88
2	11	2.10	87	8.61	-4.38
3	18	5.26	82	-2.12	-9.42
4	14	1.94	82	-7.87	-16.18
5	26	1.00	52	14.43	4.22
6	10	1.80	48	5.38	-4.18
7	18	1.58	85	4.81	-3.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	48	4.77	-8.88
2	11	1.05	48	2.21	-8.13
3	18	1.80	58	-4.76	-11.88
4	14	1.87	81	-8.88	-12.88
5	26	1.71	48	11.25	-2.48
6	10	1.48	42	5.88	-8.05
7	18	0.10	72	2.88	-2.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.20	37	1.44	-11.88
2	11	2.56	52	0.75	-8.12
3	18	5.47	85	-1.88	-7.49
4	14	2.88	68	-4.55	0.51
5	26	2.08	85	12.80	0.38
6	10	4.39	59	4.27	-5.38
7	18	2.14	78	4.58	0.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.93	98	1.68	-7.21
2	11	2.80	60	1.15	-5.85
3	18	2.11	82	-1.28	-7.89
4	14	2.98	88	-4.38	-8.87
5	26	1.89	54	10.87	1.05
6	10	2.28	75	1.88	-2.50
7	18	2.91	78	4.56	0.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.10	99	-1.99	-14.44
2	11	1.78	96	-0.80	-11.29
3	18	5.05	69	-3.53	-8.58
4	14	3.83	77	-0.69	-6.48
5	26	1.00	48	10.20	-0.38
6	10	3.32	62	6.10	-0.77
7	18	3.69	78	9.69	6.84

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.89	51	-3.96	-10.49
2	11	10.81	88	-0.75	-2.81
3	18	9.05	84	-0.08	-2.40
4	14	6.15	77	-0.91	-4.09
5	26	8.18	83	10.10	6.81
6	10	5.85	88	8.21	5.99
7	15	6.40	79	8.82	5.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.94	92	0.77	-0.88
2	11	8.76	73	2.82	-1.81
3	18	8.79	81	0.80	-2.00
4	14	8.07	88	0.87	-1.10
5	26	3.33	72	11.27	8.32
6	10	5.08	77	7.82	5.08
7	15	8.98	76	12.52	8.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.26	88	0.77	-4.00
2	11	2.77	82	4.06	-1.71
3	18	11.50	87	5.52	1.41
4	14	4.08	78	1.84	-2.85
5	26	5.82	78	12.41	7.08
6	10	8.58	83	9.35	6.58
7	15	1.00	88	12.48	9.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.08	77	2.99	-0.48
2	11	8.10	93	8.20	5.38
3	18	4.15	80	2.97	0.73
4	14	1.83	81	2.97	-4.38
5	26	5.68	81	12.80	9.31
6	10	1.87	84	9.80	7.05
7	15	1.52	93	14.46	-1.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.33	88	5.33	-0.46
2	11	2.05	66	4.03	-1.56
3	18	2.98	68	2.49	-2.60
4	14	2.02	67	4.12	-4.83
5	26	1.68	92	15.35	1.95
6	10	1.51	91	14.49	1.21
7	15	1.80	96	14.88	-0.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	88	4.19	-5.68
2	11	1.84	53	7.41	-1.31
3	18	1.52	55	8.89	1.08
4	14	1.78	58	5.83	-2.89
5	26	2.04	41	17.34	3.29
6	10	2.08	43	15.46	2.03
7	15	1.68	53	17.03	6.03

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.50	72	3.00	-0.00
2	11	5.33	63	8.63	1.76
3	18	3.55	68	12.95	7.00
4	14	2.52	69	7.05	0.36
5	26	3.54	52	17.81	7.50
6	10	1.79	62	17.05	9.44
7	15	1.69	44	20.00	7.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.42	74	5.10	0.00
2	11	3.60	72	11.50	0.56
3	18	4.11	74	13.51	0.85
4	14	1.87	69	4.00	-2.10
5	26	3.10	80	20.20	11.70
6	10	2.60	72	19.55	14.10
7	15	1.74	44	18.70	4.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.00	77	7.00	0.00
2	11	5.51	80	11.30	0.96
3	18	3.60	83	4.10	1.00
4	14	1.64	66	0.91	-5.70
5	26	3.70	80	10.03	15.31
6	10	3.34	72	10.93	5.83
7	15	1.55	34	12.40	-9.22



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.71	92	9.44	8.10
2	11	5.15	88	6.35	4.59
3	18	2.59	71	0.83	-3.94
4	14	4.00	83	2.93	-4.08
5	26	1.81	48	9.95	-1.19
6	10	1.54	50	7.43	-2.32
7	15	1.81	31	14.73	-2.25

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.39	80	2.88	1.33
2	11	4.00	63	3.63	-2.97
3	18	5.88	81	0.03	-2.89
4	14	2.42	67	-1.86	-7.13
5	26	1.80	37	13.22	-1.49
6	10	1.71	49	8.62	-1.55
7	15	1.64	42	13.95	1.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	59	2.88	-4.99
2	11	2.72	55	3.27	-4.99
3	18	4.81	75	-2.84	-6.54
4	14	3.95	71	-5.98	-10.39
5	26	2.38	41	10.52	-2.62
6	10	3.37	54	3.10	-5.68
7	15	1.53	47	10.77	-0.66

CAPITA



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.89	78	1.39	-8.21
2	11	9.21	67	1.80	-8.66
3	18	5.03	75	-4.37	-8.17
4	14	2.84	84	-4.71	-10.87
5	26	2.24	61	7.49	-2.26
6	10	2.11	52	0.81	-8.58
7	15	1.92	47	5.81	-4.79



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.34	80	-0.77	-8.10
2	11	6.11	63	-0.60	-8.06
3	18	4.09	72	-0.87	-5.21
4	14	1.80	53	3.40	-5.56
5	26	1.88	47	4.67	-6.06
6	10	2.33	80	0.88	-8.05
7	15	1.88	40	8.58	-3.10

REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.88	68	2.77	-2.88
2	11	2.86	58	3.88	-4.29
3	18	2.38	58	4.40	-5.01
4	14	2.86	58	4.34	-8.29
5	26	1.77	38	9.80	-3.06
6	10	1.87	44	7.82	-3.80
7	15	1.88	48	19.88	1.77



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.61	45	8.44	-4.55
2	11	3.46	53	6.68	-2.16
3	18	4.37	60	7.00	-0.48
4	14	2.07	63	-0.27	-8.30
5	26	2.02	32	14.37	-2.24
6	10	3.30	41	11.88	-0.88
7	15	2.10	63	15.92	8.47

REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.40	51	3.39	-9.99
2	11	2.95	55	5.95	-3.02
3	18	3.07	63	1.10	-5.11
4	14	2.06	54	-4.67	-12.38
5	26	2.05	41	15.99	2.34
6	10	3.54	54	14.21	4.03
7	15	3.78	74	12.81	8.03



REGION	* STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.32	47	-0.10	-10.22
2	11	2.72	58	1.86	-5.50
3	18	8.50	78	0.98	-2.74
4	14	8.00	80	-3.98	-8.88
5	26	3.20	48	15.16	4.27
6	10	3.53	58	15.49	7.21
7	15	2.52	74	12.69	7.88

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.48	86	-0.00	-0.00
2	11	4.07	88	1.00	-0.00
3	18	10.00	89	3.60	2.00
4	14	2.27	80	-2.17	-5.27
5	26	4.34	76	12.45	8.11
6	10	4.03	83	11.00	9.10
7	15	1.84	81	10.00	9.01



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.00	70	0.00	-4.00
2	11	6.67	81	2.62	1.26
3	18	10.00	84	2.40	1.00
4	14	0.03	80	-2.07	-4.40
5	26	4.03	74	11.74	7.04
6	10	3.91	76	8.44	1.04
7	15	3.00	80	10.01	4.00

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	7.81	70	-1.10	-4.77
2	11	2.14	79	4.18	-0.26
3	18	11.67	82	4.22	3.00
4	14	10.10	80	-1.00	-2.00
5	26	3.04	79	11.21	6.04
6	10	2.95	72	8.94	5.27
7	15	1.70	84	12.51	2.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	6.98	92	0.00	-1.11
2	11	5.50	84	4.28	1.76
3	18	6.57	90	5.27	3.79
4	14	3.18	85	-2.41	-4.50
5	26	4.81	73	12.58	7.43
6	10	3.04	78	10.93	7.22
7	15	1.63	83	8.95	1.29



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.22	78	5.21	1.93
2	11	4.62	79	6.71	3.22
3	18	3.65	81	1.69	-1.29
4	14	2.50	80	-5.79	-8.68
5	26	4.21	80	15.29	9.35
6	10	5.12	78	7.99	4.38
7	15	2.12	71	7.40	2.29

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.81	58	6.55	-1.55
2	11	3.10	69	3.98	-1.20
3	18	3.49	79	-2.08	-5.11
4	14	1.78	72	-6.48	-10.75
5	26	4.72	68	14.24	7.06
6	10	3.63	71	8.80	3.81
7	15	1.85	67	4.77	-0.98

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.40	53	0.00	-4.00
2	11	5.17	63	1.61	-4.94
3	18	2.83	74	-2.50	-8.06
4	14	8.04	68	-6.10	-11.00
5	26	1.80	48	10.61	1.00
6	10	2.04	50	5.71	-1.72
7	15	1.09	67	6.00	-1.10

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	4.07	67	0.10	-7.00
2	11	2.76	66	-1.00	-8.00
3	18	1.07	58	-4.22	-11.35
4	14	8.10	67	-7.17	-10.06
5	26	1.06	48	11.10	-1.17
6	10	8.19	58	5.69	-8.44
7	15	2.21	66	6.70	0.20

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.18	53	-7.01	-10.10
2	11	3.23	52	-6.94	-10.00
3	18	2.50	61	-1.10	-7.92
4	14	1.00	60	-6.07	-9.00
5	26	1.02	48	7.94	-8.00
6	10	2.21	48	5.10	-4.00
7	15	2.40	53	6.00	-0.44



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.77	53	0.22	-8.33
2	11	4.78	52	1.66	-7.62
3	18	4.09	69	2.68	-5.83
4	14	2.09	68	-1.86	-6.94
5	26	2.07	44	11.27	-0.83
6	10	2.92	45	8.45	-3.27
7	15	3.09	75	11.25	8.77



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	4.20	60	-0.55	-7.77
2	11	6.36	61	4.13	-3.37
3	18	6.13	75	3.36	-0.86
4	14	5.46	73	-3.37	-7.81
5	26	3.13	60	12.00	4.89
6	10	3.59	65	8.18	1.55
7	15	5.13	79	11.09	6.61



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.08	67	-5.77	-8.00
2	11	8.96	80	-1.06	-3.00
3	18	8.87	63	1.28	-1.23
4	14	6.84	78	-2.79	-8.22
5	26	5.10	83	12.32	9.22
6	10	5.58	85	7.27	4.94
7	15	1.78	61	11.14	1.14

CAPITA


REGION 1, QTR 1 1952
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 1, QTR 2 1952
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 1, QTR 3 1952
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 1, QTR 4 1952
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 2, QTR 1 1952
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 2, QTR 2 1952
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 2, QTR 3 1952
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 2, QTR 4 1952
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


REGION 3, QTR 1 1952
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 3, QTR 2 1952
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 3, QTR 3 1952
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 3, QTR 4 1952
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


REGION 4, QTR 1 1952
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 4, QTR 2 1952
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 4, QTR 3 1952
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 4, QTR 4 1952
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 5, QTR 1 1952
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 5, QTR 2 1952
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 5, QTR 3 1952
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 5, QTR 4 1952
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITO


REGION 6, QTR 1 1952
100 15
30
AH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 6, QTR 2 1952
100 15
40
AH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 6, QTR 3 1952
100 15
50
AH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 6, QTR 4 1952
100 15
30
AH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


REGION 7, QTR 1 1952
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 7, QTR 2 1952
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 7, QTR 3 1952
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 7, QTR 4 1952
100 15
30
Rh
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


EUS MEAN, QTR 1 1952
100 15 30
RH BEXT TEMP
0 0 -20
JAN FEB MAR
EUS MEAN, QTR 2 1952
100 15 40
RH BEXT TEMP
0 0 -10
APR MAY JUN
EUS MEAN, QTR 3 1952
100 15 50
RH BEXT TEMP
0 0 0
JUL AUG SEP
EUS MEAN, QTR 4 1952
100 15 30
RH BEXT TEMP
0 0 -20
OCT NOV DEC

CAPITA